

FAIR RADIO SALES CO.

2133 ELIDA ROAD P. O. BOX 1105

LIMA, OHIO 45802



WORLD'S FINEST SURPLUS BARGAINS..

Spring & Summer '66

APR TUNING UNITS



TN-1/APR-1 TUNING UNIT 30-90 MC. PLUG IN TYPE USED WITH APR-1 & APR-4 RECEIVERS. THIS UNIT IS WITH 2/9002 TUBES. (WILL MAKE A GOOD FRONT END FOR 6 METERS) WITH CASE AND SHOCKMOUNTED BASE. SIZE: 9x7x15; WT: 25 LBS. NEW \$24.95

TU-57 TUNING UNIT SIMILAR TO ABOVE; FREQUENCY COVERAGE 150-480 MC. USED WITH BC-977 RECEIVERS ONLY. CONTAINS BUTTERFLY VARIABLE CAPACITOR 4" AND 2" AND ONE ACORN TUBE. USER PRICES: TU-57 TUNING UNIT 150-480 MC. \$14. TU-58 TUNING UNIT FREQUENCY COVERAGE 90-370 MC. CONTAINS TWO 4 INCH BUTTERFLY VARIABLE CAPACITORS. WITH 955 & 9004 TUBES. USED \$14.95

RADIATION DETECTOR



RADIAC SET AN/PDR-8B RADIATION DETECTOR. THIS IS A PORTABLE, BATTERY OPERATED RADIAC DETECTOR, COMPUTER, AND INDICATING DEVICE. ITS PURPOSE IS TO DETECT AND MEASURE BETA AND GAMMA RADIATIONS TOGETHER OR GAMMA RADIATION ALONE. RADIATION IS INDICATED VISUALLY BY A METER HAVING FOUR RANGES IDENTIFIED BY COLORED SCALES. RANGES ARE 0-0.01 R/24 HRS. (BETA AND GAMMA), 0-0.1 R/24 HRS. (BETA AND GAMMA), 0-1.0 R/24 HRS. (GAMMA), AND 0-10 R/24 HRS. (GAMMA) SET INCLUDES: RADIACMETER, RADIAC DETECTOR, REMOTE HANDLE, HEADSET, AND CARRYING CASE. IN GOOD CONDITION WITH INSTRUCTION MANUAL. 10x10x12 WT. 25 PRICE: \$29.95



BOMB DIRECTOR COMPUTER

COMPUTER MK-20 MOD 2; CP-15A/ASG-10. COMPUTER FOR BOMB DIRECTOR. REGULATED POWER SUPPLY WITH 27 VDC INPUT; OUTPUT 285 VDC @ 75 MA. 88 PRECISION RESISTORS ALSO RELAYS AND OTHER PARTS ALL IN VACUUM SEALED CASE. TUBES 2-2050; VR 150 6-11. SIZE: 14x10x8 WT. 30 LB USED \$7.95

SUPERSONIC

SELECTOR



NAVY SUPERSONIC SELECTOR IS A TEN CHANNEL SELECTOR USING 12SH7 AMPLIFIERS AND ADJUSTABLE TUNED CIRCUITS. FREQUENCIES SET: 20, 27.5, 35, 42.5, 50, 57.5, 72.5, 87.5, 102.5, 117.5 CYC. UNIT CONTAINS 10 SPST 3300 OHM TELEPHONE TYPE RELAYS AND 10/12SH7 TUBES. SIZE 11x12x6 1/2 WEIGHT 30 LBS. \$8.95


AMPLIFIER



CC1 50272 AUDIO BOOSTER AMPLIFIER. AUDIO OUTPUT APPROX. 3 WATTS WHEN USED WITH PRE-AMP OR TO BOOST POWER OF INTERCOM. OUTPUTS TO 6, 15, 600 OHMS. FOR 19 INCH RACK MOUNTING. TUBES: 5Y3, 6AG7. OPERATES FROM 110 VOLTS 50-60 CYC. SIZE: 11x5x19 WT. 30 LBS. USED \$12.95


MICROSCOPE

PROJECTOR



MICROSCOPE-PROJECTOR, 75X COMPARATOR MFG. BY PHILCO #E726B. PROJECTS FROM 3/16 TO 6x6 SCREEN. OPERATES FROM 115 VOLT 60 CYCLE. SIZE 20 x 16 x 10; WT: 35 LBS. PRICE: USED \$99.50

ELECTROFAX SIGNAL GUARD




RCA ELECTROFAX SIGNAL GUARD USED TO ENCODE THE SIGNATURE OF BANK CUSTOMERS BY A PROCESS OF LIGHT EXPOSURE AND HEAT DEVELOPMENT. SPECIAL FIBER OPTICS USED TO DECODE SIGNATURE. THE PROCESS IS TIMED BY A CAM TYPE TIMER. THE ORIGINAL SIGNATURE TO BE ENCODED IS PROJECTED ON LIGHT SENSITIVE PAPER, THE EXPOSED SIGNATURE IS THEN SCRAMBLED, THEN IT IS MOVED ON TO THE HEAT DEVELOPER. THE ENCODED SIGNATURE IS THEN PLACED IN THE PASSBOOK. WHEN A WITHDRAWAL IS MADE THE TWO SIGNATURES ARE COMPARED UNIT HAS HIGH VOLTAGE POWER SUPPLY, PROJECTION LAMPS, MOTORIZED CARRIAGE, MISC. COMPONENTS AND FIBER OPTICS. SIZE: 13x11x22 WT. 50 LBS. NEW: \$34.95

READOUT BOARD

USES 110 VOLT NEON BULBS NUMBERED, 30 BULBS, 3/16" DISPLAY, SLIDE TYPE CONNECTORS, 30 RESISTORS MOUNTED ON BOARD 5x11" READOUT BOARD, USES 30 1/10 VOLT NEON BULBS WITH 3/16" DISPLAY EACH ONE NUMBERED, SLIDE TYPE CONNECTORS & 30 RESISTORS MOUNTED ON BOARD 5 x 11 INCHES. WT: 1 LB. PRICE: \$1.95 EA. 3 FOR \$5.00

COMPUTER

MEMORY CORE



COMPUTER MEMORY CORE MATRIX, CONSISTS OF FOUR SECTIONS OF RCA #XN125-97 7"x4"x1" WIRED TO 14 CHASSIS CONNECTORS WITH MATCHING DISCONNECTS ALSO 3 RESET SWITCHES. SIZE 20x12x4; WT: 13 LBS. PRICE: USED \$24.95

MILLIVOLTMETER



MILLIVAC D.C. MILLIVOLTMETER TYPE RM-17 MEASURES FROM 1 MV TO 1000 V IN 13 STEPS ON 4 1/2" SQUARE METER. RACK PANEL MOUNTING 19x7" OPERATES FROM 115 VOLT 60 CYCLE. WT: 18 LBS. PRICE: USED \$115.00


BALLATINE



BALLATINE ELECTRONIC VOLTMETER #300 FREQ. RANGE 10 TO 150,000 CYCLES. VOLTAGE RANGE ONE MILLIVOLT TO 100 VOLT A.C. INPUT IMPEDANCE 1/2 MEG. ACCURACY 2% TO 100 KC. 3% ABOVE. 4 1/2" METER, FIVE VOLTAGE RANGES. SIZE: 11x6x4 1/2 WT: 14 LB USED \$85.00

CRYSTAL


CALIBRATOR



CRYSTAL CALIBRATOR MARKER GENERATOR MFG. BY CEDCO, MODEL C-5, RF & AF ATTENUATORS, 5 CRYSTAL FREQUENCY SELECTOR AND FACILITY SELECTOR. OPERATES FROM 115 VOLT 60 CYCLE. SIZE: 12x9x8; WT: 15 PRICE: USED \$39.95

SUPER PRO

RECEIVER



SUPER PRO RECEIVER SP-600 JX TUNES FREQUENCY RANGE 0.54 TO 54 MC IN SIX BANDS. AUDIO OUTPUT TWO WATTS INTO 600 OHMS. POWER REQUIRED 95-260 VOLTS, 50-60 CYC, 130 WATTS. RECEIVER CONTAINS 20 TUBES AND CAN BE RACK MOUNTED. SENSITIVITY 2.3 MICROVOLTS OR BETTER ON ALL BANDS FOR S-N TO N RATION OF 10 DB. IMAGE REJECTION BETTER THAN 74 DB ON ALL BANDS. IF REJECTION RATIO AT 600 KC IN 2700 TO 1. AVC WILL HOLD WITHIN 12 DB WHEN INPUT IS INCREASED FROM 2 TO 200,000 MICROVOLTS. ALSO HAS A CRYSTAL CONTROL OSCILLATOR IN WHICH SIX CRYSTALS CAN BE USED FOR SPOT FREQUENCY OPERATION SIZE: 19x16 1/2 x 10 1/2 WT. 80 LBS. CONDITION: GOOD, GUARANTEED TO OPERATE PRICE \$349.95

TELEPHONE REMOTE

CONTROL UNIT



TELEPHONE REMOTE CONTROL UNIT WITH HANDSET. UNIT HAS INPUTS FOR TWO MIKES AND ONE RECEIVER WITH CONNECTION AT TERMINAL BOARD FOR KEYSER AUDIO OUTPUT 1.3 WATTS INTO 600 OHMS. MAY BE USED FOR INTERCOM. POWER REQUIREMENTS 115 VOLTS 60, 25 CYC OR DC. TUBES: 2/35L6, 35Z5. SIZE: 13x12x11 1/2 WT. 48 LBS. WITH INSTRUCTION MANUALS NEW \$14.95 SPARE PARTS FOR ABOVE IN WOOD CASE 9x9x8 CONTAINS SPARE TUBES, CAPACITORS, RESISTORS SWITCHES AND JACKS. WT 7LB. NEW \$2.00

TRANSISTOR POWER SUPPLIES


ACOPIAN TRANSISTOR POWER SUPPLY. INPUT: 125 VOLTS 60 CYC; OUTPUT: 0-100 VDC @ 0-100 MA TUBES: 2/6L6; 12AX7; 6AU6; 50U4; 0A2; 0B2; 0G3 FOR RACK MOUNTING. SIZE: 3 1/2 x 7 1/2 x 19 USED \$29.95



ELECTRONIC MEASUREMENTS TRANSISTOR POWER SUPPLY MODEL 212A. INPUT: 125V 60 CYC; OUTPUT: 0-100 VDC @ 0-100 MA. TUBES: 2/6L6; 50U4 0B2; 0A2; 0G3; 12AX7; 6AU6. For RACK MOUNTING. SIZE: 19x9 1/2 x 3 1/2. WT. 16 LB. USED \$29.95

REGULATED

POWER SUPPLY



WICKS MODEL PS-3 REGULATED POWER SUPPLY POWER INPUT 105-125V, 50-60 CYC 370 WATTS REGULATED DC OUTPUT (ADJUSTABLE) 270-300V MAXIMUM OUTPUT CURRENT 400 MA REGULATION 100 -400MA, LESS THAN 0.5 VOLTS. AC RIPPLE, PEAK TO PEAK, LESS THAN 0.015 VOLT. OUTPUT IMPED. LESS THAN 0.7 OHMS. RECESSED RACK MOUNTING. SIZE: 19x10 1/2 x 12 1/2 WT. 70 LBS. NEW \$29.95

HIGH CAPACITY

CAPACITORS



HIGH CAPACITY CAPACITORS IN BANKS OF TWENTY OR INDIVIDUALLY. 16x13x5, WT 40 LBS. FOR RACK MOUNTING. SOLA 25,000 MFD @ 25 VDC SINGLE \$1.50 BANK 24.50 MALLORY 20,000 MFD @ 25 VDC SINGLE 1.50 BANK 24.50

FAIR RADIO SALES

2133 ELIDA ROAD

Route 30 South -- West of Lima
BOX 1105, LIMA, OHIO 45802

TEL.: AREA CODE 419 227-7886

STORE HOURS

MONDAY THRU SATURDAY

9:00 A.M. TO 5:30 P.M.

TERMS

PRICES NET, F.O.B. LIMA, O.
SEND CASH, CHECK OR MONEY
ORDER with PURCHASE ORDER


MINIMUM ORDER \$3.00. Orders
less than \$3.00 ADD \$.50
HANDLING CHARGE.

Include sufficient money
for shipping charges. (UNUSED
PAYMENTS RETURNED AT ONCE.)
Otherwise we will send ship-
ping charges collect.

C.O.D. ORDERS, SEND 25% of
PURCHASE WITH ORDER. BALANCE
will be COLLECTED UPON DEL-
ivery.

When writing for information
PLEASE state what specific
information you desire.

GENERAL ELECTRIC



A-C VOLTMETER
TYPE AO-22 3 1/2" RD 0-15 SCALE
25-133 CYCLE \$2.95

D-C VOLTMETER
TYPE DO-41 3 1/2" RD.
0-150 SCALE \$2.95

0-1.5 KILOVOLT SCALE
FS-1 MA. (VJF8) \$2.95

D-C MILLIAMMETERS
TYPE DO-41 3 1/2" RD
0-100 0-200 EACH \$2.95

RF AMMETER
TYPE DO-44 3 1/2" RD.
0-20 SCALE \$3.95

A-C AMPERES
0-75 SCALE, 5 AMP. MOVE.
SIMPSON 3 1/2" RD.
#3F1075 \$4.95

DB METER 3 1/2" RD.
WEST. TYPE NC35
SCALE 10-0-6
USED \$3.95
UNUSED 4.95

WESTON

PANEL

METERS

MODEL 301 A.C. VOLTS 3 1/2" RD
0-150 0-500 0-15/150
\$6.95 EACH

MODEL 301 D.C. VOLTS 3 1/2" RD
0-30 0-50 0-200 0-250
0-300 0-350 0-500 0-600
\$6.95 EACH

MODEL 301 D.C. VOLTS 3 1/2" RD
1-0-1 15-0-15 300-0-300
\$6.95 EACH


MODEL 301 D.C. AMPS. 3 1/2" RD
0-1 0-2 0-4
\$6.95 EACH

MODEL 301 D.C. M.A. 3 1/2" RD
0-50 0-100 0-200
\$6.95 EACH

MODEL 476 A.C. VOLTS 3 1/2" RD
0-10 0-150 0-500
\$6.95 EACH

MODEL 476 3 1/2" RD
0-100 A.C. MILLIAMP \$6.95
0-250 " " " \$6.95
0-3 " AMPERES " \$6.95

SIZES INDICATED ARE FOR METER HOLE OPENING



R.F. AMPERES
0-4 SCALE W/
THERMOCOUPLE.
2 1/2 x 3 1/2, PANEL
OR PORTABLE
IN/OUT CIRCUIT
SWITCH. WESTON
LTD#10A/12667
\$3.95




DC AMPERES
3 1/2" 0-300 scl
USE W/SHUNT
50 MV/200 A
WESTON-M-643
ORD#173030
\$6.95




RF MILLIAMP
2 1/2" 0-150 SCALE
SIMPSON
MODEL 35
\$3.95



D.C. MILLIAMP
0-35 SCALE
2 1/2" RD.
USN#CG22202
GE# DW41
\$2.95



FS-5 AMP DC
0-5 AMP SCALE
2 1/2" RD.
BURLINGTON
MR25WOODCAA
\$2.95



DC VOLTS
2 1/2" 0-500 scl
BASIC FS 500V
RUGGIZED
ALUMINUM PAN-
EL ASSY.
BURLINGTON
STK#3F8C10-33
\$3.95



MICROMHOS
DYNAMIC MUTA-
LAL CONDUCTANCE
USED IN I-177
TUBE CHECKER
BASIC 0-1.4
MA.
HICKOK#M547A
STK#3F1350
\$4.95



DC MILLIAMPER
2-3/4" 0-15
SCALE
0-300 SCALE
USE EXT. SHUNT
0.35 OHM
USED W/BC-669
VARIOUS MFG.
STK#3F930-14
\$4.95



MARION ELEC.
POWER SET
-DBM X
-6 -0-3x
#HS22B5
2 1/2" RD.
\$2.95



GAR ELEC.
F.S. = 100 UA
SCALE 1-3/3-
10 & %MOD 5-50
2 1/2" RUGGIZED
GAR MODEL 260
\$4.95



PERCENTAGE
MODULATION
10-0-10
ROLLER-SM.
ES-100 UA
3 1/2" #49470
\$3.95




50 MICROAMP.
0-5 SCALE
1 1/2" SINGLE
HOLE MOUNTING
INTERNATIONAL
#420-63-0251
\$4.95



DC AMPERES
2-1/16"
0-120 SCALE
EXTERNAL
SHUNT REQ.
AERO#C-120
NSD#R17A5730
\$1.95



TUNING METER
2" TUNE FOR
MAX. SCALE.
2 MA. RIGHT,
5 MA. LEFT.
5 OHM DC RES.
USED IN RADIO
COMPASS REC.
#1-70 \$1.50



DC MICROAMPERE
0-200 SCALE
TRIPOLET 2 1/2"
#MR25WOODCAA
MODEL 221 T
\$3.95




ANTENNA
CURRENT
INDICATOR
0-10 RF W/
THERMOCOUPLE
WESTON 507
F/BC-442
USED \$1.25


GE DW-46 AC MILLIAMP
0-500 SCALE FSV 1.5
2 1/2" RD. \$2.95

AUTOMOTIVE


MOTORAIDE METERS



CIRCUIT
0-1 M.A. MOVE.
0-10 V. SCALE
0-7.5 A. " "
0-1K OHM " "
SIZE 3 1/2 x 5 1/2
\$3.95




REGULATOR
0-1 M.A. MOVE.
0-60 DCA SCALE
0-10 DCV " "
0-20 DCV " "
SIZE 3 1/2 x 5 1/2
\$3.95



DWELL TACHOMETER VOLT METER
0-1 M.A. MOVE.
0-50 DEG DWELL
0-5000 R.P.M.
0-15 D.C.V
SIZE: 3 1/2 x 5 1/2
\$5.95
THIS WILL NOT BE THE ORIGIN-
AL SCALE AS SUPPLIED BY THE
MANUFACTURER BUT A MODIFIED
UNIT FROM THE OTHER TYPES.

METER SCALE FACE, INSTRUCT-
IONS, AND SHUNT FOR
CHANGING CIRCUIT OR REGULA-
TOR METERS TO DWELL-TACH.
\$1.00
METER BOXES PAGE 27 \$1.95



VOLTMETERS

0-150 AC Round flush type for 2-1/8" hole,
Bakelite case. Westinghouse type
NA-33, 25 to 125 cycles.
Signal Corps No. 3F8150-69 6.25

0-300 AC 3" round flush type, bakelite case,
Simpson and General Electric Mfg.
Signal Corps No. 3F8300-28 7.50

0-15 AC-DC Voltmeter 2 1/2" RD. USED No. TS-122 2.95

0-30 DC Round flush type, for 2 1/2" hole.
General Electric Mfg. Model
85W53AAL. Stock No. 2DA7 5.75

0-300 DC Round flush type, bakelite case,
shielded, for 2 1/2" hole. Sun Mfg.
Model 2AU346. Stock No. 159E-12 5.75

MILLIAMMETERS

50-0-50 3" round flush type, bakelite case.
DC Sangamo and Weston model 301.
Signal Corps No. 3F3327 6.25

0-100 DC 3" round flush type, bakelite case.
De-Jur model 310.
Signal Corps No. 3F910-1 6.95

0-800 DC 3" round flush type, bakelite case,
calib. for 1/8" steel panel.
Signal Corps No. 3F980-2 6.95
R.F. METERS

0-10 AMPS 2-3/4" flange, for 2 1/2" hole,
bakelite case. Weston model 507,
Signal Corps No. 3F1010-24 5.95

0-1 AMPS 3" round flush type, bakelite case,
Triplet model 0341-T or Weston model
425. Signal Corps No. 3F1001-31 6.25

0-100 MA For 2-1/8" hole, metal case. Calib.
for 1/16" steel panel, with Thermo-
couple. General Electric model AAN21,
type DW-52. Signal Corps No. 3F912 5.50

AMMETERS

0-30 DC 3" round surface mounting.
Roller-Smith type TDS.
Signal Corps No. 3F1030-9 6.95

0-30 DC 2" round flush type, metal case.
Hoyt Meter Co. No. H17-3, scale
has marking for 12 volt and 6 volt.
Signal Corps No. 3F1030-22 5.50

0-1.5 DC Milliamp. Tube checker scale
2 1/2" flush mtg. P/O I-56A W.No. 685-2 2.95

WESTINGHOUSE METERS TYPE

RX-37 4 x 4 1/2 SQUARE
D.C. VOLT 0-30
" " 0-80
D.C. AMP. 0-2
" " 0-5
" " 0-50
AC VOLT 0-150
SEPERATE METERS EACH \$6.95

WESTINGHOUSE NX-35
0-1500 D.C. AMPS.
FS-50 MV. REQ. 1580
AMP. 50 MV SHUNT.
3 1/2" RD. \$3.95

WESTON AC AMPERES
#517 2 1/2" RD. 0-1
SCALE \$2.95

R.F. AMPERES 0-1
WEST. TYPE N810140
SC TYPE IS-84
2 1/2" \$2.95

MARK 11 No. 19 VOLT
METER 2 1/2" 0-15 & 0-
600 SCALE, 500 MICR
OAMP MOVE. PC90609C
\$3.95

A.C. OUTPUT METER T-650
SCALES 0-1.5/0-6/0-15/
0-60/0-150. SIZE 3x6x3
USED CHECKED \$4.95
DEFECTIVE AS-IS 2.00

D.C. VOLT METER
0-30, 2 1/2" SQ. MTG.
AIRCRAFT TYPE
22284
PRICE: \$2.95

D.C. AMPERE METER
0-150 SCALE, 0-15
MA. MOVEMENT, SHUNT
REQUIRED, 2 1/2" WEST
#12058528 \$1.95

PRESSURE METER
GAGE-RADAR, 0-30
SCALE, 2 1/2".
US GAUGE #31-B2F29
\$1.50

GENERAL ELECTRIC
TYPE DO-41 3 1/2" RD.
SCALE 50-0-50
D-C AMPERES.
REQUIRES EXTERNAL
SHUNT. \$4.95


DE JUR MODEL 300
NULL INDICATOR
SCALE -10-0-10
3 1/2" RUGGIZED
\$5.95

"S" METER FOR BC-779
SUPER PRO RECEIVER
2 1/2" DIA.
PRICE: \$3.95

FM

TRANSMITTERS-RECEIVERS

AM




BC-604 TRANSMITTER

FREQ. RANGE 20-27.9 MC OUTPUT APPROX. 30 WATT. 10 CRYSTAL CONTROLLED CHANNELS. FREQ. 54 TIME CRYSTAL FREQUENCY. 12 VOLT DC OPERATION WITH DM-35 DYNAMOTOR. 24 VOLT DC OPERATION WITH DM-37 DYNAMOTOR. BATTERY DRAIN 20A. ON 12 VOLT TUBE LINEUP; 1619 DOUBLER, 1619 TRIPLER, 1619 1ST RF AMPLIFIER, 1619 RF RECTIFIER, 1624 POWER AMPLIFIER. SIZE: 18"X11 1/2"X10 3/8"D. WT: 60LBS. LESS DYNAMOTOR. RE-NEW \$7.95

BC-684 TRANSMITTER SAME AS BC-604
USED \$6.95 FREQUENCY RANGE 27 TO 39.1 MC

BC-924 TRANSMITTER

Now \$12.95
Used \$8.95



FREQ. RANGE 27 TO 39.1 MC. 12 VOLT DC OPERATION. VOLTAGE REGULATED M.O. CIRCUIT. SLUG TUNED COILS HI AND LOW OUTPUT SWITCH. 30 WATT OUTPUT ON HI POSITION. CONTAINS INTERPHONE AMPLIFIER. SCHEMATIC ENCLOSED IN CABINET. TUBE LINEUP: 6SJ7 OSCILLATOR, 6J5 MODULATOR, 6SJ7 BUFFER, 6AG7 AMPLIFIER, 815 DOUBLER, 815 FINAL, 7SL7 1ST AUDIO, 6V6 2ND AUDIO, VR150 VOLTAGE REGULATOR. VOLTAGE REQUIRED 12 OR 24 VDC AND 400 VDC @ 400 MA. SIZE: 18"X11 1/2"X10 3/8" IN. D WT: 52LBS

FT-237 MOUNTING BASE

RE-NEW \$7.95

SHOCK MOUNT BASE TO HOLD ONE BC-924 TRANSMITTER AND ONE OR TWO BC-923 RECEIVER OR, ONE BC-603 RECEIVER. SOCKETS ON THE BASE WILL MAKE ALL OF THE NECESSARY CONNECTIONS TO THE SETS. TERMINAL BLOCK MOUNTED ON THE BASE FOR REMOTE CONTROL CABLE. WT: 44LBS SIZE: 11 3/4" W X 1 3/4" H X 33 5/8" L.

IDENTIFICATION SET

RT-82/APX-6 RADAR IDENTIFICATION SET

RECEIVER-TRANSMITTER COVERING RANGE OF 950-1150 MC. IF FREQ. 59.5/1.5 MC. (CAN BE CONVERTED TO 1215 MC. CST FEB. '61, SEPT. '60; 1296 MC. CST JUNE '61) WITH (30) TUBES 6J6, 1/6AS6, 1/3E29, 3/6AL5, 1/5Y3, 2/3B24, 3/6AL5, 2/12AU7, 7/6AK5, 1/2C42, 1/2C46, 1/1B40, 1/1N-43, 1/1N-25. DIGIT COUNTERS ON TUNERS FOR TRANS-REC-LO FREQ. CONTROLS. VOLTAGE REQUIRED 24 AND 115 400/800 CYCLE. SIZE: 13X13X10; WT: 45 LBS. PRICE: USED WITH TUBES \$16.95

F-M RECEIVER 152-172 MC


R-394 FM RECEIVER 152 TO 174 MC, ONE CHANNEL CRYSTAL CONTROL ON ANY FREQ. IN THE RANGE. FREQUENCY DEVIATION 15 KC. AUTOMATIC GAIN & SQUELCH CIRCUITS. I.F. FREQ. 28 & 4.5 KC. UNINITIALIZED PLUG IN UNIT. COMPLETE WITH 22 TUBES 14/5687, 1/5840, 1/5783, 1/5672, & 1/6AK6. (THIS REC. DOES NOT HAVE A CONTROL PANEL. THE TCS CONTROL BOX LISTED BELOW CAN BE MODIFIED FOR USE WITH THIS SET AND WE FURNISH INSTRUCTIONS. THE VIBRATOR POWER SUPPLY IS INSIDE THE UNIT AND YOU CAN HAVE YOUR CHOICE OF 6, 12 OR 24 VOLT SUPPLY. SPECIFY WHEN ORDERING. SIZE: 5 1/2"X8 1/4"; WT: 33LBS. PRICE USED: WITH POWER SUPPLY...\$49.50 LESS " " ... 45.00 PLUG TO FIT FRONT END OF RECEIVER \$1.50



RECEIVER TRANSMITTER


T-91/VRC-4 TRANSMITTER, AM, 25 W. CW/PHONE, 4 CRYSTAL CONTROLLED CHANNELS IN THE BAND OF 1.7 TO 8.7 MC. OR A TUNEABLE CHANNEL VARIABLE 4.0 TO 7.0 MC. WITH TUBES 1/6V6, 2/6L6 & 1/807 NO POWER SUPPLY, REQUIRES APPROX 600 VDC FOR B SUPPLY AND 6 VOLTS FOR FILAMENTS. SIZE: 15 1/2"X11 1/4"; WT: 50 LBS. UNUSED
R-114/VRC-4 RECEIVER AM, 4 CRYSTAL CONTROLLED CHANNELS 1.7 TO 8.7 MC. ONE TUNEABLE CHANNEL 190 TO 510 KC. IF FREQ. 525 KC. FOR CW/PHONE WITH SPEAKER & TUBES 4/6SK7.1 8.2/6SQ7 & 1/6K6. VOLTAGE REQUIRED 6 V & APPROX 220 VDC SIZE: 15 1/2"X11 1/4"; WT: 40 LBS. UNUSED

T/91/VRC-4 TRANS. & R-114/VRC-4 REC. \$49.50




BC-659 RECEIVER-TRANSMITTER F.M., 27-38.9 MC. CRYSTAL CONTROL ON 2 PRESELECTED CHANNELS, USES FT-243 CRYSTALS, OUTPUT APPROX. 3 WATTS. SELF CONTAINED SPEAKER, MIC & PHONE JACKS. W/TUBES 1/1LH4, 1/1LC6, 4/1LN5, 2/1291, 4/1299, 1/1291, W/TUBES, SPEAKER & METER. REQUIRES PE-117 OR PE-120 POWER SUPPLY FOR OPERATION FROM 6/12 VOLT. SIZE: 15X13 1/2X7; WT: 30 LBS. PRICE: REC-TRANS. ONLY USED \$14.95 RN \$17.95 REC-TRANS. W/POWER SUP. " 18.95 RN \$21.95

PE-117 POWER SUPPLY ONLY USED	5.95 RN	7.95
PE-120 " " " " " "	5.95 RN	7.95
PE-97 " " " " " "	5.95 RN	7.95
CS-79 BATTERY CASE EMPTY " "	1.00 RN	1.95
BX-40 CRYSTAL CASE " "	1.00 RN	1.95
AN-45 TELESCOPING ANTENNA 8 FT. "	N	2.95



BC-788C RECEIVER-TRANSMITTER ALTIMETER, PULSE TYPE, TRANSMITTER OUTPUT 50 WATTS. FIXED FREQUENCY 440 MC. WITH TUBES 3/6J6, 1/6L6, 9/6AG5 AND 1/5Y3G1

OPERATES FROM 115 VOLT 400 TO 2400 CYCLE. SIZE: 15 1/2"X9X8; WT: 13 LBS. PRICE: USED \$9.95




ILLUSTRATED COVER OFF. AIRBORNE EQUIPMENT DESIGNED TO RECEIVE RADIO SIGNALS TO DELIVER AURAL & VISUAL INDICATION OF THE RECEIVED SIGNAL TO THE PILOT OF THE AIRCRAFT IN WHICH IT IS INSTALLED. FORM THESE INDICATIONS THE PILOT CAN ACCURATELY CHECK IN RESPECT TO A PARTICULAR RADIO RANGE STATION. THE RECEIVED SIGNAL IS FIXED FREQ. 75 MC. A-M MODULATED AT 400, 1300 OR 3000 CPS. AND OPERATES FROM 24 VOLTS DC FOR FILAMENTS AND B VOLTAGE. COMPLETE WITH TUBES 5/6AJ5, 2/6AL5W & 2/28D7. HAS CRYSTAL CONTROLLED OSCILLATOR WITH 6.9 MC., IF FREQ SIZE: 10X5X6; WT: 8 LBS.

PRICE: USED \$4.95

R-48/TRC-8 RECEIVER


R-48/TRC-8 RECEIVER F.M. 230 TO 250 MC. ONE BAND VARIABLE TUNING, SPEAKER PHONE JACKS, SQUELCH CIRCUIT. WITH TUBES 8/6AG7, 1/9002, 1/504, 1/6V6 1/VR-150, 1/6N7, 1/6SN7, 1/6AL7. OPERATES FROM 115 VOLT 60 CYCLE. SIZE: 20X19X16; WT: 75 LBS. PRICE: WITH TUBES, \$34.95 WITH TUBES, LESS METER, LESS DIAL \$19.95

RT-18 ARC-1 AM TRANS.




AIRCRAFT RECEIVER-TRANSMITTER AM 100 TO 156 MC CRYSTAL CONTROLLED ON TEN PRESELECTED CHANNELS, 30 WATT CW & PHONE. WITH TUBES 18/6AK5, 2/6C4, 2/6V6 2/6J6, 2/12A6, 2/832, 12SL7 VOLTAGE REQUIRED 24 VDC & 360 VDC 135 MA. SIZE: 21 1/2"X10 1/2"X7 1/2"; WT: 40 LBS. USED 10 CHANNEL...\$49.50

COMPASS SYSTEM



REMOTE READING MAGNESYN COMPASS SYSTEM AIRCRAFT TYPE. CONSISTS OF A MAGNESYN COMPASS THAT TRANSMITS TO A 3" INDICATOR THAT IS CALIBRATED IN DEGREES --- N-S-E-W AND IS OPERATED BY THE 12 VOLT D.C. INVERTER THAT IS SUPPLIED WITH THE SET. SHPG. WT: 15 LBS. PRICE WITH TRANSMITTER, INDICATOR, INVERTER AND MANUAL... \$24.95



BC-645/ABA TRANSCEIVER, TRANSPONDER SET USED IN AIRCRAFT FOR FRIEND OR FOE IDENTIFICATION FOR USE IN THE 460 TO 490 MC. WITH 15 TUBES 4/7F7, 4/7H7 2/7E6, 2/6F6, 2/955, 1/W316 (THOUSANDS OF THESE SETS HAVE BEEN CONVERTED TO HAM BAND 420-450, MOBILE FIXED 450-460, CITIZENS 460-470, TV EXP. 470-500) SIZE: 6 1/2"X11 1/4"; WT: 20 LBS. PRICE: UNUSED \$14.95

BC-646 CONTROL BOX FOR ABOVE. \$1.95 MOUNTING FOR CONTROL BX. 1.00 MOUNTING FOR TRANSCEIVER 1.50 ANTENNA ASSEMBLIES FOR SET (2) 1.95 COMPLETE SET OF PLUGS \$4.95; INDIVIDUAL FA \$1

CARRIER MONITOR

WHEN COUPLED TO TRANSMISSION LINE PROVIDES DC/AUDIO CURRENT TO LOCAL OR REMOTE POSITION. TWO VACUUM CAPACITORS 3 MMFD 15 KV. ARE SUPPLIED FOR 500 TO 50M WATT TRANSMITTER 2 TO 30 MC. INPUT/OUTPUT IMPEDANCE 600 OHM LINE. OPERATES 115/230 V 60 CYC. WITH TUBES 1/6AL5, 1/6X4, 1/6J6, 1/V103. ALSO OUTPUT JACKS ETC. OUTPUT JACKS & CONTROLS. P/N 1028017; SIZE: 6X6 1/2X8 1/2; WT: 15 LBS. PRICE: UNUSED \$8.95 LESS 2 VACUUM COND. \$5.95

SERVO AMPLIFIER

SENSITIVITY AMPLIFIER #667504 AS USED IN AIRCRAFT SERVO SYSTEM. COMPLETE WITH 10 TUBES, 5/5829, 1/5787, 2/5687, 1/12AX7 & 1/12AU7. ALSO HAS 2 OUNCER TRANSFORMER PRECISION RESISTORS, POTENTIOMETERS, CONDENSERS, ETC. SIZE: 5X3X4; WT: 3LBS. PRICE: USED \$3.95

T-30/TRC-8 TRANSMITTER

T-30/TRC-8 TRANSMITTER F.M. 12 W. 230 TO 250 MC. CONTINUOUS TUNING, NOT CRYSTAL CONTROL, FREQ. DEV. 100 KC. OPERATES FROM 115/230 V. 50/60 CYC. USING PP-115/TRC-8 POWER SUPPLY. TRANSMITTER TUBES 3/829B, 1/6H6, 2/6SN7, PP-115/TRC8 2/504G TUBES. TRANS. SIZE WITH POWER SUPPLY 12X20X12; WT: 80 LBS. PRICE: USED LESS TUBES \$24.95

TM-11-618 MANUAL FOR TRC-8 REC. & TRANS. \$3

AM-26/AIC

ILLUSTRATED AUDIO AMPLIFIER USED IN AIRCRAFT COVER REMOVED FOR INTER-COMMUNICATION. CARBON MICROPHONE INPUT, HIGH & LOW IMPEDANCE OUTPUT WITH VOLUME CONTROL. NORMALLY OPERATES FROM 24 VOLTS DC FOR FILAMENTS AND 250 VOLTS DC 60 MA. FOR B THAT WAS SUPPLIED BY A DM-32 DYNAMOTOR THAT WAS MOUNTED ON THE BACK. COMPLETE WITH TUBES 2/12J5 & 2/12AC. FOR CONVERSION TO 9 WATT AMPLIFIER SEE SUPPL-US CONVERSION MANUAL #2 PRICED AT \$3.00) SIZE: 9 1/2"X5 1/2"X5 1/2"; WT: 6 1/2 LBS. USED \$3.95

ARC-5

COMMAND RECEIVERS—TRANSMITTERS


The COMMAND SET series of transmitters and receivers are the most popular surplus items on the market today.

The series consist of several units covering the frequency range of 190 KC to 9.1 MC for the receivers and 2.1 to 9.1 MC for the transmitters.



R-26/ARC-5
RECEIVER
3 to 6 MC.
WITH C-131/AR
ELECTRIC OR MAN-
UAL CONTROL FOR
24 V.D.C. OPERAT.
WITH CONN. PLUG.
PRICE: GOV'T OVERHAUL.....\$24.95

The receivers are six tube superhets using the following tubes, 1/12A6, 2/12X8Y, 3/12SK7 & 1/12SR7. Designed to operate from 24 VDC dynamotor, which mounted on the rear of the set, supplying 250 VDC 60 MA. Size of set 5 x 5 x 11 WT. 6 lbs.




R-25/ARC-5 1.5 to 3 MC new \$24.95

BC-454 3.0 to 6 MC new \$24.95

TRANSMITTERS

The transmitters with proper use can put out 50 watts or CW and watts on voice, with the use of the BC-456 modulator which is a separate unit. Dynamotor used with equipment is a DM-33 24 VDC input output 575 VDC 175 MA & mounts on the modulator. Tubes used 2/1625, 1/1626 & 1/1629 magic eye tube for crystal calibration Size 5 x 7 x 12 WT. 9 Lbs



T-18/ARC 2.1 to 3.0 mc new \$12.95

used 9.95

T-19/ARC 3.0 to 4.0 mc used 9.95

T-20/ARC 4.0 to 5.3 mc used 6.95

new 9.95

T-21/ARC 5.3 to 7.1 mc used 6.95

new 9.95

T-23/ARC 100 to 156 mc new 24.95

R-23 Receiver chassis 190-550 kc.

less tubes, rf/lf coils, cover etc.

with var. condenser, sockets, cond. res. trans.

etc.

6 lbs

Price: \$3.95

AC 115 VOLT 60 CYCLE POWER SUPPLY

FOR COMMAND RECEIVERS WITH SPEAK-

ER, VOLUME CONTROL, CW, CONNECTOR

PLUG ETC. (SEE PAGE 20) \$18.95

35X032 DYNAMOTOR 12 VOLT. \$ 4.95

DM-32 " 24 V. U.S. \$2.95 N 4.95

SPIN TUNING KNOB FOR REC. 1.00


CONNECTOR PLUGS F/REC-TRANS. 1.50

C-26/ARC CONTROL BOX 1 REC. UI. 50

BC-496 " " 2 " NI. 95

AMPLIFIER

AM203B/ARA-19 AMPLIFIER; PART OF REMOTE COMPASS TUNING SYSTEM AS USED WITH ARN-6 RADIO COMPASS. PROVIDES AN ACCURATE MEANS OF TUNING ELECTRICALLY. WITH 2/26A7 TUBES 1/12SN7 TUBE. OPERATES FROM 24 VOLT D.C. ALSO HAS 3 SEALED RELAYS, COND. RES. ETC. SIZE: 5x6x4 1/2; WT: 5 LBS. RE-NEW \$3.95



RAX-1 RECEIVER; FOUR BAND 200 TO 1500 KC. LARGE 4" DIAL, C.W. MCW, ANT. TRIM., VOL. CONT. AND PHONE JACK ALL ON FRONT PANEL. W/TUBES 3/12SK7, 1/12K8, 1/12SR7 & 1/12A6. VOLTAGE REQ. 24 VOLT FILAMENTS & 200-220 VDC, 80 MA. SIZE 7 1/2 x 7 1/2 x 7 WT: 25 LB. USED \$29.50 A.C. SUPPLY W/SPEAKER/CASE \$18.95 SHOCKMOUNTING F/RECEIVER 2.50

BC-1335

F-M RECEIVER TRANSMITTER




CRYSTAL CONTROL ON ANY TWO PRE-SET FREQ. IN THE 27 TO 38 MC. BAND USING FT-243 CRYSTAL HOLDER APPROX. 2 WATTS OUTPUT. VIBRATOR TYPE POWER SUPPLY THAT OPERATES FROM 6 OR 12 VOLTS DC. USES 18 TUBES, 7/1L4, 2/1R5, 5/3A5, 2/3C4, 1/1A3 & 1/6AF6G. THESE SETS ARE USED AND SOLD "AS IS" LESS TUBES AND VIBRATOR. THEY WILL REQUIRE SOME WORK. SIZE: 13 1/2 x 12 1/2 x 6 1/2; WT: 30 LBS. USED \$6.95

SEA RESCUE




AN/CRC-7 TRANSMITTER-RECEIVER VHF SEA RESCUE 140.58 MC., TWO-WAY COMMUNICATION VOICE OR M.C.W. (CONVERSION TO TWO METER CAN BE FOUND IN SURPLUS CONVERSION MANUAL #3 & SURPLUS SCHEMATICS HANDBOOK HAS SCHEMATIC, PRICE \$3.00 EA.) WITH 3/3A5, & 1/3Q4 TUBES. OPERATES FROM DRY CELL BATT. 1.3 VDC FOR FILAMENTS AND 97.5V FOR B VOLTAGE, HAS 3 PUSH BUTTONS FOR TONE, REC, AND TRANS. ONE ELEMENT IS USED FOR MIC AND PHONE, TELESCOPING ANTENNA. TRANSMITTER IS CRYSTAL CONTROLLED AND RECEIVER IS SUPER-REGENERATIVE. SIZE: 15" LONG 2 1/2" DIA. WT: 4 LBS. PRICE: USED.....\$14.95

AC BEACON RANGE RECEIVER




BC1206-C BEACON RECEIVER



BC-1206 AIRCRAFT BEACON RECEIVER 200 TO 400 KC. OPERATES FROM 24 VDC 1.5 AMPS. 135 KC IF. COMPLETE WITH TUBES 2/14H7, 1/14J7, 1/14R7 & 1/28D7. CONTINUOUS TUNING, VOLUME CONTROL, ON/OFF SW. & PHONE JACK. SIZE: 4x4x6 1/2. WT: 5 LBS. SHOWN TO RIGHT. PRICE: USED CHECKED FOR OPERATION \$9.95 REC. ONLY

AC BEACON RANGE RECEIVER IN CABINET WITH 115 VOLT 60 CYCLE POWER SUPPLY & 4" PM SPEAKER, READY TO OPERATE. SIZE: 10x6x6; WT: 18 LBS. PRICE, COMPLETE WITH NEW CABINET & POWER SUPPLY AND USED RECEIVER CHECKED \$29.95 SAME AS ABOVE, LESS RECEIVER.. 18.95

POWER SUPPLY ONLY, 115 VOLT 60 CYCLE OPERATION OUTPUT 24 VOLTS DC 1.5 AMPS. MOUNTED ON METAL CHASSIS 6x5x7; WT: 5LBS. KIT...\$7.00 WIRED \$9.95




R-4/ARR-2 RECEIVER 234-258 MC. 11 TUBE AIRCRAFT UNIT FOR RECEPTION OF DOUBLE AMPLITUDE MODULATED CARRIER OPERATES FROM 24 VDC & 250 VDC 60 MA. COMPLETE WITH TUBES 3/6AK5, 7/9001 & 1/12 A6. SIZE: 5x5x11, WT: 6 LBS PRICE: RE-COND. \$6.95



COMMAND SET RACKS & FLEXIBLE SHAFT
FT-234 HOLDS ONE TRANSMITTER \$1.50
FT-226 " TWO " 2.00
FT-331 " FOUR " 3.00
FT-233 " ONE RECEIVER 2.00
FT-220 " THREE " 2.00
FT-225 " ONE MODULATOR 1.50
MC-215 FLEXIBLE SHAFT AP. 6' 1.50
MORE THAN 6' EA. EX. FT.25

TRANSMITTERS - RECEIVERS



BC-230/430 TRANSMITTER

Transmitter approx. 10 watts Voice and 20 watts CW in the freq range of 3000 to 7700 KC by use of plug in coils. Uses tubes 2/10Y, 2/45. Output meter 2" 0 to 1.5 RF. MC control on front panel. Voltage required approx 300 VDC for plates & 12VDC for BC-230 & 24 VDC for BC-430. Size 13"x8"x7". WT. 10 1/2 lbs.

Price with tubes, plug in coils & schematic, UNUSED \$8.95

BC-229/429 RECEIVER


Receiver TRF, uses plug in coils to cover the freq. range of 201 to 398 & 2500 to 7700 KC. Six tubes 1/37, 1/38, 4/39. Voltage required 220 VDC to 275 VDC 80 MA. & 12 VDC for BC-229 & 24VDC for BC-429. Size 16 x 8 x 7. WT 12 lbs. Price with tubes,,plug in coils & schematic, used \$6.95

Control Box BC-231 F/ receiver or BC-232 F/ trans. each \$1.00
Connector plugs for rec, trans., dynamotor or boxes, " \$1.00
Schematic showing rec, trans, boxes etc. \$1.00
Tuning knob for Receiver local control \$1.00
Remote tuning head for receiver \$2.00
Remote tuning shaft for receiver, specify length \$1.50
Separate coils for receiver, specify freq. coverage \$1.75
Dual coil 201-398 & 2500-4700 or 4700-7700 each. \$1.75
Separate coils for transmitter, specify freq coverage. \$1.75
2500-3200, 3200-4000, 4000-5000, 5000-6200, 6200-7700.
Mountings for Rec., Trans. Dyn., Each mounting \$1.50

BC-375 TRANS BC-191

SEE PAGE 25 FOR TUNING UNITS

TRANSMITTER AM 100 Watt CW - MCW - Voice, Frequency coverage 200 - 500 KC & 1500 - 12,500 KC. by use of plug in tuning units listed below.
Tube line up 1/10Y & 4/VT-4C (211). Complete with tubes, less tuning units. Requires 12VDC for BC-191 & 24 VDC for BC-375 filaments & relay. 1000 VDC 350 MA. plates. Meters 2" for reading 0-8 RF, 0-500 MA, & 0-15 DC. With schematics.



BC-375 TRANS. 24 VOLT, RE-COND \$49.50; UNUSED \$59.95
DYNAMOTORS BD-77/12 VOLT; PE-73/24 VOLTS, USED \$12.95
PLUGS FOR TRANSMITTER OR DYNAMOTOR; EACH PLUG \$1.00
CABLES WITH PL-61, PL-64, PL-59.....\$2.75

ANTENNA COUPLER



CU-168 ANTENNA COUPLER; PROVIDES MEANS FOR OPERATING FIVE RECEIVE FROM A SINGLE ANTENNA. THE INPL CIRCUIT TO WHICH THE ANTENNA IS CONNECTED IS DESIGNED FOR OPERATION FROM AN UNBALANCED LINE HAVING A NOMINAL IMPEDANCE OF 70 OHMS. THE OUTPUT TO THE RECEIVER IS ALSO 70 OHMS. COVERS THE FREQUENCY RANGE OF 2-32 MC. WITHOUT ANY TUNING OR ADJUSTMENT. EACH REC. COUPLING CIRCUIT HAS 4/12AU7 TUBES OF 20 TUBES IN ALL. POWER SUPPLY OPERATES FROM 115 V 50-400 CYCLE. RACK PANEL MOUNTING 19 X 8 1/2, 5/4 TUBE IS USED IN P.S., UG-21 COAXIAL CONNECT ORS FOR INPUT CIRCUITS. SHFG. WT: 75 LBS. WITH TUBES UG-21 COAXIAL CONNECTORS, AND MANUAL. PRICE: NEW \$39.95

DIRECTIONAL ANTENNA

AS-81/GR DIRECTIONAL ANTENNA SYSTEM; DESIGNED AS AN ADDITION TO COMMUNICATION RECEIVERS THIS SYSTEM PERMITS THE USE OF UNIDIRECTIONAL RECEPTION. TWO LOOP ANTENNAS FOR COVERING THE FREQ. OF 1.1 TO 4.2 MC AND ONE TELESCOPING WHIP ANT. THE UNIT ALSO HAS ONE TUBE TUNEABLE SENSING CIRCUIT USING A 12J5 TUBE AND OPERATES FROM A 12 VOLT VIBRATOR POWER PACK THAT IS SUPPLIED THE COMPLETE UNIT AS DESCRIBED IS CONTAINED IN A CARRYING CHEST 15x14x20 1/2 WITH CABLES AND MANUAL. SHPG. WT: 75 LBS. RENEW \$19.95



SCR-522 RADIO SET

100-156 MC

RECEIVER-TRANSMITTER AM, FOUR CHANNEL, CRYSTAL CONTROL, 30 WATT OUTPUT, 18 TUBES AS FOLLOWS: TRANSMITTER, 1/6SS7, 2/832, 3/12A6, 1/6G6, RECEIVER, 1/9002, 1/9003, 3/12A6, 1/12C6, 2/12AH7, 1/12H6 & 3/12SG7. BOTH UNITS CAN BE REMOVED FROM CASE SEPARATELY. OVERALL SIZE: 16 1/2 x 12 1/2 x 10-3/4" WT: 49 LBS. PRICE: USED \$29.95

RECEIVER CHASSIS ONLY, LESS CHANNEL SHIFTERS. PRICE: USED WITH TUBES \$14.95 NO TUBES \$2.95

RECEIVER CHASSIS ONLY, LESS CHANNEL SHIFTERS. PRICE, USED, WITH TUBES \$14.95 NO TUBES \$7.95

TRANSMITTER CHASSIS ONLY, LESS CHANNEL SHIFTERS. PRICE, USED WITH TUBES \$18.95 NO TUBES \$7.95

BC-602 CHANNEL SELECTOR CONTROL BOX WITH PUSH BUTTONS. BC-602B USED \$1.95 BC-602D NEW \$2.95

NOTE: FOR THE MICROPHONE & PHONE CIRCUITS JACKS CAN BE INSTALLED IN THE BC-602

JB-29 JUNCTION BOX NEW \$2.95
AN-104 ANTENNA, METAL COVERED WOOD NEW 1.95
PE-98 DYNAMOTOR 12 VOLT USED 9.95
PE-94 " 24 " 4.95

PLUGS REQUIRED FOR THE EQUIPMENT

SCR-522 RECEIVER-TRANSMITTER REQUIRES THE FOLLOWING PLUGS, PL-173 TO ANTENNA, PL-169 TO DYNAMOTOR, PL-170 TO JB-29 JUNCTION BOX. \$1.50 EACH

BC-602 CONTROL BOX, REQUIRES FOLLOWING PLUGS, PL-169 TO JUNCTION BOX. \$1.50 EA.

PE-98 OR PE-94 DYNAMOTOR REQUIRES FOLLOWING PLUGS, PL-172 TO BATTERY, PL-171 TO RECEIVER-TRANSMITTER. \$1.50 EA.

JB-29 JUNCTION BOX, REQUIRES THE FOLLOWING PLUGS, PL-170 TO RECEIVER-TRANSMITTER, PL-169 TO BC-602 CONTROL BOX. \$1.50 EA.

RA-62 AC POWER SUPPLY FOR SCR-522, OPERATES FROM 115/230 VOLTS 60 CYCLE, SUPPLIES ALL THE NECESSARY VOLTAGES FOR OPERATION. SIZE: 16x11x11; WT: 75 LBS. PRICE USED \$59.50 REQUIRES PL-171 PLUG FOR HOOK-UP TO REC-TRANS PRICE \$1.50. AC LINE CORD DETACHABLE TYPE \$1.00

BC-733 RECEIVER 108.3-110.3 MC AM

AIRCRAFT RECEIVER USED FOR LOCATING RUNWAY ON LANDING FIELD DURING LANDING OPERATION SIGNALS RECEIVED BY RECEIVER FROM TRANSMITTER LOCATED ON RUNWAY ARE APPLIED TO CROSS-POINT INDICATORS IN THE AIRCRAFT AND SHOW IF PLANE IS OFF TO RIGHT OR LEFT OF RUNWAY. OPERATES ON SIX CRYSTAL CONTROL PRESET FREQ. COMPLETE WITH TEN TUBES: 1/12AH7, 2/12SG7, 3/717, 2/12SR7, 1/12SG7 & 1/12A6. VOLTAGE REQUIRED: 24 VDC & 220 VDC 80 MA. WITH SCHEMATIC. SIZE: 13 1/2 x 5 x 7 WT: 17 LBS. PRICE: USED \$5.95

I-101C CROSS POINT INDICATOR, USED \$1.95
PL-257 PLUG TO FIT I-101C 1.50

BC-732 CONTROL BOX USED \$1.95 NEW \$2.95
CABLE WITH PL-254 TO FIT BC-733 REC. AND PL-256 PLUG TO FIT BC-732 CONTROL BOX 3 FT. PRICE: \$4.95 PLUGS ONLY 1.50
DM-53 DYNAMOTOR 24 VOLT USED \$4.95 NEW \$6.95
DM-53 AZ " 12 " NEW 7.95
AS-27 RAMS HORN ANTENNA \$5.95
PL-284 TWIN COAX PLUG F/BC-733-AS-27 1.00

R-65/APN 9 RECEIVER INDICATOR

FORAN SYSTEM AS USED ON BOATS AND IN AIRCRAFT. PROVIDES ACCURATE MEANS OF DETERMINING POSITION FROM FIXED TRANSMITTING STATIONS WHEN DESIRED AND OTHER MEANS ARE INEFFECTIVE. CONSISTS OF A RECEIVER, OPERATING IN THE MARINE BAND, AND INDICATOR USING A 3" CATHODE RAY TUBE FOR PRESENTATION OF THE RECEIVED SIGNALS. OPERATES FROM 24 VDC & 115 VOLTS 400 TO 800 CYCLES. SIZE: 9 1/2 x 12 1/2 x 30 1/2 WT: 36 LBS. PRICE: USED, LESS TUBES & LENS. \$19.95 WITH " 49.50

ARC-3 100-156 MC

R-77/ARC-3 VHF AIRCRAFT TYPE AM RECEIVER, 8 CHANNEL CRYSTAL CONTROL ELECTRIC BAND CHANGE WITH TUBES 9001, 9002, 12A6, 12H6, 12SH7, 12SL7, 2/12SN7, 3/12SG7 & 6/6AK5. VOLTAGE REQUIRED 24 VDC & 210 VDC 125 MA. SIZE: 11x7x15. WT: 21 LBS. WITH SCHEMATIC PRICE: USED WITH TUBES \$22.50

T-67/ARC-3 VHF AIRCRAFT TYPE TRANSMITTER AM, 8 CHANNEL CRYSTAL CONTROL ELECTRIC BAND CHANGE, WITH TUBES 2/832, 2/6L6, 1/6J5, 3/6V6 & 1/12SH7. VOLTAGE REQUIRED 24 VDC & 410 VDC 325 MA. SIZE: 15 1/2 x 7 1/2 x 12 1/2. WT: 21 LBS. PRICE: USED WITH TUBES \$22.95

JB-68 JUNCTION BOX FOR ARC-3 RADIO SET USED TO MOUNT DYNAMOTORS DY-22 FOR REC & DY-21 FOR TRANS. ALSO HAS CONNECTOR PLUGS TO HOOK UP REC, TRANS, CONTROL BOX & POWER, & RELAYS. SIZE: 10 1/2 x 3 1/2 x 8 1/2. WT: 7 LBS. PRICE USED \$7.95

CONNECTOR PLUG FOR EACH FACILITY \$2.50 EACH
C-118/ARC-3 CONTROL BOX FOR RECEIVER AND TRANSMITTER. HAS EIGHT PUSH BUTTONS FOR CHANNEL SELECTION AND ONE FOR OFF. SIZE: 6x3x7 WT: 2 LBS. PRICE: \$4.95
CONNECTOR PLUG U-16/U 2.50

IE-36 TEST SET FOR SCR-522 REPRODUCES THE OPERATING FUNCTIONS OF THE CONTROL BOX & JACK BOXES OF THE RADIO BY PROVIDING HEADPHONE & MICROPHONE, CHANNEL SELECTION PLUS ALL OTHER CONTROLS NECESSARY TO OPERATION AND TESTING. CONTROL UNIT BC-1303 PLUGS DIRECTLY INTO THE SCR-522 ALSO HAS PHANTOM ANTENNA & CORD, LAMP EXTRACTOR, ADAPTER PHONE CORD, INSTRUCTION BOOK AND CARRYING CASE, 10x10x4; WT: 8 LBS. PRICE: NEW \$6.95

SCR-522 CABLES WITH PLUG ON ONE END AND LUG TERMINALS ON THE OTHER. EACH CABLE \$2.95
CX-58/VRC-1 PL-170 PLUG & LUGS, 36" LONG.
CX-60/VRC-1 PL-169 " " " 36" "
CX-62/VRC-1 PL-172 " " " 66" "

TRANSCIEVER

BC-745 AM TRANSMITTER-RECEIVER COVERING THE FREQ. RANGE OF 2-6 MC PHONE, WITH A RANGE OF FIVE MILES UNDER FAVORABLE CONDITIONS. CRYSTAL CONTROL ON TWO PRESELECTED FREQ. BY USE OF PLUG IN COIL & CRYSTAL ASSY. BC-746. THE SET SIZE IS 6x6x6 AND IS MOUNTED ON A 32" STAFF AND HOUSES THE TELESCOPING ANTENNA WHEN NOT IN USE. COMPLETE WITH TUBES, 1/IS5, 3/1T4 & 5/354 & ONE PLUG IN FREQ. ASSY. VOLTAGE REQUIRED 1.5 VDC/55A, 67.5 VDC/20 MA & 105-125 VDC/50 MA. WT: 10 LB PRICE: USED, \$14.95 UNUSED \$19.95

BC-746 PLUG IN COILS & CRYSTAL ASSEMBLIES CHANNEL #1 3010 Kc CHANNEL #12 5030 Kc CHANNEL #5 5500 Kc CHANNEL #13 5305 Kc ONE OF THE ABOVE SUPPLIED WITH PURCHASE OF SET, ADDITIONAL UNITS \$1.95 EA. CHEST UNIT THAT WAS USED TO CARRY DRY CELL BATTERIES, ALSO HAS MICROPHONE, PHONE JACK AND NECESSARY CABLE FOR CONNECTING TO RADIO SET. PRICE: USED, \$3.95 UNUSED \$5.95

PE-157 VIBRATOR POWER SUPPLY; OPERATES FROM 2 VOLT WET BATTERY BB-54 WHICH IS INSTALLED INSIDE THE CASE THAT SUPPLIES ALL THE NECESSARY VOLTAGES FOR OPERATION OF THE RADIO SET ALSO HAS 4" PM SPEAKER, CARRYING HANDLE AND CABLE FOR CONNECTING TO SET. SIZE: 11 1/2 x 5 1/2 x 8 1/2 WT 17 PRICE: USED NO SPEAKER \$10.95 \$12.95

PRESSURIZING UNIT

MK-23/AP PRESSURIZING UNIT; C/O OF A CYLINDER APPROX. 13 IN. LG. 2 IN. DIA. ATTACHED TO A GAGE 0-30, 3/4" INLET CYLINDER AND A 4" HOSE LINE. P/O APS-15 PRESSURIZING KIT. WT: 10 LBS. PRICE: \$3.95

COMPASS RECEIVER

AN/ARN-7 RADIO COMPASS RECEIVER 100 TO 1750 KC USED FOR AIRCRAFT DIRECTION FINDING BUT CAN ALSO BE USED ON BOATS. THE RECEIVER IS A SUPER-HETERODYNE WITH ADDITIONAL CIRCUITS FOR OPERATION OF THE AURAL RECEPTION AS SHOWN ON THE INDICATORS. COVERS THE FREQUENCY RANGE OF 100 TO 1750 KC IN FOUR BANDS CONTINUOUS TUNING FROM CONTROL BOX WHICH IS A SEPARATE UNIT. UNIT OPERATES FROM 115 VOLT 400 CYC & 24 VDC AND IS COMPLETE WITH TUBES 4/6K7, 1/6L7, 1/6J5, 2/6B8, 2/6F6, 1/6N7, 1/5Z4, 1/6SC7 & 2/2051. SIZE: 12x8x19; WT 45 LBS. R-5/ARN-7 RECEIVER ONLY, USED \$18.95

ITEMS LISTED BELOW ARE REQUIRED FOR ADF OPER.

C-4/ARN-7 CONTROL BOX	USED \$3.95	NEW \$5.95
I-8/ARN-7 INDICATOR 3"	USED \$3.95	RENEW 4.95
I-82A " 5"	USED 7.95	
LP-21 AM LOOP ANTENNA	" 9.95	
FT-224 MOUNTING F/C-4CB	" 1.50	
MG-149F INVERTER	" 24.95	
MC-203 SHAFT COUPLING "T"	" 1.00	
MC-136 SHAFT " RT/ANGLE	" 2.50	
BK-22 RELAY JUNCTION BOX	" 2.95	
MC-124 FLEXIBLE SHAFT 2 FT.	" 1.50	
CD-365 CABLE FOR LOOP 5 FT.	" 2.75	
PL-122 CONNECTOR PLUG FOR RECEIVER	" 2.50	
PL-112 " " " LOOP	" 2.50	
PL-118 " " " I-81 OR I-82	" 2.50	

BC 433

COMPASS RECEIVER ADF SAME AS R-5/ARN-7 RECEIVER SHOWN AND DESCRIBED ABOVE ONLY COVERS THE FREQUENCY RANGE OF 200 TO 1700 KC AND USES ALL THE SAME ACCESSORIES WITH THE EXCEPTION OF THE CONTROL BOX WHICH IS BC-434A PRICED AT \$3.95 USED. BC-433 RECEIVER ONLY, WITH TUBES USED \$12.95

MN-20C MANUAL ROTATABLE LOOP ANTENNA USED WITH RA-10DB & MN-26 RECEIVERS AS A DIRECTION FINDING ANTENNA IN THE 150 TO 1500 KC RANGE. 7 LBS WITH LOOP 10 FT. \$1.95
AC-58267-2 CABLE 5 WIRE SHIELDED FOR ANTENNA CONNECTIONS. 8 FT. PLUG ONE END ONLY. \$1.95
MN-52 AZIMUTH CONTROL FOR MANUAL TURNING OF LOOP WITH CRANK AND BY USE OF FLEXIBLE SHAFT, HAS 0-360 DIAL, GRAIN OF WHEAT LAMP SWITCH & CRANK. USED \$1.95 N. \$2.95

MN-26 C RADIO RECEIVER


FOR AIRCRAFT OR MARINE USE CAN ALSO BE USED FOR HOME USE FOR WEATHER REPORTS. FREQUENCY COVERAGE 150 TO 1500 KC IN TWO BANDS. ELEC. BAND CHANGE, CONTINUOUS TUNING FROM MN-28C REMOTE CONTROL BOX. COMPLETE WITH 24 VOLT DC DYNAMOTOR, TUBES, 5/6K7, 2/6N7, 1/6B8, 1/6F6, 1/6L7, 2/6J5 ALL USED REC. SIZE: 12x6x16 1/2, WT: 37 1/2. PRICES: MN-26C RECEIVER ONLY USED \$9.95

MN-40 INDICATOR 0-360 DEGREE SCALE 5" WITH VAR. ADJUSTMENT. SAME AS I-82 INDICATOR ONLY OPERATES MECHANICALLY INSTEAD ELECTRICALLY BY USE OF SPLINED CONNECTORS AS USED ON MC-124 SHAFT. \$3.95	CONTROL BOXES MN-28C/MN-26C MN-28LB/MN-26LB USED \$3.95 EA. CONNECTOR PLUGS RECEIVER \$2.50 CONTROL BOX \$2.50 FLEXIBLE SHAFT 20"/\$1.50 5 1/2" \$2.81 \$3.00
---	---

BC 348 RECEIVER

BC-348(+) RECEIVER AM 6 BANDS 200-500 KC. & 1.5 TO 18 MC. CRYSTAL PHASING, ANTENNA ALIGN, BEAT OSCILLATOR & AUDIO GAIN CONTROLS, VERNIER AND SPEED TUNING, OUTPUT JACKS FOR PHONES & SPEAKER. WITH TUBES 3/6K7, 1/6J7, 1/6CS, 1/6K6, 1/6B8 & 1/6F7. VOLTAGE REQUIRED 24 VOLTS 2 A. & 220 VDC 70 MA. (*) ISSUE THAT IS AVAILABLE SIZE: 18x10 1/2 x 9 1/2; WT: 38 LBS. USED \$89.50


Headsets — Telephone Equipment — Microphones — Handsets



HS-33 HEADSET
NEWLY MANUF.
HEADBAND & 4 1/2 FT.
CORD WITH PL-55
TYPE PLUG. AIR
FORCE GREY. 600
OHM IMPED. WITH
CHAMOIS CUSHIONS
\$7.95
W/ RUBBER CUSHIONS
\$6.95




HB-7
HEADBAND ONLY
WITH 4 1/2 FT.
CORD AND PL-55
TYPE PLUG. AIR
FORCE GREY.
\$3.00
CHAMOIS CUSHIONS
\$1.50
RUBBER CUSHIONS
\$1.50



HS-23 HEADSET
NEWLY MANUF. W/4 1/2
FT. CORD &
PL-55 TYPE
PLUG. AIR
FORCE GREY. 2000
OHM IMPED. WITH
CHAMOIS CUSHIONS
\$6.95
W/ RUBBER CUSHIONS
\$5.95

HS-17 HEAD & CHEST SET ASSY
HEADSET PHONES 30
OHM W/RUBBER CUSH
MICROPHONE 50 OHM
W/8 FT. CORD &
PL-58 PLUG FITS
EE-8 FL. PH.
5 LBS. NEW \$4.95




JK-38 JACK
FOR PLUGGING
IN 2 PL-55
PHONE PLUGS
4 FT. CORD
4 CONDUCTOR
\$1.00




RM-42 CONTROL UNIT USED TO OPERATE A RECEIVER & TRANSMITTER FROM A REMOTE POSITION WITH 2 CHANNEL SELECTION ALSO USED AS INTER-COM OR CONNECTED TO BE USED AS TELEPHONE SYSTEM. WAS MAGNETO HAND CRANK GENERATOR FOR RINGING & HANDSET WITH PL-204 ALSO 2 TELEPHONE TYPE SWITCHES, 4 PILOT LIGHTS, VC, ON-OFF SW ETC. REQUIRES WIRES BETWEEN EACH UNIT FOR USE AS TELEPHONE AND BATTERIES. IN METAL CABINET WITH SLOPPING FRONT, SIZE 7 1/2 x 8 1/2 x 9 WT: 14 LBS. PRICE: ... \$9.95

RM-52 REMOTE CONTROL UNIT (MACY'S PHONE PATCH)
USED FOR RE-CONTROL OF RADIO SET, OPERATES FROM 4 FLASHLIGHT BATTERIES. HAS MULTI-TAP TRANSFORMER, MIC, PHONE HIGH/LOW IMPEDANCE & JACKS. BASIC UNIT FOR MAKING MACY'S PATCH. SIZE: 7 1/2 x 3 1/2 x 5 1/2; WT: 5 LBS. PRICE: USED \$1.95 NEW \$2.95



RM-53 REMOTE CONTROL UNIT
BASICALLY THE SAME AS RM-52 ONLY IT HAS A 3 POSITION SWITCH AND CORDS WITH PL-55 AND PL-68 PLUGS. SIZE: 8 1/2 x 4 1/2 x 4 1/2; 6 LBS PRICE: USED \$2.95 RE-NEW \$3.95



MODEL A-200
\$2.95
ACOUSTICON CORD-LESS MICROPHONE AND AMPLIFIER HEARING AID, HEAD BAND TYPE ASSEMBLY CONSISTS OF 1/2" MIC. AND 3 TUBE AMPLIFIER WITH VOLUME CONTROL AND BATTERY COMPARTMENT MOUNTED IN A LIGHTWEIGHT HEADBAND. USES MERCURY BATTERY RM-1H & MINI-MAX 15 V. 504E EVEREADY. PRICED WITH TUBES, LESS BATTERIES AND PHONE UNIT. #A200 NEW: \$2.95

ACOUSTICON HEARING AID
MICROPHONE CASE ONLY WITH TRANSFORMER, VOLUME CONTROL, RESISTORS, CONDENSERS, AND BATTERY HOLDER. NO MICROPHONES TUBES OR BATTERIES SATIN FINISHED GOLD COLOR CASE. SIZE: 2 1/2 x 4 x 1/2. MODEL A-320 CASE ONLY WITH PARTS AS DESCRIBED ABOVE NEW \$3.39

TS-9 HANDSET NO PLUGS WITH BUTTERFLY SWITCH & PUSH TO TALK SWITCH & LUGS
USED \$3.95

TS-13 HANDSET WITH Y CORD PL-68 MIC. & PL-55 PHONE PLUGS. USED \$4.95

T-17 MICROPHONE
CARBON HAND TYPE WITH PUSH TO TALK RE-COND. \$7.95
SOUND POWERED HANDSET
WITH COILED CORD 1-4' STK #D173012 NEW \$7.95

TELEPHONE WIRE

TWO CONDUCTOR OUTDOOR 7 STRANDES COPPER WELD NEW MANUFACTURE WD-7

PRICE PER FOOT \$.022
2500 FOOT REELS 39.00
5000 " 75.00

T-24/M CARBON MICROPHONE
WITH PUSH TO TALK BUTTON AND MODIFIED WITH 4 FT. COILED CORD & PL-68 PLUG. WT: 1 LB. PRICE: NEW \$4.95

H-18(M) CARBON MICROPHONE F-1
TYPE ELEMENT MOUNTED ON PLATE 2x4" WITH 4" ADJUSTABLE BOOM & PL-292 PLUG TO FIT CD-318 CORD. PRICE: \$1.50

DICTIPHONE HANDSET
ASSY. LIGHTWEIGHT BAND WITH PLASTIC EAR PICES CONNECTED TO RUBBER* TUBE THAT COMES TO A Y THAT EXTENDS TO A RUBBER CUP 4". CAN BE USED AS A VIBRATION TESTER OR A WAY OUT SOUND REPRODUCER. STK # 6C262-719 PRICE: \$1.00


TELEPHONE EXTENSION CORD WITH PLUGS.
25 FT. W/4 PRONG MALE & FEMALE CONNECTIONS. \$2.75
WALL & CORD PLUGS TO FIT, EA \$1.25

PUSH BUTTON & CALL SIGNAL LIGHT SAME SIZE AS TELEPHONE DIAL.
MAKE OWN INTERCOM. \$3.99 EA. 3/\$1.00
HB-8 HEADBAND
NO CORD 1 1/2" ELEMENT CLIP \$1.00


HS-30 HEADSET
250 OHM IMPEDANCE HEARING AID TYPE EAR PCS. FIT IN-SIDE EAR. LIGHTWEIGHT HEADBAND, CORD 9" LG. WITH SPADE LUGS. (SEE CD-604 CORD)



TELEPHONE TRANSMITTER CHEST SET
150 OHM IMPEDANCE TRIANGULAR SHAPED BREASTPLATE, HORN MOUTHPIECE TYPE# A-1. NO STRAPS. WESTERN ELECTRIC #396A \$1.50



H-144/U HANDSET CAN BE USED FOR HEADSET WITH BOOM BY ADDING WIRE HEADBAND. PHONE 300 OHM MICROP. 40 " MOMENTARY & HOLD SWITCH U774U CONNECTOR, 6 FT. CORD. USED \$ 7.95




T-30 THROAT MIC.
Elements only \$1.00 a dozen


T-45 MICROPHONE
CARBON TYPE 100OHM 50DB BELOW 1 MILLIVOLT, FLAT RESPONSES WITH PL-291 2 CONT MALE PLUG, 11" CORD USED 75¢



CD-307 CORD EXTENSION FOR CORDS WITH PL-54 PLUG AS USED ON HEADSETS, 65" LG WITH JK-26 JACK & PL-55 PLUG. USED \$1.00



CD-318 EXTENSION CORD WITH PL-291 2 CONTACT FEMALE PLUG TO FIT T-45 & T-30 MICS. SW-141 SWITCH & PL-68 MIC PLUG ON 7 FT. CORD USED \$1.00



CD-604 CORD WITH IMPEDANCE MATCHING TRANSFORMER 500OHM TO 4000, USED WITH HS-30 HEADSET, 6" CORD & PL-54 PLUG. NEW 50¢ USED 25¢

PL-68 MIC PLUG
30" CORD 75¢

JK-33 JACK TO FIT PL-68 MIC. PLUG.
USED 6 FOR 50¢



COILED CORD SETS
THREE CONDUCTOR 24" TO 72" 75¢
12" TO 36" 50¢
FOUR CONDUCTOR 12" TO 36" \$1.00

MC-385 HIGH to LOW ADAPTER
IMPEDANCE FOR HEADSET 4000-600OHM USED \$.50 NEW \$.75

T-30 MICROPHONE
CARBON TYPE, 75 OHM 50DB BELOW 1 MILLIVOLT, FLAT RESPONSES WITH PL-291 2 CONT MALE PLUG, 11" CORD PRICE: USED 3/\$1 UNUSED \$1.00

BRUSH CRYSTAL HEADPHONE ELEMENT
W/RUBBER EAR PADS LIGHTWEIGHT BUJF62 \$1.00 EA.

MICROPHONE BUTTON CARBON 50 OHM
WILL REPLACE F-1 ELEMENTS. #K-53-0654 \$1.00

SOUND POWERED MICROPHONE
IN PLASTIC CASE, PUSH TO TALK BUTTON, NO CORD #5016 USED \$1.50


SOUND POWERED HEADPHONE
IN PLASTIC CASE, NO CORD. #R5017 USED \$1.50

HEADSET EARPHONE CUSHIONS
SPONGE RUBBER FOR 2 1/2" ELEMENTS. #48514 \$1.00 PAIR

TELEGRAPH SET



TG-5 TELEGRAPH SET; PORTABLE UNIT USED FOR CODE COMMUNICATION OVER LAND WIRE LINES. TWO OR MORE UNITS CAN BE OPERATED IN SERIES. CAN BE USED FOR CODE PRACTICE OR TEACHING. CONTAINS BELL CALL SYSTEM 1000 CYCLE TONE HOWLER, TEL. KEY, HEADPIECE, CANVAS CASE, BOOK ETC. REQUIRES 22.5 AND 2 1.5 VOLT BATTERIES FOR OPERATION. LESS BAT. SIZE: 5 1/2 x 10 x 5 1/2; WT: 8 LBS. PRICE: NEW \$9.95



R-15 PHONE ELEMENT 6000 OHM W/RUBBER CUSHION F/2" HEADBAND MTG. \$1.25



PHONE ELEMENT F/TS-9K HANDSET 250 OHM, 2 1/2" DIA 1 1/2" DIA. FOR 2" CLIPS. K.S #838 \$1.00



CANADIAN PHONE ELEMENT 100 OHM 1 1/2" DIA. FOR 2" HEADBAND. #C-3 10A/36988 \$.75



PHONE ELEMENT F/TS-13, H-23 ET HANDSET, TYPE 41 3500 OHM. AUTO. ELEC. D-5189A \$1.00




CANADIAN LIGHTWEIGHT HANDSET NO CORD PHONE 300 OHM MIC. 50 OHM #ITE NOI MK-11 YA-7225 6 oz. \$3.95



CANADIAN MICROPHONE W/ SWITCH & CORD FOR ABOVE PHONE, MAGNETIC 300 OHM, #10A/12 57L \$1.25



STANDARD TYPE TELEPHONE HANDSET & BELL RINGERS CAN BE USED AND ANY COMMERCIAL TELEPHONE LINE OR ON SYSTEMS ON THIS PAGE. PRICE: \$6.95 EX-CONDITION




DIAL ONLY \$1.75 USED \$1.95 EXCEL COND



STANDARD TELEPHONE HANDSET & CORD PRICE: \$4.95 EX-CONDITION



HANDSET HOLDER FOR HORIZONTAL MOUNTING, SIZE 1 1/2 x 3 1/2 #6988 \$.50




TELEPHONE BELL FOR MAGNETO GENERATORS 1 1/2 x 3 # MC-131 \$1.25

TELEPHONE EQUIPMENT




EE-8 FIELD TELEPHONE, PORTABLE HAND RINGING TYPE. CAN BE USED WITH ANY MAGNETO TYPE SYSTEM SWITCHBOARD AS BD-71, 72, 89, 91, 96 ETC. OPERATES FROM 2 FLASHLIGHT BATTERY UP 17 MILES, TWO OR MORE PHONES CAN BE OPERATED ON TWO WIRE LINE. WITH CARRING CASE, STRAP & HANDSET.

SIZE: 8x10x3 1/2; WT: 18 LBS.
USED CHECKED LESS BATT. \$12.95




BD-71 SWITCHBOARD, PORTABLE 6 LINE HAND RINGING MAGNETO TYPE USING FLASHLIGHT BATTERIES FOR OPERATION. REPEATING COILS ON TWO LINES FOR SIMPLEXING, DROP SIGNAL AND NIGHT CALL BELL CAN BE USED WITH ANY MAGNETO TYPE TELEPHONES SUCH AS EE-8, RM-29, BD-72, 89, 91, 96 ETC. IDEAL FOR FACTORY, CAMP, FARM, MOTEL. WITH CHESTSET MICROPHONE & HEADSET. LESS BATTERY SIZE: 18x12 1/2x14; WT: 75 LBS. USED \$9.95 RE-NEW \$14.95

BD-72 SWITCHBOARD 12 LINE UNIT OTHERWISE THE SAME AS BD-71. 30x12 1/2x14; 125 LBS. USED \$18.95 RE-NEW \$24.95



BD-89 SWITCHBOARD, SINGLE POSITION, TWO PANEL NON-MULTIPLE, MANUALLY OPERATED TELEPHONE SWITCHBOARD. MAGNETO & COMMON BATTERY LINES. 20 MAGNETO, 40 CB, 4 TWO WAY MANUAL, DIAL DROP END TRUNK CKT, 5 CONFERENCE JACKS, 3 OUTGOING CKT, 2 THRU-LINE & 13 UNIVERSAL CORD CKT. WITH CHEST MICROPHONE & HEADSET. SIZE: 52x22x31; WT: 300 LBS. USED \$59.50




BD-91 SWITCHBOARD, SINGLE POSITION MANUALLY OPERATED FOR SERVING MAGNETO LINES, TWO-WAY TRUNKS AND TIE LINES. RING-DOWN TRUNKS ARE PROVIDED FOR CONNECTION TO MANUAL COMMON BATT. OR DIAL SYSTEMS. DROP SIGNAL FOR INCOMING & RECALL. 20 MAGNETO, 4 UNIVERSAL, 8 CORD, 1 DIAL, 4 CONF. JACKS & 1 OPERATOR. USES DRY CELLS FOR OPERATION.


SIZE 16x16x42 SET-UP; WT: 200 LBS. \$29.50



BD-95 SWITCHBOARD: CORDLESS LOCAL BATTERY UNIT EQUIPPED WITH LINE LAMP SUPERVISION AND DESIGNED FOR SWITCHING LOCAL BATTERY LINES MAGNETO TYPE, MAY BE MODIFIED FOR COMMON BATTERY LINES ALSO CAN BE USED WITH OTHER TRUNK, TIE LINE LOCAL BATTERY SWITCHBOARDS. RE-NEW SIZE: 22x14x14; WT: 250 LBS. PRICE: \$24.95




MX-333/GG TAPE PULLER USED WITH CODE PRACTICE TO REEL 3/8" PAPER TAPE AS THE TAPE IS PASSED THROUGH THE RECORDER; HAS CONSTANT SPEED 110 VOLT 60 CYCLE INDUCTION MOTOR WITH VARIABLE SPEED FRICTION DRIVE ARRANGEMENT. UNIT COMES IN A WOOD CARRING BOX 10x10x15 WITH A CARRING HANDLE. WT: 27 LBS. PRICE, RE-NEW \$12.95



TG-10 KEYS IS A AUTOMATIC UNIT FOR PROVIDING AUDIBLE CODE PRACTICE SIGNALS FROM A INKED TAPE RECORDING. THE OUTPUT OF THE KEYS IS AN AUDIO FREQ. NOTE OF 800 CYCLES PER SEC. WITH SUFFICIENT POWER TO SUPPLY A NUMBER OF HEADSETS OR PRACTICE TABLES DIRECT CAN ALSO BE USED AS A TELEGRAPH KEY AMPLIFIER OR TAPE PULLER FOR A RECORDER. OPERATES FROM 115 VOLT 60 CYCLE. COMPLETE WITH TUBES; 2/6N7, 2/6L6, 2/6SJ7, 1/5U4 & 1/923. SIZE: 24x11x18 1/2; WT: 63 LBS. PRICE: USED CHECKED \$19.95 NOT CHECKED \$14.95




VO-3 OSCILLATOR IS AN ELECT-AUDIO TONE GENERATOR WITH A 10 WATTS OF POWER OUTPUT AT A FREQ. OF 800 CYCLES PER SE COND. THIS POWER IS ADEQUATE FOR SUPPLYING TONE TO 200 HEAD SETS THAT CAN BE KEYS BY THE INSTRUCTOR OR STUDENTS AND FEED INTO A SPEAKER OR RECORDER. OPERATES FROM 115 VOLT 60 CYCLE, COMPLETE WITH TUBES 1/6SN7, 1/5U4 & 2/6V6GT, OUTPUT 4, 8, 12 & 16 OHMS. SIZE: 12 1/2x10 1/2x7 1/2; WT: 24 LBS.




GAS ENGINE GENERATOR

COMPACT, LIGHTWEIGHT, PORTABLE ELECTRIC GENERATING SET CONSISTING OF A 1 HP, 3000 RPM 1 CYLINDER, AIR COOLED, 2 CYCLE, MANUAL ROPE STARTING GASOLINE ENGINE DIRECTLY CONNECTED TO A DC, SHUNT WOUND, SELF EXCITED, FOUR POLE GENERATOR CONTAINED IN A FRAME OF TUBULAR CONSTRUCTION MOUNTED ON A RUBBER SHOCK MOUNTING. GENERATOR OUTPUT IS 6.2/7 VDC 3.5 AMP. AND 500 VDC 230/250 MA. UNIT HAS JUNCTION BOX FOR CONNECTING CABLES FOR USE WITH RADIO SETS SCR-694/BC-1306, AN/GRC-9/RT-77 AND IS APPLICABLE TO OTHER EQUIPMENT. COMPLETE WITH TOOL AND INSTRUCTION BOOK. SIZE: 17 1/2x16 1/2x11 WT: 57 1/2 SHPG. WT: 125 LBS. NEW \$39.95



HYDROPHONE

MAGNETOSTRICTION TYPE UNIT 20 KC RESONANT FREQUENCY. THIS IS A STANDARD SECTION OF A ASSY. AS USED IN AN/SQS-10 EQUIPMENT. (HYDROPHONE IS A TYPE MICROPHONE DESIGNED TO BE ACTUATED BY WATER BORNE SOUND WAVES AND MAGNETOSTRICTION IS THE CHANGE IN THE DIMENSIONS OF A FERROMAGNETIC OBJECT WHEN PLACED IN A MAGNETIC FIELD. SIZE: 3 1/2x5 1/2x1; WT: 3 LBS. STK#875446 Y-901 PRICE: NEW \$4.95



CN-359/GPA-23 REGULATOR VOLTAGE. 120/208 VOLTS 60 CYCLE, 3 PHASE, 27 KVA. MOTOR DRIVEN POWERSTAT ELECTRONICALLY CONTROLLED. THREE SEPARATE SYSTEMS THAT WILL GIVE CONTROL, 3 PHASE IN, 3 PHASE OUT OR 3 PHASE IN, SINGLE PHASE OUT OR CAN BE DISMANTLED AND HAVE THREE SEPARATE SINGLE PHASE IN AND SINGLE PHASE OUT. CONSISTS OF 3 MOTORIZED POWERSTAT TRANSFORMERS 3 LOW VOLTAGE TRANS. 3 ELECTRONIC CONTROL CHAS SIS, SWITCHES, FUSES, METER ETC. USED CHECKED SIZE: 27x31x26; WT. SHPG. 420 LBS. \$175.00

VOLTAGE REGULATOR

120 VOLTS 60 CYCLE SINGLE PHASE 9 KVA. ONE SECTION REMOVED FROM THE ABOVE 3 PHASE UNIT. METER, SWITCHES, FUSES ETC. WILL HAVE TO BE ADDED, DIAGRAMS FURNISHED. ELECTRONIC VOLTAGE REGULATION, JUST SET THE VOLTAGE UNDER LOAD AND IT WILL REMAIN CONSTANT. CONSISTS OF MOTORIZED POWERSTAT TRANSFORMER, LOW VOLTAGE TRANSFORMER & ELECTRONIC REGULATOR CHASSI SHPG. WT: 125 LBS. PRICE, AS DESCRIBED \$49.95


BC-653 TRANS.

BC-653 TRANSMITTER 2-4.5 MC. 50 WATT VOICE, 100 WATT CW. RANGE 25 TO 50 MILES DEPENDING ON CONDITIONS.



MASTER OSCILLATOR CONTROL FOUR PRESET CHANNEL SEVEN TUBES; 2/814, 807, 2/1613, 2/VR-105. TWO 2 1/2" METERS FOR READING FILAMENT AND PLATE VOLTAGES, AND CURRENT, AND OUTPUT METER. VOLTAGES REQUIRED: 12 VDC, 1000 VDC 220MA, 500 VDC 185MA. SIZE: 26x14x12; WT. 140 LBS. \$29.95
DM-42 DYNAMOTOR 12V USED \$4.95
FT-253 MOUNTING BASE TO HOLD RECEIVER AND TRANSMITTER. USED \$3.95
34x12x3 . WT. 30 LBS. . UNUSED 5.95

FREQUENCY METER



BC-438 FREQUENCY METER 195-215 MC CRYSTAL CONTROLLED (CRYSTAL FREQ. 4100KC), 5" VERNIER DIAL, OPERATES FROM 115 VOLT 60 CYCLE WITH TUBES 6X5, 6K7, 6J5, 6V6 & 6A8. USED SIZE: 8x16x8; WT: 25 LBS. \$12.95

LINK TYPE 230 FREQUENCY METER, 376-418 MC. CRYSTAL CONTROLLED, (CRYSTAL FREQ. 2970 KC), 5" VERNIE DIAL, OPERATES FROM 115 VOLT 60 CYC WITH TUBES 6X5, 6K7, 6J5, 6V6 & 6A8. SIZE: 8x16x8; WT: 25 LBS. USED \$12.95


ANTENNA COUPLER AND ACCESSORY CASE. USED TO CHECK R-F POWER OUTPUT AND ELLIPTICITY OF CIRCULARLY POLARIZED ANTENNAS FROM ELECTRONIC COUNTERMEASURES SYSTEMS UNDER ACTUAL OPERATING CONDITIONS. FREQUENCY 950-10,500 MC. COUPLING ATTENUATION 40/3 DB. POWER DISSIPATION 500 WATTS. ACCESSORY CASE CONTAINS ATTENUATORS AND ATTACHMENTS FOR TESTING VARIOUS FREQUENCIES. ANTENNA COUPLER SIZE: 12x21, WT. 22 LBS. ACCESSORY CASE: SIZE: 12x12x16, WT. 28 LBS. #7507649P22 PRICE: \$39.95

ANTENNA COUPLER



ANTENNA COUPLER STAND, EXTENDS TO 90". SIZE: 39x5 INCHES. WT. 30 LBS. PRICE: \$9.95

BC-1253 RADIOSONDE TRANSMITTER OPERATES AT 397 MC; SENDING A CONSTANT SIGNAL TO BE RECEIVED BY RADIO DIRECTION FINDER, WHILE BEING CARRIED IN THE ATMOSPHERE BY A FREE BALLOON. COMPLETE WITH ONE 955 ACORN TUBE. REQUIRES 1.5, 6 & 115 VOL BATTERIES. SIZE: 3x5x6 1/2; WT: 8 OZ. PRICE: NEW \$.59 2 FOR \$1.00




TUNER ASSEMBLY for 2 to 6 MC. Part of BC-728 RECEIVER, which consists of four channel push button assy. with RF, ANT, & OSC. coils all slug tuned. Also cond. resistors etc. Size 4 x 4 x 3 1/2 lb Stock #204728/Tk. Price \$1.00



DRONE RECEIVER

FREQUENCY RANGE OF 57 TO 76 MC. WITH CHOICE OF FIVE DIFFERENT TONE CIRCUITS THAT OPERATE FIVE SERVO CIRCUITS WHICH ARE CONTROLLED BY SEALED MICRO-RELAYS IN INDIVIDUAL LC CIRCUITS. TONE FREQ. 300, 650, 955, 1390 & 1250. COMPLETE WITH TUBES 1/12AU7, 2/6AK6, 1/0A2, 28VDC VIBRATOR SUPPLY. PHOTO SHOWS SEALED COVER REMOVED. SIZE: 5 1/2x8. WT: 6 LBS. PRICE: UNUSED \$9.95 CONNECTOR PLUGS TO FIT UNIT, 4 REQ. EA. \$1.50



ANGULAR RATE CONTROL PART OF AUTOMATIC PILOT 8-1. CONSISTS OF 3 SEPARATE PLUG IN GYROS NAMELY ROLL PITCH & YAW, SIZE 4x4x5. ALSO CONTAINS RECTIFIERS, TRANSFORMERS, CONDENSERS, RESISTORS, CONTROLS ETC. STK#1JD405-G5. SIZE: 10x11 1/2x7 1/2; WT: 25 LBS


PRICE: USED \$12.95

MAGNETIC AMPLIFIER



TRANSMITTER SUB-ASSY. FILAMENT CHASSIS, PART OF AN/ALT-8 COUNTERMEASURES SET. CONSISTS OF CK927 FULL WAVE RECTIFIER CK843 SILICON RECT., TWO CK846 SILICON RECT., MAGNETIC AMPLIFIER TRANS. FIL. TRANS. 115/400CYC. SEC. 6.3/6A. MINIATUR POTS. AND DPST RELAY ALL MOUNTED ON CHASSIS 7x3x3 1/2; WT: 3 LBS. PART#2527-501-G1 PRICE: NEW \$1.95

TS-545 ECHO BOX; USED FOR CHECKING RADAR SETS IN THE FREQ. RANGE 1150 TO 1350 MC. TUNED CAVITY MANUAL TYPE METER 3 1/2" 0-100 DC MICRAMPERES. SIZE: 16x9x9; WT: 23 LBS. USED \$39.50



TS-270 ECHO BOX; SIMILAR TO ABOVE ONLY FREQ. 2630 TO 2970 MC. PRICE: USED \$39.95

100-2000 KC TRANSMITTER




1-339/UR TRANSMITTER CONTINUOUS TUNING 100-2000 KC IN THREE BANDS WITH MASTER OSCILLATOR CONTROL. OPERATES FROM 115V 60 CYC OR INTERNAL BATTERIES (NOT INCLUDED) 2/BA-419/U. 90V 1/BA-412/U 6V. COMPLETE WITH TUBES 1/5Y3; 3/6AK6; POWER OUTPUT APPROX. 1 WATT. SCHEMATIC INCL. 12 1/2x14 1/2x17 WT. 40 LBS. PRICE: \$24.95 UNUSED

INVERTERS




INPUT: 27.5 VDC 150 AMP.
OUTPUT: 115 VAC 2500 VA
400 CYC 1 PHASE
SIZE: 15 x 11 1/2 x 8 WT 58 LBS.
JACK & HEINTZ F-46-2
USED \$39.50


JACK & HEINTZ F-45-3
INPUT: 27.5 VDC 150 AMP.
OUTPUT: 115/200 V. 400 CYC
1/3 PHASE, 2250/2500 VA
SIZE: 19x11x8; WT: 75 LBS.
PRICE: USED \$49.50



MG-149F INVERTER
INPUT: 24 VDC 36 AMPS.
750 VA
OUTPUT: 115 V 400 CYCLE
1 PHASE 500 VA
26 V 400 CYCLE
1 PHASE 250 VA
SIZE: 12 x 7 1/2 x 8, WT: 21 LB.
PRICE: USED \$24.95
CONNECTOR PLUG TO FIT \$1.50




RA-37 AC RECTIFIER
Selenium type rectifier use with
teletype printers operates from
115/230 volts 50-60 cycle output
115 volts DC .400 amps & 110 volt
50 - 60 cycle. Size 1 1/2 x 7 1/2 x 8
WT. 43 lbs.
NEW \$8.95



RA-62 AC POWER SUPPLY
Power Supply used with SCR-522
Transmitter-Receiver supplies
all the necessary voltages.
INPUT: 115/230 60 cycle
OUTPUT: 300 VDC 230 MA.
-150 VDC 8 MA.
13 VDC 3.9 AMPS.
Completely fused & filtered.
Size 16 x 11 1/2 x 11 WT. 75 lbs.
PRICE: USED CHECKED \$59.50



G-24 AC & DC GENERATOR
OUTPUT
115 VAC 800 CYCLE 10.5 A.
28 VDC 60 AMP. @ 2400 RPM.
SPLINE SHAFT SIZE 7/8x1 1/2
SIZE: 6 1/2 x 7 1/2 x 13; WT: 45 LBS.
RE-COND. \$19.95



D.C. AIRCRAFT MOTOR
GE# 58A50LJ29- HP .4
RPM 3000 ARM.V 60 FLD.V 27
AMPS. FLD. 2.3, ARM. 6.5
DUTY 10 MIN. INT. AT FULL
RATING.
SHAFT, CORK SCREW 5/8" DIA.
FLANGE MTG. 3 1/2 IN CNTS.
SIZE 6 1/2" LESS SHAFT 4 1/2 x 4 1/2
WT: 11 LBS. UNUSED \$4.95




AIRCRAFT MOTOR
MAXSON MODEL 118 H.P. 1
RPM 5800; 24 VOLTS DC
55 AMPS., SPLIT FIELD,
REVERSIBLE SHUNT, DOUBLE
END SHAFTS WITH GEAR 1 1/2"
1/3-8" FLANGE MTG. 3 1/2" CT.
SIZE: 6 1/2 x 4 1/2 x 4 1/2; WT: 15 LBS.
UNUSED \$4.95


ELECT. ENG. MFG.
TYPE C-368, 26VDC
35 AMPS. 600 WAT
1/2 HP, APP. 3000
RPM. VERT. KEYED
SHAFT 1/2" DIA. 3/16 SLOT.
FL. MTG. 3 1/2 CT. 7" LG. \$4.95

INVERTER
INPUT
27.5 VDC 60A
OUTPUT
115 V 400 CY
750 W 3 PHASE
26 V 400 CY
50 W 1 PHASE
SIZE 11x10x6; WT: 40 LBS.
LELAND#10285 USED \$4.95


INVERTER
INPUT
27 1/2 VDC 22A
OUTPUT
115V 400 CY
3 PH 250 VA
SIZE 9x6x4; WT: 15 LBS.
ECLIPSE#E-1617-1 USED \$14.95



VIBRATOR POWER SUPPLY
Two 6 VOLT SUPPLIES ON A
COMMON CHASSIS USING 024
RECTIFIER TUBES, OUTPUT 540
VDC @ 150 MA. CAN BE TAPPED
AT 270 VDC 150 MA.
SIZE: 9x6x5; WT: 10 LBS.
STK#3H6694-5 UNUSED \$9.95



MINI VIBRATOR SUPPLY
PP-855/PRC-14, AIRPAX No.
A-1063, VIBRATOR TYPE WITH
FILTER NETWORK, INPUT 6VDC
5.35 AMPS. OUTPUT 135 VDC
155 MA. VIBRATOR MOUNTS
OF UNIT. 7 1/2 x 2 1/2 x 2 1/2; WT: 3 LB
NEW \$4.95



SEALED VIBRATOR. USED TO OP-
ERATE 28 VOLT EQUIPMENT FRO
12 VOLTS. TWO OR MORE CAN
BE WIRED IN PARALLEL TO OB-
TAIN A HIGHER CURRENT OUT-
PUT. WITH PLUGS, MTG & SPARI
VIBRATOR. 6 1/2 x 5 1/2 x 8 1/2; WT: 9 LBS.
NEW \$7.95 USED \$4.95

FT-498 SHOCK
MOUNTING WITH
FOUR 10 LB.
RUBBER MOUNTS ON A ALUMINUM
PLATE 13x8x1 1/2; WT: 2 LBS.
PRICE: \$1.00
VOLTAGE REGULATOR
INPUT 21-30 V.D.C
5 AMPS. REGULATION
18-30 VDC #4511281
SIZE: 4x3; 3LBS.
\$1.50

PI GENERATOR
OUTPUT: 28 VDC 200 AMPS.
2500 TO 6000 RPM.
SPLINED SHAFT 7/8 x 1 1/2;
SIZE 6x8x14 1/2; WT: 48 LBS.
PRICE: USED \$19.95

12 VOLT GENERATOR
50 AMPS. 38 LBS.
SIZE 9x6x6
SHAFT 3/4x2
KEYED & NUT
DELCO#1106461
PRICE: NEW \$9.95

PE-115 PHILCO
INVERTER 28VDC
36 AMP. INPUT
OUTPUT 90 VOL
800 CYCLE 7.2
AMP. (NO VOLT
AGE REGULATOR
11x10x7; 40LBS
USED \$12.95

GENERATOR GAEN-211219C
OUTPUT: 12.5 VDC 4 AMPS.
240 VDC 100 MA.
INPUT DRIVE: 3/16 HP.
3450 RPM.
SHAFT SIZE: 3/8 x 1 1/2
MOTOR SIZE: 5 x 6 x 9 WT. 25 lbs.
Used: \$4.95 New \$6.95

DYNAMOTOR
DY-85 VRC-2X
INPUT: 24 VDC 8 AMP.
OUTPUT: 600 VDC 175 MA.
SIZE: 7x4x4 1/2; WT: 10 LBS.
PRICE: NEW \$3.95


INVERTERS
EICOR #1-3112-1
INPUT: 26 VDC 6 AMP.
OUTPUT: 26 VAC 400 CYC.
VOLT/AMP: 40 1 PHASE
DUTY: CONT. 1.0 P.F
SIZE: 7 1/2 x 3 1/2; WT: 8 LBS.
PRICE: NEW \$8.95

PU-16 INVERTER
INPUT: 28 VDC 60 AMPS.
OUTPUT: 115 VAC 6.5 AMPS.
400 CYCLE 1 PHASE
Used: \$18.95
Size: 7 x 15 x 9 Wt. 38 lbs.

5D21NJ3A INVERTER
INPUT: 27 VDC 35 AMPS.
OUTPUT: 115 VAC 2.17 AMPS.
400 CYCLE 1 Phase.
Used: \$14.95 Unused \$24.95
Size: 9 x 6 1/2 x 5 1/2 WT. 20 lbs.

INVERTER
800-1-A
WT. 35 lbs.
Size 4 1/2 x 8 x 12


INPUT: 24 VDC 75 AMPS.
OUTPUT: 115 VAC 800 CYCLE
1 PHASE 10.5 AMPS.
USED \$12.95



PE-237 POWER SUPPLY
VIBRATOR TYPE
INPUT: 6 VDC 27 AMPS.
12 VDC 13.2 "
24 VDC 7 "
OUTPUT: 525 VDC 90 MA.
105 VDC 42 MA.
6.5 VDC 2 AMPS.
6 VDC 500 MA.
1.3 VDC 450 MA.
130 VDC 17 MA.
With tubes & vibrator.
Size 10 x 10 x 17 Wt. 70 lbs.
USED \$14.95 RE-NEW \$19.95




CARTER GENEMOTOR
MOTOROLA#259K1003
INPUT: 26.1 VDC 7 AMPS
OUTPUT: 405 VDC 270 MA.
SIZE: 7x4x5; WT: 12 LBS.
USED \$2.95 NEW \$3.95



PE-120 Power Supply
INPUT: 6 VDC 4.5 AP.
12 VDC 2.5 AMF.
24 VDC 1.5 AMF.
OUTPUT: 145 VDC 75 MA.
90 VDC 40 MA.
1.5 VDC .75 AMP.
Vibrator type voltage regu-
lated complete with tubes
OB-3/VR-105, 1005 & Ballast.
Also vibrator for 12 VDC.
Size 4 1/2 x 13 1/2 x 15 1/2 WT. 29 lbs
RE-NEW \$7.95



VRC-2 DYNAMOTOR
INPUT: 5.5 VDC 31 AMPS
OUTPUT: 600 VDC 175 MA
SIZE 7 x 4 1/2 x 4 1/2 WT: 8 LBS
STK. # 3H1514-5
PRICE RE-NEW \$7.95




PE-49
GASOLINE
ENGINE
GENERATOR




Size: 5 x 8 x 12 Wt. 35 lbs.
PE-98 DYNAMOTOR
INPUT: 14 VDC 21 AMPS.
OUTPUT: 300 VDC 260 MA.
150 VDC 10 MA.
USED \$5.95 UNUSED \$9.95


PE-94 DYNAMOTOR
INPUT: 28 VDC 10.5 AMPS.
OUTPUT: 300 VDC 260 MA.
150 VDC 10 MA.
14.5 VDC 5 AMPS.
Used \$4.95



TCS POWER SUPPLY
COLLINS 21881
INPUT: 12 VDC 14.5 AMP.
OUTPUT: 400 VDC 200 MA.
225 VDC 100 MA.
Size: 7 1/2 x 7 x 13 WT. 28 lbs.
RE-COND. \$12.95



DY-17 DYNAMOTOR
INPUT: 27 VDC 32 AMPS
OUTPUT: 400 VDC 750 MA.
750 VDC 350 MA.
USED \$12.95




PP-868/U VIBRATOR
POWER SUPPLY
INPUT: 12 DC 2.0 AMP.
OUTPUT: 6.3 AC 1.0 AMP.
6.3 " .45 "
1.4 DC 1.25 "
155 DC 15 MA.
150 DC 5 "
140 DC 50 "
40 DC .5 "
Size: 5x6 1/2 x 7; WT: 12 LBS.
PRICE: USED \$9.95



DY-9B/ARC DYNAMOTOR
INPUT VOLTS AMPS. OUTPUT VOLTS AMPS.
26 4.3 360 CONT. 135
26 7.8 310 INT. .355
Size: 9x5x3 1/2; WT: 10 LBS.
RE-MOVED F/EQUIP. \$9.95

GENERATOR OUTPUT 1000 VDC
350 MA & 14.6 VDC 25 AMPS.
ENGINE: 1 CYCL. 4 CYCLE
APPROX. 3 HP.
Size: 36x20x25; WT: 275 LBS.
PRICE: \$75.00

DYNAMOTORS



Size 6½ x 10 x 11 WT. 38 Lbs.
With fuses and starting relay.


HD-77 DYNAMOTOR

INPUT: 14 VDC 39 AMPS.
OUTPUT: 1000 VDC 350 MA.

PE-73 DYNAMOTOR


INPUT: 28 VDC 19 AMPS.
OUTPUT: 1000 VDC 350 MA.
used \$12.95

DM-42 DYNAMOTOR



USED
\$4.95

INPUT: 12 VDC 39 AMPS.
OUTPUT: 515 VDC 215 MA.
" 1030 " 260 MA.
SIZE: 7x7x11 WT: 38 LBS.



DN-2528-1

NEW: \$5.95

INPUT: 27.5 VDC 27 AMPS.
OUTPUT: 1000 VDC 500 MA.
SIZE: 8½x4x4 WT: 13½ LBS.



PE-98
PE-94
DYNAMOTORS
ONLY

PE-98 DYNAMOTOR ONLY
INPUT: 14 VDC 21 AMPS.
OUTPUT: 300 VDC 260 MA
-150 VDC 10 MA
SIZE: 12x5x5; WT: 26 LBS.
UNUSED \$5.95

PE-94 DYNAMOTOR ONLY
INPUT: 28 VDC 10.5 AMPS
OUTPUT: 300 VDC 260 MA
-150 VDC 10 MA
14.5 " 5 AMPS
SIZE: 12x5x5; WT: 26 LBS.
UNUSED \$4.95



DA-19A DYNAMOTOR
INPUT: 28 vdc 11 AMPS.
OUTPUT: 400 " 400 MA.
SIZE: 7½x4½x4½; WT: 13 LBS
UNUSED \$4.95

BRUSH SETS



DM-21 DM-25 DM-28 DM-32
DM-33 DM-34 DM-35 DM-36
DM-37 DM-40 DM-41 DM-42
DM-43 DM-45 DM-53
BD-83 BD-93 BD-77
PE-73 PE-86
DA-12 DA-14 DA-1A
DY-21
SP-125 35x032

OTHER TYPES ALSO AVAILABLE
SET OF FOUR BRUSHES \$1.00



Size 3 x 3½ x 4½, Wt. 3 lbs.

DM-32 DYNAMOTOR

INPUT: 28 VDC 1.1 AMPS.
OUTPUT: 250 VDC 60 MA.
Price: Used \$2.95 New \$4.95

TYPE 35 x 032
(Same as DM-32 only 12V)


INPUT: 14 VDC 2.4 AMPS.
OUTPUT: 250 VDC 60 MA.
Price: New \$4.95

DM-53 AZ DYNAMOTOR

INPUT: 14 VDC 2.8 AMPS.
OUTPUT: 220 VDC 80 MA.
Price: NEW 7.95

DM-53 DYNAMOTOR

INPUT: 28 VDC 1.4 AMPS.
OUTPUT: 220 VDC 80 MA.
NEW \$6.95 USED \$3.95



Size 3 x 3 x 4½, Wt. 3 lbs.

DM-45 DYNAMOTOR

INPUT: 24 VDC 1.1 AMPS.
OUTPUT: 250 VDC 50 MA.
Price: Used \$2.95 New \$4.95

DM-25 DYNAMOTOR

INPUT: 12 VDC 2.2 AMPS.
OUTPUT: 250 VDC 50 MA.
Price: Used \$2.95 New \$4.95



WEST 12B6534 DYNAMOTOR

INPUT: 24 VDC 1.75 AMPS.
OUTPUT: 300 VDC 70 MA.
Price: Used \$2.95 New \$4.95

Size 3 x 3 x 4½, Wt. 3 lbs.
Dynamotors listed below
same size only less base.

DM-6936 DYNAMOTOR

INPUT: 28 VDC 1.1 AMPS.
OUTPUT: 250 VDC 60 MA.
Used \$1.95 Unused \$3.95


DMX-310A DYNAMOTOR

INPUT: 12 VDC 2.8 AMPS.
OUTPUT: 150 VDC 100 MA.
Used \$2.95 Unused \$4.95

TYPE 5047 DYNAMOTOR

INPUT: 27 VDC 1.75 AMPS.
OUTPUT: 285 VDC 75 MA.
Used \$3.95 Unused \$5.95

RADIO NOISE
FILTER 100
AMPS. 50 VDC
GE#1C202
SIZE 4x4x2
PRICE: \$.50



Size 3 x 4½ x 6½, Wt. 5 lbs.

DM-34 DYNAMOTOR

INPUT: 14 VDC 2.8 AMPS.
OUTPUT: 220 VDC 80 MA.
Used \$2.95 Unused \$4.95

DM-36 DYNAMOTOR

INPUT: 28 VDC 1.4 AMPS.
OUTPUT: 220 VDC 80 MA.
Used \$2.95 Unused \$4.95



Size 3½ x 5 x 5½, Wt. 3½ lbs.

PE-86 DYNAMOTOR


INPUT: 28 VDC 1.25 AMPS.
OUTPUT: 250 VDC 60 MA.
PRICE: Used \$2.95 New \$4.95



Size 3½ x 5 x 6½, Wt. 5½ lbs.

DM-28 DYNAMOTOR

INPUT: 27.9 VDC 1.25 AMP
OUTPUT: 220 VDC 70 MA
PRICE: USED \$6.95




D 401

INPUT: 12 VDC 9.9 AMP.
OUTPUT: 400 " 180 MA.
SIZE: 4x4½x7; WT: 10 LBS.
PRICE: UNUSED \$6.95


DA 14A SPECIAL WITH BASE

INPUT: 14/28 VDC 3.3/1.6 A
OUTPUT: 230 VDC 100 MA.
SIZE: 3½x3½x6; WT: 6 LBS.
UNUSED \$6.95




DM-21
DYNA-
MOTOR

INPUT: 14 VDC 3.3 AMP.
OUTPUT: 235 VDC 90 MA.
SIZE: 6x5x3; WT: 8½ LBS.
PRICE: USED \$7.95



DY-21 DYNAMOTOR

INPUT: 27 VDC 7 A
OUTPUT: 410 " 325 MA.
SIZE: 7½x3x3½; WT: 8½ LB
PRICE: USED \$7.95



Size 4½ x 5½ x 6½, Wt. 10½ lbs.

BD-83 DYNAMOTOR

INPUT: 14 VDC 6.5 AMPS.
OUTPUT: 375 VDC 150 MA.
UNUSED \$7.95

CW21441 DYNAMOTOR


INPUT: 28 VDC 2.9 AMP
OUTPUT: 330 " 135 MA
NEW \$3.95

DM-416 DYNAMOTOR

INPUT: 28 VDC 3.1 AMPS.
OUTPUT: 330 VDC 470 MA.
Used \$1.95 Unused \$3.95

BD-93 DYNAMOTOR

INPUT: 28 VDC 3.2 AMPS.
OUTPUT: 375 VDC 150 MA.
Used \$2.95 Unused \$4.95



Size 4 x 7 x 6½, Wt. 10½ lbs.

PE-133 DYNAMOTOR


INPUT: 12 VDC 2.3 AMPS.
OUTPUT: 230 VDC 90 MA.
Used \$4.95 Unused \$6.95



Size 5½ x 6 x 8½, Wt. 12½ lbs.

TYPE 377 DYNAMOTOR


INPUT: 14 VDC 8 AMPS.
OUTPUT: 425 VDC 163 MA.
Used \$6.95 Unused \$9.95



Size 5½ x 3½ x 7, Wt. 7 lbs.

DM-40 DYNAMOTOR

INPUT: 14 VDC 3.4 AMPS.
OUTPUT: 172 VDC 138 MA.
PRICE: USED \$3.95



INPUT: 13/26 vdc 12.6/6.3A
OUTPUT: 400 " 135 MA.
800 " 20 "
9 v 80 cyc 1.12 AMP.
SIZE: 14x4½x7; WT: 15 LBS.
PRICE: NEW \$7.95
CONNECTOR PLUG 1.50

PE-101C



Size 4½ x 4½ x 8½, Wt. 13 lbs.

DM-35 DYNAMOTOR

INPUT: 12.5 VDC 18.7 AMPS.
OUTPUT: 625 VDC 225 MA.

NOT AVAILABLE

DM-37 DYNAMOTOR


INPUT: 25.5 VDC 9.2 AMPS.
OUTPUT: 625 VDC 225 MA.
UNUSED \$4.95



BD-69 DYNAMOTOR
INPUT: 14 VDC 2.8 AMPS.
OUTPUT: 220 " 80 MA.
SIZE: 6½x5x4; WT: 10 LBS.
UNUSED \$3.95



CAY-21772 DYNAMOTOR
INPUT: 12 VDC 3 AMPS.
OUTPUT: 235 VDC 75 MA.
SIZE: 6½x5x4 w/MTG. 7 LBS.
UNUSED \$4.95



DA 1A

INPUT: 28 VDC 1.6 AMP
OUTPUT: 230 VDC 100 MA
SIZE: 3½x3½x5½; WT: 6 LBS.
UNUSED \$4.95



DM-33 DYNAMOTOR

INPUT: 28 VDC 5 AMPS.
OUTPUT: 575 VDC 160 MA.


NOT AVAILABLE

Size 3½ x 4 x 7½, Wt. 8½ lbs.

DY-22 DYNAMOTOR


INPUT: 28 VDC 1.8 AMPS.
OUTPUT: 210 VDC 125 MA.
Price: Used \$4.95

Size 3½x3½x6½; Wt. 5 lbs.



WINCO TYPE 41S6
DUAL OUTPUT

INPUT: 13 vdc 13 A.
OUTPUT: 300 vdc 225 MA
250 " 60 "
SIZE: 8½x4½x4; WT: 10 LB
PRICE: UNUSED \$7.95



AC-DC Motors

Hi-Speed


Gear Reduction's

Blowers



DELCO PM MOTOR 250 RPM #5067127
27 VDC WITH GEAR ATTACHED TO $\frac{1}{2}$ " SHAFT
REMOVABLE MOUNTING, 8 OZ. INCH TORQUE
REMOVED FROM NEW EQUIPMENT.
PRICE \$4.95

SIZE: 4x1 $\frac{1}{2}$ x1 $\frac{1}{2}$
WT: 8oz. GE SAME AS ABOVE NOT PM #5BA10AJ8D \$3.95



ELECTRIC WINDING TIMER MOTOR 6 VOLT D.C.
WILL MAKE ONE REVOLUTION PER HOUR THEN
AUTOMATICALLY REWIND. SHAT SIZE 5/8 X 3/16
THREADED. ALSO HAS A DISC WITH ARM MOUNTED
TO IT. HOUSED IN METAL BOX 3 $\frac{1}{2}$ x3 $\frac{1}{2}$ x3; 1 LB
BORG#D257764 PRICE \$1.50

HOLTZER-CABOT DUAL SPEED GEAR REDUCT-
ION MOTOR, 115 V. 60 CYCLE, 1 PHASE, ONE
SHAFT 40 RPM, OTHER 165 RPM 24 OZ. IN
TORQUE. .4 AMP. MOTOR SIZE 4 $\frac{1}{2}$ x4 $\frac{1}{2}$ x5 $\frac{1}{2}$,
SHAFT 3/8x4-40RPM, 1/8x3/8-165RPM.
#RBS-3712 \$9.95

RATCHET MOTOR, 24 VOLT DC 60 RPM CONTINUOUS
ALSO 3 POSITION STOP. BAND SWITCH ASSEMBLY
AS USED IN R-5/ARN-7 COMPASS RECEIVER.
UNIT WILL ALSO OPERATE ON 18 TO 24 VDC.
SIZE: 3x4x1 $\frac{1}{2}$; WT: 1 $\frac{1}{2}$ LBS. STK# 609-ARN-7
PRICE: \$1.25

WESTINGHOUSE BUSINESS MACHINE MOTOR 25 MHP
115 VOLTS 50/60 CYCLE .5/4 AMPE
TYPE FL 4.0/3.0 MFD. 1425/1725
RPM. SIZE: 4 $\frac{1}{2}$ x4 $\frac{1}{2}$; WT: 5 LBS.
SHAFT 5/16x FLATENED. FOR USE
IN RUBBER SHOCK MOUNTING BRACKET
PRICE: NEW \$2.95

TELETYPE MOTOR AC; 110 VOLT 60 CYCL
1 PHASE, NON-SYNCHRONOUS, 1/25 HP,
1800 RPM, 1.25 AMP., DOUBLE SHAFT
1 $\frac{1}{2}$ x3/16x5/8 x 3/16, MOTOR SIZE 5 $\frac{1}{2}$ x
5x5; WT: 13 LBS. GE#28478
USED \$4.95

DC BLOWER DUAL OUTLET; @ 24 VDC 3000
RPM APPROX. 100 CFM; @ 12 VDC 1500 RPM
APPROX. 50 CFM. SIZE 10x5x5; WT: 5 LBS.
#SBS25KJ501. PRICE USED \$1.95

TG-10 KEYSER MOTOR 115 VOLT 60 CYCLE
1550 RPM, SHAFT 1-7/8", GEARED TO 80 RPM.
SIZE: 3 $\frac{1}{2}$ x3 $\frac{1}{2}$ x4 $\frac{1}{2}$; WT: 3 LBS. #3H3000-3
REMOVED FROM TG-10 EQUIPMENT
\$2.95

ELECTRO COUNTER & TIMER MOTOR, 115 VOLT
60 CYCLE, 14 RPM, USED TO TURN TUNERS,
HIGH POWER TORQUE, INTERMITTENT OPERATION
SIZE: 3x4x3; WT: 2 LBS. #MA201752 \$1.50


AIR ASSOCIATES MOTOR EE-763, 1/10 H.P.
27 VOLTS DC, 6 AMPS. 3500 RPM.
SHAFT SIZE 3/16 x 5/8, MOTOR SIZE
4x3x3, FLANGE MTG. 4 LBS. \$2.95

PM MOTOR ASSEMBLY & GEAR TRAIN
USED IN R-44 RECEIVER FOR REMOTE
TUNING. CONTAINS DELCO PM MOTOR
#5069370, 10,000 RPM ATTACHED TO
A GEAR ASSY. THAT HAS TWO SHAFTS
80 RPM AND IS GEARED TO TWO
SHAFTS WITH 3" & $\frac{1}{2}$ " GEARS THAT
THAT TURN AT 40 & 80 RPM. ASSY
SIZE 4 $\frac{1}{2}$ x6x3; SHAFT SIZES $\frac{1}{2}$ x 3/4
WT: 3 $\frac{1}{2}$ LBS. STK# 3H3100-15
PRICE: \$4.95


GENERAL ELECTRIC 5BA25DJ300
24 VDC @ 2 AMPS., 4500 RPM, REVER-
SIBLE, GOVERNOR CONTROL MAGNETIC
BRAKE, FLANGE MOUNT, SIZE 2 $\frac{3}{4}$ x5 $\frac{1}{2}$,
WT: 3 LBS., SPLINED SHAFT 3/16x7/8
PRICE: \$2.95

DELCO P.M. MOTOR #5069466, 27.5 VDC
IN ALUMINUM CASE GEARED TO WORM GEAR
MOTOR SIZE 1 $\frac{1}{2}$ x1 $\frac{1}{2}$ x2 $\frac{1}{2}$, 10,000 RPM.
CASE SIZE 2 $\frac{1}{2}$ x2 $\frac{1}{2}$ x2 LBS MTG. SIZE.
WORM GEAR 2000 RPM, WT: 2 LBS.
STK# 3H3100A-1 PRICE: \$2.95

John Oster type C 24A-1B - K5-5829-
01 27 VDC 1/100 HP 7000 RPM DC
Series Motor 2" D X 3" L. Shaft
 $\frac{1}{2}$ x 1 Wt. 1 lb. Price \$7.75



6 VOLT DC MOTOR, REVERSIBLE 1/20 H.P.
SHAFT $\frac{1}{2}$ x 3/4, FRONT END MOUNTING STUDS,
MOTOR SIZE 3 $\frac{1}{2}$ x3; WT: 4 LBS. APP 3000 RPM
G16VDC-R PRICE: \$1.25



Windshield Wiper Motor 24VDC. Very power-
ful. May be used wherever an oscillation
motion is desired such as stirring or
agitation. Size 2 X 3 $\frac{1}{2}$ X 3 5/8. Shaft ex-
tends out 1 $\frac{1}{2}$ " from the Motor. Wt. 1 lb.
10 oz. Stock No. 10D24. Price.....\$2.95



Delco 5069370 27 VDC Reversible PM
Motor and Gear assm. in an Aluminum
case. Output speed is 80 RPM through a
friction clutch to a double shaft $\frac{1}{2}$ x
3/4 on one side, $\frac{1}{2}$ x 1 $\frac{1}{2}$ on the other.
Size complete assm. 3 5/8 X 2 X 4 $\frac{1}{2}$ ex-
cluding shaft. Has built in noise
filter system. Wt. 1 lb. 5 oz.
Price.....\$4.95



Same Motor as used in above
assm. Size 1 1/8 X 1 $\frac{1}{2}$ X 2 $\frac{1}{2}$.
Wt. 4 Oz. Price.....\$2.95



12 VOLT D.C. MOTOR

LEECE NEVILLE 12 VOLT D.C. MOTOR
5000 R.P.M., 1/20 H.P. SHAFT $\frac{1}{2}$ x 1 $\frac{1}{2}$
MOTOR 3 $\frac{1}{2}$ x3; WT: 5 LBS. BRONZE BEARING
#R&R-12 VDC \$1.95

BENDIX BAND CHANGE MOTOR #AC56566-2
OPERATES FROM 28 VDC. THREE POS-
ITION POSITIVE STOP. WITH SWITCHES
& WAFFER ASSY. SIZE: 6x3x2 WT: 1LB.
PRICE: \$2.95

DELCO 5069790 PM 100 R.P.M.
27 VDC WITH GEAR ATTACHED TO
 $\frac{1}{2}$ INCH SHAFT $\frac{1}{2}$ INCH LONG.
MOTOR SIZE 1 $\frac{1}{2}$ x4. WT: 8 oz.
PRICE: \$3.95

Bendix LM108J 24VDC 1/25 HP 15,000 RPM
Series Motor. Geneva Loc. Actuator. Shaft
rotates $\frac{1}{2}$ revolution and stops and is
locked in place until next contact is
made then the cycle is repeated-time per
cycle app. 3 seconds. Size 4 X 2 $\frac{1}{2}$ X 5 $\frac{1}{2}$.
Shaft size $\frac{1}{2}$ x $\frac{1}{2}$. Wt. 1 lb. 14 oz.
Price.....\$4.95

General Electric 5BA25MJ424 - Type BA
24 V @ 4.2A 7100 RPM 1/20 HP Flange
mount Motor size 2 $\frac{1}{2}$ " X 5". Shaft size
 $\frac{1}{2}$ x 1 Wt. 3 $\frac{1}{2}$ lbs. Price.....\$1.95

ELECTROLUX Motor 28.5 VDC. 1.8 AMPS.
2200 RPM. 1/35 H.P. SHAFT SIZE 1 $\frac{1}{2}$ x $\frac{1}{2}$
MOTOR SIZE: 4 $\frac{1}{2}$ x3 $\frac{1}{2}$; WT: 5 LBS.
PRICE: \$3.95

C-259/APW-1 MOTOR PUMP & CYLINDER
SAMPSEL P.M. MOTOR WITH 2 $\frac{1}{2}$ " PRESSURE
PUMP AND 2 $\frac{1}{2}$ " VACUUM CYLINDER WITH 3
RELAYS, MICRO SWITCH ETC. OPERATES
FROM 28-28 VDC.
SIZE: 8x6x6; WT: 10 LB. NEW \$6.95

FLYER ELECTRIC MOTOR HEAVY DUTY
115 VOLTS AC-DC 50-60 cyc. 78 AND
33 1/3 R.P.M. 9x5x4 WT. 10 LBS.
PRICE: \$1.50

MERCURY MOTOR 8100, 115 VOLT 60 CYCLE, 1750
RPM, OPEN FRAME 3x2 $\frac{1}{2}$ x2, SHAFT $\frac{1}{2}$ x1 $\frac{1}{2}$, WT: 1 LB.
PRICE: \$1.00

John Oster Shunt Motor R-9-1 27 $\frac{1}{2}$ VDC
@ .7A. 5600 RPM. Aluminum Cased Motor
and Gear assm. Motor is flange mount-
ed to the Gear case. 2 gear reductions
22 and 5 $\frac{1}{2}$ RPM on $\frac{1}{2}$ x 1 $\frac{1}{2}$ shafts. Size
2 3/4 X 3 X 7". Wt. 1 lb. 14 oz.
Price.....\$1.00

ART-13 MOTOR 28
VOLT D.C. 3900
RPM, 1/20 H.P.
REVERSIBLE, BALL
BEARING, WILL
OPERATE 12 VOLT
SIZE 3x3x3 $\frac{1}{2}$; 2LB. #B-101/803/
800. PRICE: \$1.95

OSTER 10 CFM Blower
John Oster motor C2B-1A
27.5 VDC 1/100 HP 6000
RPM with blower 10CFM.
Size 3 $\frac{1}{2}$ x 3 $\frac{1}{2}$ x 4 $\frac{1}{2}$ Wt 1 $\frac{1}{2}$

Motor & Blower \$3.95 Motor only 1.95

400 CYCLE BLOWER
Eastern Air Devices
10 CFM Blower 115 Volt
400 cycle, 1/100 HP
motor. Size 3 $\frac{1}{2}$ x3 $\frac{1}{2}$ x4 $\frac{1}{2}$
Wt. 1 lbs.
PRICE: \$2.95

PINCOR BLOWER
Cast Aluminum house-
ing shunt type motor
24 VDC 5000 RPM, 10
CFM blower. Motor
noise filtered, WT 1lb
10 oz. Size 3 $\frac{1}{2}$ x4 $\frac{1}{2}$.
PRICE: \$2.95

OPEN TYPE BLOWER
Delco motor 5069267 27 VDC
6000 RPM, reversible shunt
type, flange mount. WT 1 lb
size 1-3/4x2-5/8x2 $\frac{1}{2}$.
Motor-Blower \$1.95 Motor only \$1.50

DELCO PM Motor 12 VDC
10,000 RPM, GEARED
TO ASSY. APPROX 250
TO PLASTIC WHEEL &
POT. 4x3x2 $\frac{1}{2}$; 1 LB.
#5092543/2 \$4.95
MOTOR ONLY 3.95

PHILCO GEAR REDUCTION
NO. 441-1008, 24 VDC,
3.7 RPM 40 LB. IN. TOR-
QUE, SHAFT 5/16x5/8,
MOTOR 4x3 $\frac{1}{2}$ x5 $\frac{1}{2}$; 4 LBS
\$5.95

NAVY PM MOTOR
27 VDC
1/150 H.P.
5000 R.P.M.
SHAFT 3/4x3/16
MOTOR 1 $\frac{1}{2}$ x1 $\frac{1}{2}$ x2
WT: 8 oz. STK# J942-BUO-676213
PRICE: \$1.95

CAMERA MOTOR
Open frame used in aircraft
cameras 12 Volt AC-DC
Double end shaft 1/8
x $\frac{1}{2}$, motor size 2 $\frac{1}{2}$ x
2 $\frac{1}{2}$ x5000 RPM. # CM-120
Price\$1.95

ACTUATOR
LINEAR, RATED LOAD LBS.
STAT.-200, TEN.-25-50
COMP.-25-50, TRAVEL 2 $\frac{1}{2}$ "
MOTOR 115V400CYCLE, 6000 RPM.
DUTY 1/10, H.P. .04, TORQ. OZ. 11
6.7 WITH LIMIT SWITCHES. USED
AIRSEARCH#35906-30 \$2.95

LINEAR ACTUATOR, STAT. 750,
TENS. 375, COMP. 200, ARM. TRAI
5-7/8", MOTOR 115 V. 400 CYCLE
6000 RPM, DUTY 1-10, HP .04
SIZE 11x3x4; WT: 5LB. USED
AIRSEARCH#31914 \$3.95

D.C. ACTUATOR 26 V.
1.5 A. DUTY 3/20
HP .015, RPM 7500 \$2.95
STATIC 600, TEN. 130
COMPR. 90, TRAVEL 1 $\frac{1}{2}$ "
8x5x3; 4 LB. ELA-3-139-2


HEAVY DUTY
REVERSIBLE
TYPE GEAR
HEAD MOTOR
JOHN OSTER
#KU-1L-TR
28 VDC 100 - 200RPM
8 AMP 2 $\frac{1}{2}$ lb. FT.
torque. Size 7 $\frac{1}{2}$ x 10 x 4 $\frac{1}{2}$ WT. 12 lbs
Shaft size 7/16 x 3/4. Price \$5.95

BULLS EYE LIGHT
DULL FINISHED
BRASS, DOUBLE
CONTACT, BAYONET
BASE, RED LENSE
1" MTG. HOLE W/ 12 VOLT BULB LM-44, SIZE 1 1/2 x 3. #226125-22
PRICE: 39¢ EA. 3 FOR \$1.00

ALNICO MAGNETS

ALNICO BAR TYPE MAGNETS
(1) ONE INCH X 1/2 X 1/4
ORIGINALLY USED IN MICRO
PHONES. #948 12 FOR \$1.25

SW-206P-15



20 POSITION ROTARY SWITCH
WITH SIX DECKS.
2 1/2" DIA. PRICE: \$2.95

CERAMIC COIL FORM F/
ART-13 ANTENNA LOAD
SIZE 2" x 5". NO WIRE
50¢ WITH WIRE \$1.00

RUBBER SHOCK MOUNTS
MTG HOLES 2" CENTERS
6 LB. #6 \$.35
14 LB. #14 .50
10 LB (ILLUS) #5150 .40

CERAMIC COUPLER 2"
DIA. 3/4" SHAFT EA. SIDE
STK#SWTU-5 PRICE: \$.50

GIANT 4 CONTACT
CERAMIC FOR 872,
211 ETC. 3/8" RD.
GE#ML7461594-G1
PRICE: USED \$.39

GIANT 4 CONTACT
CERAMIC SOCKET FOR
715, 718 ETC. 3/8" RE
STK#227684.98
PRICE: NEW \$.50

GIANT TUBE SOCKET
7 CONTACT FOR 813
4E27A ETC. 2 1/2" SQ
GE#M7466795-1/442
PRICE: \$.75 USED

REGULATOR CURRENT
AUTOMOTIVE TYPE
OPEN FRAME 50 AMP.
SIZE 2 1/2 x 1 1/2 x 1 1/2 LB
ORD.#G1026184433
DELCO#1884042 \$1.00

TERMINAL
STRIPS WITH
CLIPPED WIRES
AMT. TERMINALS - 6 - 8 - 10 - 12 - 14
1 1/2" WIDE EACH .15 .20 .25 .30 .35
1 1/2" WIDE .20 .25 .30 .35 .40

BINDING
POSTS 7
ON A BAKE-
LITE STRIP, THUMB SCREW TYPE
TERMINALS. REMOVED FROM EQUIP
PRICE: \$.35 EA. 3 FOR \$1

TELEPHONE SIGNAL DROP SWITCH
BOARD UNIT WITH MOMENTARY &
HOLD MULTI-CONTACT LEVER SW
RING IN DROP RELAY & PHONE
JACK. SIZE 1 1/2 x 8 x 3. WT: 1 LB.
#EE-2 \$.39 EA. 3/\$1 USED
PL-11 PLUG ON 30" CORD \$.35 EA.

SW-118 SWITCH ASSY.
SPST, ONE SIDE HOLDING
ON - OTHER SIDE MOM-
ENTARY ON, CENTER OFF
SWITCH SIZE 2 x 1, CASE
SIZE 2 x 1.
PRICE: \$.35 EA. 3 FOR \$1.00

B-9A SWITCH ASSY
SPDT CENTER OFF
5 AMP. 125 VOLTS
TWO HOLE MTG.
SIZE: EA. SW 3/4
x 2 x 1. \$.35 EACH
BANK OF FOUR \$1.

Capacitors



MFD	VDC	SIZE	PRICE
2000	15	1 1/2 x 4 1/2 RD	.59
6000	75VDC	3 x 4 1/2	3.95
1000	50	1 1/2 x 4 1/2 RD	.55
25M	25VDC	3 x 4 1/2	2.95
24000	3	4 x 3 RD	1.50

4	400	2 1/2 x 3 1/2 x 1 1/2	.25
5x5	400	3 1/2 x 3 1/2 x 2	.50
10	400	4 x 4 x 1	.75

.5	500	1 1/2 x 1 1/2 x 3/4	.20
----	-----	---------------------	-----

2	600	1 1/2 x 4 1/2 x 1	.25
4	600	3 1/2 x 2 1/2 x 1 1/2	.50
6	600	4 1/2 x 2 1/2 x 1 1/2	.75
7	600	4 x 4 x 2	.85
10	600	3 1/2 x 4 1/2 x 1 1/2	1.10
2 1/2 x 2 1/2 x 5/8		6 1/2 x 4 x 2	.75

1	1000	1 1/2 x 2 1/2 x 1	.50
2	1000	1 1/2 x 4 x 1	.95
1-1	1000	3 1/2 x 4 1/2 x 2 1/2	2.95
1-1-1	1200	3 1/2 x 3 1/2 x 2 1/2	1.00
1	2000	2 x 3 x 1	1.25

.5	2500	3 1/2 x 3 x 1	.75
MFD	VAC	SIZE	PRICE
5	660	3 1/2 x 4 x 1 1/2	1.95
15	330	3 1/2 x 5 x 1 1/2	1.75
1	1000	3 1/2 x 4 x 2	.75

POTENTIOMETER 100
WATT, 100,000 OHM
IN 20 STEPS 5000
OHM EACH WITH HEAVY
DUTY CONTACTS & IN-
SULATED TERMINALS
7 SHAFT. DAVEN#1373
SIZE: 5 1/2 x 3 1/2, SHAFT 1-3/8 x
3/8. WT: 1 1/2 LB. STK#227281-3
\$1.25

POTENTIOMETER
PRECISION TYPE,
WIRE WOUND, 2 SEC-
10,000 OHMS EACH
6 W. 3 SOLDER LUGS
EA. SEC. SIZE 3x5 1/2
WT: 1 LB. STK#227284-29 \$.75

156K	106K	605K	405K
15 MF	10 MF	6 M	4 M
1000	600 V	600	600

MFD	VDC	SIZE	PRICE
15	1000	3 1/2 x 4 1/2 x 2 1/2	1.95
10	600	3 1/2 x 4 1/2 x 1 1/2	1.10
6	600	4 1/2 x 2 1/2 x 1 1/2	.75
4	600	3 1/2 x 2 1/2 x 1 1/2	.50
8	1500	3 1/2 x 5 1/2 x 2 1/2	3.95

Switches

Switches removed from new equip.

TYPE	MTG	VOLTS	ST#	PRICE
S.P.S.T. NUT	3A/125	SW-105	.20	
S.P.D.T. "	"	8839K1	.35	
4.P.S.T. "	"	8883K2	.55	

D.P.S.T. "	"	8822K1	.35	
D.P.D.T. "	"	SWP221	.50	
S.P.S.T. "	"	8817K2	.25	

(Momentary)

D.P.D.T. "	"	ST-22R	.40	
------------	---	--------	-----	--

(Momentary one side)

SWITCH
HEAVY DUTY TAP
SWITCH 5 POSITION
FOUR HOLE MOUNTING
SIZE: 2 1/2 x 2 1/2 x 1 1/2
STK#379627
\$1.50

ANTENNA CIRCUIT SWITCHING SWITCH
100 WATT
Size 4 1/2 x 2-3/4"
3/Make
3/Break
#329626
\$2.50

Vibrators

VB-16/6, 12 or 24 volt
for PE-237 \$3.95

TYPES LISTED BELOW
\$1.95 Each

VB-1 /6 volt for PE-117
PE-97 & PE-237
(Same as VB-7)

VS-3 /6 volt for PE-104
(Same as Mall-550C)

CS34 /12 volt for PE-110

VB-8 /2 volt for PE-157

VB-9 /6 volt for PE-157

VB-11 /24 " for PE-120

VB-12 /6 " for PE-120

VB-13 /12 " for PE-120

Rheostats

OTHER VALUES
IN STOCK
WRITE FOR
YOUR NEEDS

STK.#	WATTS	OHMS	PRICE
30993	25	50	\$.50
25250	25	250	.50
154	150	25	2.95
4582	50	6	.60
41132	50	7.5	.50
353-5049	50	8	.75
15822	50	17	.60
5020	50	20	.75
5895 (DUAL)	50	20	1.50
489485	50	25	.75
32229	50	60	.75
3836	50	250	.75
351KK	150	350	2.95

Breakers



CAT. #	VOLTS	AMPS.	PRICE
P-0111	125 AC	12	\$1.50
3H900-1.25	115 AC	1 1/2	A 1.00
3H900-3-2	115 AC	3	A 1.00
62349M6	117 AC	1.25	2.50
	(3 POLE)		
8751K4	30 DC	10	.50

Relays

ANTENNA
Change over
RELAY
12 Volt DC
2 Break
2 Make
100 Watt
Stock # 206191/L1 Price \$3.95

DYNAMOTOR
STARTING
Relay 14 volt DC
S.P.S.T. 43 AMP.
Stock#3HL777A/3
Price \$2.50

RATCHET TYPE
BAND CHANGE
MOTOR AS USED
IN SCR-522
FOUR POSITION
12 VDC OPERA-
TION.
STK# 3H3112
REMOVED FROM
EQUIPMENT.
PRICE: \$2.50

SPERTI VACUUM
SWITCH AS USED IN
ART-13
TRANSMITTER
KEYING RELAY
DESCRIBED BELOW, SPDT
STK#329847-4.5 PRICE \$11.50

Kits \$1.00

DISC CERAMIC
CONDENSERS
33 ASST.
15MFP-.01MFD.
Good Value
\$1.00 a KIT

TUBULAR
CONDENSER
50 ASST.
.00025 to .1
200 to 600 V
\$1.00 a KIT

MICA
CONDENSERS
25 ASST.
10 MMFD To
6800 MMFD.
\$1.00 a KIT

TRIMMER
CONDENSERS
25 ASST.
3 to 280MFP
WIDE RANGE
\$1.00 KIT.

RESISTORS
INSULATED
50 ASST.
1/2, 1 & 2
Watt wide
range of good values
50 ASSORTED \$1.00

RESISTORS
WIREWOUND
25 ASST.
5 to 20
Watt. Wide
range of values some
tapped. 25 ASST \$1.00

VOLUME
CONTROLS
10 ASST.
Popular
Values
\$1.00

TUBE
SOCKETS
20 ASST.
Octals
Loctals
Minatures
Wafers etc
\$1.00

PILOT
LIGHT
SOCKETS
25 ASST
Bayonet
Screw etc.
\$1.00

TERMINAL
STRIPS, Tie lug
strips, ASST
types. 25 for
\$1.00

TERMINAL
LUGS, ring
spade, crimp
types. Wide
variety of
sizes for all uses in
clear plastic box.
Approx 200 PCS \$1.00

ROTARY SWITCHES
BRAND NEW
ORDER NOW
6 for \$1.00

BATHING
CONDENSER KIT
1 MFD. to 1 MFD.
up to 600 Volt.
10 for \$1.00

HARDWARE KIT
NUTS, WASHERS
SCREWS, RIVET
GROMMETS ETC.
1 1/2 lbs. \$1.00

BUZZER FOR SWITCH-
BOARDS BD-91/BD-96
OPERATES 2-6 VDC
4-9 VAC, NON-POL-
ARIZED; 10.5 OHMS. VIBRATING
ADJUSTABLE TYPE. Size 2 1/2 x 2
1 1/2; WT: 4 oz. PRICE: \$1.

PE-109B INVERTER
FILTER, MALLORY
NF-1-27 LELAND
B-2037, REF. 120
STK.#3H2575-109B
3 1/2 x 3 1/2 x 2 1/2; WT: 2LB
NEW \$1.50

BC-603, BC-683
BC-604 & BC-684
SPARE PARTS SHEET
FOR STORING TUBES
& PARTS. SAME SIZE
& SHAPE AS RECEI-
VERS 2 COMPATIBLE
TS. SIZE 7 1/2 x 11 1/2
WT \$1.00

METAL BOX WITH
REMOVABLE TOP,
CUTOUTS FOR AC OUT-
LETS & SWITCH.
SIZE: 6 1/2 x 4 1/2 x 4 1/2 PRICE: \$.50

ALARM BELL
OPERATES ON
24 VDC.
4 1/2 x 4 1/2 x 2 1/2
561-3
\$1.25

HORSESHOE MAGNETS

5 lb. Lift 2 1/2 x 3/8" 1/2 lb. \$.50
25 lb. Lift 2 1/2 x 2 1/2 x 1 1/2 lb. 2.90

HAND TYPE MAGNETO GENERATOR

USED FOR RINGING TELEPHONE
LINES, OUTPUT ABOUT 100 VOL-
TS. CAN ALSO BE USED AS SHO-
CK MACHINE, LIGHT SMALL BULB
BULBS OR DRIVE WORMS OUT OF
YOUR LAWN BY PLACING THE
THE OUTPUT TO METAL STAKES
AND DRIVING THEM INTO GND.

GN-38 WITH THREE
MAGNETS \$2.95

GN-38B PERMANENT
MAGNETS 2" x 1" \$3.95

GN-41B PERMANENT
MAGNETS 3" x 1 1/2" \$4.95

GN-38A WITH COIL
MAGNET \$2.95

G-25A ROUND TYPE
MAGNETO \$2.50

THUMB-IT WHEEL
WAFFER SWITCH
NUMBERED. EACH
SWITCH CAN BE
MOUNTED SINGLY
OR IN BANKS.
SIZE EACH SECTION
2 1/2 x 2 1/2. REMOVED FROM EQUIP.
PRICE: 11 CONTACT.... \$.50
19 CONTACT.... .75

25 Precision Resistor Ass't


WIRE WOUND OR CAR-
BON 1% OR BETTER
GOOD VALUES. \$1.00
50 TINY CAPACITORS
SELECTED TINY ASST
PAPER & CERAMIC X
GOOD VALUES. \$1.00

WIRE ASSORTMENT


SIX 25 FT. COILS
FULLY INSULATED
STANDARD SIZES
TINNED COPPER
ASST. COLORS
\$1.00

MINIMUM ORDER \$3.00

Power Transformer Filament Modulation Microphone Chokes



PRI: 115/230 60 cyc
SEC: 800 CT. 120 MA
6.4 4.5 AMP
5 2
6.3 .6
6.4 450 MA
Size 5x5x6 WT. 13 lbs.
Stock # 229621-380
PRICE: \$2.95



PRI: 115/230 V 60 cyc
SEC: 240 VCT 35 MA
24 V .9 AMP
6.3 " .6
6.3 " .3
Size 3x3x3 WT. 4 lbs.
Stock # FM-13-317
Price \$1.25







PLATE TRANSFORMER
PRI: 220 V 50/60cy
SEC: 2430-1315-0-
2430-1315
1.7 AMPS.
#CS-6264 \$39.95




PRI: 115/230 60cy
SEC: 750-0-0-750
1.66AMP/1.66
SIZE: 13x10x11
WT: 115 LBS.
STK#229607-16
PRICE: \$29.50




MODULATION TRANSFORMER
Watts 20 Response
Response 200-5000-1DB
Pri. 2 6000 SEC. 2 6000
Collins #677-2010-00
Size 2x2x3 WT. 3.1 lbs
Stock# 229634.53
Price \$2.95




PRI: 115 V 60 CYC.
1200 CT 200 MA.
12.5 2 AMP.
12.5 2 AMP.
5 3 AMP.
Size 4x4x4 WT. 10 lbs
Stock # FAIR-617
Price \$8.95
DESIGNED FOR COMMAND
TRANSMITTER




6 HY 75 MA
150 OHM
3x3x2 WT: 2 1/2
STK#3C316-7
PRICE: \$.79
14 HY 125MA
275 OHMS.
2x3x2 1/2
308-708-060
\$1.25




PRI: 115 V 60 cyc.
SEC: 1080 CT. 142 MA.
6.3 1 AMP.
6.3 2 AMP.
5 3 AMP.
Size 5x5x5 WT. 14 lbs
Stock # 229613.52
PRICE: \$3.95




PRI: 115 V. 60cy
SEC: 24 V. 1.5 A
5 V. 6.0 A
6x4x2 1/2 WT: 8LB
#229621-508
\$1.95




AUTO VIBRATOR
TRANSFORMER
VIBRATOR 12/115cy
SEC: 248CT 90 MA
1 2.4 AM
115 CYCLE
SIZE: 2x3x3 WT4
STK#229625-75
PRICE: \$1.50




SEC: 650VCT 50MA
6.3 " 5 A
10.2 " 13 A
25NCT 4 A
RCA#K901467-502
SIZE: 6x6x6; WT: 25
PRICE: \$5.95




500 WATT MODULATION
PRI: 6600 OHM C.T @
500 M.A
SEC: 4600 OHM
@ 400 M.A
TAP: 2300 OHMS 800MA
2880 WORKING VOLTS
RESPONSE 200-4000 CY
FSN 5950-250-1753
\$16.95




TYPE AS FAIR#617
PRI: 115 V 60 CY
SEC: 550CT 150 MA.
12 V 4 A.
5 V 3 A.
SIZE: 4x5x4; 7 LBS.
STK# FAIR-1490
PRICE: \$7.95
DESIGNED F/BC-923




DUAL CHOKE
11 HY 100 MA.
200 OHMS.
4x4x5 1/2 WT. 8 lb
ST.#3C557F-1
PRICE: \$.75
.5-.25 HY @
2-.6 ADC
70HMS MAX
DC 535V WVM
2x3x2 1/2
4 LBS.
GE#9T35Y283
\$1.25




PRI: 115 V 60 cyc.
SEC: 624 CT. 70 MA.
6.3 2.1 AMP.
5 3
Size 3x4x6 WT. 8 lbs.
Stock # 229611.39
PRICE: \$1.95




PRI: 115 V/50-60C
SEC: 720 CT/200MA
12.6 3 A
6.6 10 A
5.25 3 A
S/5x4x5 1/2 WT.
STK. # 203533
PRICE: \$4.95




VIBRATOR FOR ABOVE
TRANSFORMERS 6.3 V
4.3 AMP. FOR 12 V
USE DROPPING RESIS
TOR.
STK# 3H6690-15
PRICE: \$1.95




FILAMENT
TRANSFORMER
PRI: 115 V 60 CYC
SEC: 6.3 V 2.7 AMF
SIZE: 2x2x2 1/2; 1 LB.
STK#5950-186-9789
PRICE: \$1.50




MODULATION
TRANSFORMER
WATTS: 75
PRI: 200-250 OHM
SEC: GRID 813 TUBE
WITH SIDETONE
SIZE: 2x3x3 WT 2 1/2
STK#GE7465620-1
PRICE: \$2.95




PRI: 115 V 60 CY
SEC: 500 CT 80 MA.
24 V 2 A.
5 V 3 A.
SIZE: 2x2x3 1/2; 3 LB.
STK# FAIR-818
PRICE: \$4.95
FOR BC-603,683
COMM/ARC RECEIVEI




10 HY 75MA DC
375 OHMS
1070 MV
2x2x1 1/2; 1 LB
TF1A04EA
\$0.89
17 HY 80 MA
300 OHM
2x3x2 1/2 WT.
STK#3C326-31B
PRICE: \$.75




PRI: 210/230 60cy
SEC: 3000 700 MA.
TAPPED: 1500,
2100 & 1050
SIZE: 14x11x9 150LB
STK# 229607-14
PRICE: \$34.95




POTENTIAL TRANS
PRI: 1/2/4/10/20/
40/100/200/40
0/1000/2000 V.
SEC: 40 V 100 MA.
6x7x4 1/2 WT: 20 LB
ESPEY#1-4 16,271
\$5.95




PRI: 95,105,115,
125,190,210,230,
250,50/60 CYCLE
600 WATT.
SEC: VOLTAGE DEPE
NDS ON WHAT PRI.,
TAPS ARE USED.
SIZE: 5x7x5 WT. 16
STK# 229605.3
PRICE: \$7.95




PRI: 70/100/140/200
60 CYCLE
SEC: 12.6 CT .7 A
6.3 CT .9 A
6.3 CT 1.5 A
6.3 CT 1.5 A
2.5 KV TEST
SIZE: 5x3x4 WT 5LB
STK# GE7465625-PI
PRICE: \$2.95




MODULATION TRANSFORMER
100 Watt
RESPONSE 200 to 5000
PRI: 7000 SEC: 7000
F/BC-191/375 TRANS.
Size 3x4x5 WT. 5 1/2 lbs.
Stock # 206191/TI
Price \$3.95




PRI: 115 V 60 cyc.
SEC: 12.5 V 2 AMP.
12.5 2 "
Size 4x4x2 1/2 WT. 5 1/2 lb
Stock # FAIR-5005
PRICE: \$4.95
Same style as #5005
PRI: 115 V 60 cyc
SEC: 24 V 1 AMP.
Size 2-3/4x2 1/2x2 WT. 2.1 lb.
Stock # FAIR-718R
Price \$1.95




5 HY 50 MA.
250 OHM.
2x2x2 1/2 WT. 1 1/2
Stock# 3C367-2
PRICE: \$.75
6 HY 80MA
P/O TG-10
SIZE:
2x2x2
WT. 1 1/2 LBS.
#27294
PRICE: \$.89




TWO IDENTICAL
UNITS IN CASE
1/REC.
1/TRANS
600 OHM
IMPED-
ANCE TO 2500 CYCLE
UNBALANCED CIRCUIT
SIZE 3x3x3 1/2
WT: 4 1/2 LBS.
3Z1892-1.4 \$2.95




PRI: 115 V. 60 CY
SEC: 1540 CT. 166A
1230 CT. 257A
BOTH VOLTAGES ONE
WINDING
5.1 4.5A
6.5 4.0A
6.5 .5A
7 1/2x6x6 1/2 WT: 35 LBS
STK# 229613.53
\$7.95




PRIMARYS:
2/100 V
60 CYCLE
SECONDARYS:
2.5V 2A
7.5V 1.25
21V .1A
11V 10.0A
10V 6.5A
SIZE: 8x
4x6 19LBS
CAY30219 \$3.95




PRI: 115 V 60 CYC
SEC: 2.65V 3.5 A
2.65V 3.5 A
6.3V 3.5 A
SIZE: 3x5x3 1/2; 8LB
#BNJT-166
\$2.50



MODULATION-TRANS.
200 WATT
200-15000CY 1DB
PRI. P.P PLATES
5400 OHM.
SEC: 600 OHM C.T
50 V.C.T.
2400 OHM 350 MA.
4x5 1/2x4 1/2; 12 LBS.
#677-0388-00
PRICE: \$4.95



CUNCER
TRANSFORMERS
Transformer
Pri: 100 ohm
Sec: 4000 "
PO/BC-709 Amp.
3/4x3/4x1 1/2
ST#229931
Price \$.59



3.5 HY 200 MA
70 OHMS
3 1/2x4x3 1/2; 5 LBS
ORD. #7629828
\$1.75
2/9.5H. 300
/50 MA
RES. 75 OHM
OIL FILLED
WT. 9LBS.
SIZE: 3 1/2x4 1/2x7
FREED #17986
\$3.95

TRANSFORMERS

TRANSFORMER
PRI: 115/230 60 CY
SEC: 620 VCT 60 MA
5.3 V 2 A
6.3 V 7.8 A
3x3x3x3: WT: 6 LB
FOR TG-34 KEVER
229608-3 \$2.95

PRI: 115 V. 60C
SEC: 30 V. 2A.
3x2x2x2: WT: 2LBS.
#EF-425 \$2.25

PRI: 120 V 60CYC
SEC: 12.8V CT
20.0 AMP
SIZE: 4x5x7x7
WT. 24 LBS.
#1043 \$8.95

PRI: 115 V. 60C
SEC: 2.5V 1.75A
2.5V 1.75A
6.3V .6 A
3x5x3x3: WT: 8 LBS
229611.127 \$1.95

PRI: 115 V. 60 CY
SEC: 2.2 V.
ALSO TAPPED WIND.
0-60V 10 TAPS 4
VOLTS EA. 1 TAP
20V.HV AMPS 4, LOW
EST VOLTAGE 20 A.
6x4x5: WT: 25 LBS
#6120-473-6811
\$7.95

THREE PHASE
PRI 171V 50-450CY
SEC 28V @ 40A
6x7x9x9: WT. 45LBS
PRICE: \$14.95

MICROPHONE TRANS.
PRI: 15 OHM
SEC: 5000 OHM
SIZE: 1x1x2
PC/AM-26/AIC
STK#229631.121
PRICE: \$0.59

MICROPHONE
PRI: 14.5-21 OHM
SEC: 4475-6500
OHMS
CARBON MIC.
2x3x2x2
#P7762352G1
\$1.00

Microphone
Transformer
Pri: 1 ohm
Sec: 2000
1x2x2x1
STW229666A
Price \$.59

**1-177
TUBE CHECKER
TRANSFORMER**
SIZE: 4x4x4.5 LB
STK. # 229613.667
PRICE: \$4.95

**TRANSTAT
VOLTAGE
REGULATOR**
FIXED WIND-
ING 115 VAR
VARIABLE
RANGE 103-
126 V 60CYC
2.17 AMPS. 5x6x6
WT: 15 LBS. #29144
\$4.95

HIGH VOLTAGE
PRI: 115 V. 4 A.
115 V. 4 A.
SEC: 6000 V. 80MA.
NO TAP.
SIZE: 7x6x7; 20 LBS
\$7.95

**TRANSTAT
VOLTAGE REGULATOR**
FIXED WINDING 115
VARIABLE RANGE
75 TO 120 V, 400
CYCLE, 6 AMPS.
SIZE 5x6x6; 13 LB
SCNO.TF-12A \$4.95

PRI: 115 V. 60 CYC
SEC: 840 CT 110 MA
530 CT 21 "
5 V. 3 AMP
5 V. 3 "
6.3 V. 1 "
6.3 V. 0.3 "
5x4x4x4: WT: 14 LB
RAYTHEON#UX9117A
\$3.95

888
AUDIO OUTPUT TRANS
PRI: 450 OHMS
SEC: 300/4000 OHMS
IMPEDANCE
PC/BC-348
STK# 2C4348M/T
2x2x4 WT. 2.1 LBS.
PRICE: \$1.95

**OUTPUT
TRANSFORMER**
NP/NS-1.77/6.6, 50
TO 5000 CYC. 5MA.
SIZE: 2x2x2
GEM 7465623-1
PRICE: \$.75

LOW VOLTAGE TRANSFORMERS

ALL PRIMARIES 105, 110, 11
120, 125 VOLT, 60 CYCL

SEC: 6.6 V 25 AMP.
4x6x4: 17 LBS.
GE#9T35Y244 \$4.95

SEC: 6.6 V 18 AMP
3x5x4: 12 LBS.
GE#9T35Y159 \$3.95

SEC: 6.6 V 10 AMP
4x3x4: 9 LBS.
GE#9T35Y158 \$2.95

SEC: 6.6 V 10 AMP.
6.6 VCT 1 "
5x4x3: 10 LBS.
GE#9T35Y181 \$3.25

SEC: 6.3 VCT 5.0 AMP
6.3 VCT 1.0 "
4x3x2: 4 LBS.
GE#9T35Y8012 \$2.25

SEC: 6.6 V 2.3 AMP
2x2x2x2: 4 LBS.
GE#9T35Y241 \$1.25

PRI: 117 V 60 CYC
SEC: 31, 32, 35,
36.7 @ 6AMP.
ONE WINDING TAPP.
5x5x4: 12 LBS.
ORD#6M3706
\$7.95

SEC: 6.6 V 1.2 AMP.
2x3x2: 1 LBS.
GE#9T35Y240 \$1.80

SEC: 6.3 V 3.1 AMP.
6.3 V 2.5 "
6.3 V 0.45 "
6.3 V 0.30 "
5.0 V 2.0 "
5.0 V 2.0 "
3x4x3: 4 LBS.
#TFIA01JA \$3.95

PRI: 100-130V
50-60CYC
SEC: 40V @
16.5 AMP
SIZE: 7x6x6
WT. 31 LBS.
5950-646-1459
\$14.95

PRI: 117V 50-60CYC
SEC: 3/5V CT @ 2A
2/5V CT @ 2A
2/2.5V CT @ 10A
7x4x3: WT. 12 LB
GILFILLAN #54148-1
PRICE: \$5.95

PRI: 115 V. 60 CYC
SEC: 5 V. 2 AMP
5 V. 2 "
3x5x2: WT: 8 LB
#229611.389 \$1.95

HIGH AUDIO
ALTEC LANSTING 70W
OUTPUT TRANSFORMER
PRI: 3300 OHM CT
SEC: 250 & 500 OHM
SIZE: 4x5x4
WT. 13 LBS.
STK# TMJ-217A
PRICE: \$2.95

PRI: 7000 OHM CT
SEC: 265 " "
80 " "
ONE WINDING
POWER: 62.5 WATTS
RESPONSE: 1 DB
20-20,000 CPS
SIZE: 4x6x4: 20 LB
TFIA13MA \$4.95

PRI: 115 V. 60 CYC
SEC: 5 V. 2 AMP
5 V. 2 "
3x5x2: WT: 8 LB
#229611.389 \$1.95

PRI: 115 V. 60 CYC
SEC: 5 V. 2 AMP
5 V. 2 "
3x5x2: WT: 8 LB
#229611.389 \$1.95

PRI: 115 V. 60 CYC
SEC: 5 V. 2 AMP
5 V. 2 "
3x5x2: WT: 8 LB
#229611.389 \$1.95

PRI: 115 V. 60 CYC
SEC: 5 V. 2 AMP
5 V. 2 "
3x5x2: WT: 8 LB
#229611.389 \$1.95

PRI: 115 V. 60 CYC
SEC: 5 V. 2 AMP
5 V. 2 "
3x5x2: WT: 8 LB
#229611.389 \$1.95

PRI: 115 V. 60 CYC
SEC: 5 V. 2 AMP
5 V. 2 "
3x5x2: WT: 8 LB
#229611.389 \$1.95

PRI: 115 V. 60 CYC
SEC: 5 V. 2 AMP
5 V. 2 "
3x5x2: WT: 8 LB
#229611.389 \$1.95

PRI: 115 V. 60 CYC
SEC: 5 V. 2 AMP
5 V. 2 "
3x5x2: WT: 8 LB
#229611.389 \$1.95

PRI: 115 V. 60 CYC
SEC: 5 V. 2 AMP
5 V. 2 "
3x5x2: WT: 8 LB
#229611.389 \$1.95

PRI: 115 V. 60 CYC
SEC: 5 V. 2 AMP
5 V. 2 "
3x5x2: WT: 8 LB
#229611.389 \$1.95

PRI: 115 V. 60 CYC
SEC: 5 V. 2 AMP
5 V. 2 "
3x5x2: WT: 8 LB
#229611.389 \$1.95

PRI: 115 V. 60 CYC
SEC: 5 V. 2 AMP
5 V. 2 "
3x5x2: WT: 8 LB
#229611.389 \$1.95

PRI: 115 V. 60 CYC
SEC: 5 V. 2 AMP
5 V. 2 "
3x5x2: WT: 8 LB
#229611.389 \$1.95

PRI: 115 V. 60 CYC
SEC: 5 V. 2 AMP
5 V. 2 "
3x5x2: WT: 8 LB
#229611.389 \$1.95

HIGH VOLTAGE TRANSFORMERS

PRI: 109, 115, 120, 126, 60CYC
SEC: 2580 VOLTS EACH SIDE
CENTER TAP RATED AT
120 MA. 6500 P.W.V.
TESTS HAVE SHOWN THAT
UNDER LOAD TRANSFORMER
WILL DELIVER 2000 VOLT
DC 300 MA.

SIZE: 7x6x6; WT: 42 LBS.
TFIA02YY \$19.95

PRI: 105-125V
50-60CYC
SEC: 1100V CT @
250 MA
SIZE: 5x5x4
WT. 16 LBS.
UTC 52336
\$6.95

PRI: 115 V. 60 CYC
SEC: 1000 V. 78 MA.
CASE IS CENTER TAP.
6.3 V. 3.2 A.
6.3 V. 2.1 A.
5.0 V. 3.0 A.
4x5x3x3: 12LB#KS8877 \$3.95

PRI: 105-110-115-
120-125
SEC: 365 V 775 MA
TAP. 340 V 525 MA
850CT 30 MA
5 V 2 A
6x7x5" 30 LBS.
GE7415214
\$4.95

PRI: 105-110-115
120-125
SEC: 560CT 75 MA
365 V 150 MA
TAP 335 V
3x5x3" 8 LBS.
TFIA02JA
\$1.95

PRI: 117 V 60 CYC
SEC: 450 V 140 MA
12.6 20 AMP
5.0 2 "
4x6x4: 15 LB
EDO 10498 \$6.95

PRI: 115/230 60 CYC
SEC: 482 CT 170 MA.
6.5 CT 5.7 AMP
12.4 V .39 "
AUX. VIBRATOR CIRC.
3x5x4: WT: 10
229621-554 \$3.95

PRI: 105-110-115
120-125
SEC: 390 V 1.23A
TAP 365 V 720 MA
7x8x6" 45 LBS.
GE 745213
\$6.95

PRI: 115 V 60 C
SEC: 675 VCT 500 MA.
150 " " "
27 V. " "
6.3 V. 10 A.
5.0 V. 6 A.
6x7x6: 42 LB.
#P1-32301
PRICE: \$6.95

PRI: 120V 60CY
SEC: 1170V CT
325 MA
4x5x7 28 LBS.
#8568966-P1
PRICE: \$7.95

PRI: 115 V 60 C
SEC: 16 V 8 AMP
SERIES SECONDARY
32 V 8 AMP
PARALLEL 16V 16 "
4x4x4: 13 LBS.
#1479-L018
PRICE: \$7.95

PRI: 115V 60CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115V 60CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115V 60CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115V 60CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115V 60CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115V 60CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115V 60CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115V 60CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115V 60CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115V 60CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115V 60CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115V 60CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115V 60CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115V 60CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115V 60CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115V 60CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115V 60CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115 V 60 C
SEC: 6.3 V 3.6 A
15 V.004 A
15 V.004 A
SIZE: 3x3x3.4 LBS
STK#ORD7629806
PRICE: \$1.50

PRI: 115 V 60 CYC
SEC: 6.3 V 2.75 A.
6.3 V 5.5 A.
SIZE: 3x4x3: 5LBS
STK#ORD7629805
PRICE: \$2.50

PRI: 115 V 60 CYC
SEC: 6.3 V 4 AMP
SIZE: 4x3x3: 5 LBS.
STK#ORD7629823
PRICE: \$1.50

PRI: 115 V 60 CYC
SEC: 5V CT @ 10.8A
SIZE: 5x3x3x3
WT. 8 LBS.
217247-1
PRICE: \$3.95

PRI: 120V 50-60CYC.
SEC: 5V CT @ 10.8A
SIZE: 5x3x3x3
WT. 8 LBS.
217247-1
PRICE: \$3.95

PRI: 115 V 60 CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115 V 60 CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115 V 60 CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115 V 60 CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115 V 60 CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115 V 60 CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115 V 60 CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115 V 60 CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115 V 60 CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115 V 60 CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115 V 60 CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115 V 60 CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115 V 60 CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115 V 60 CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115 V 60 CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115 V 60 CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115 V 60 CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115 V 60 CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115 V 60 CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115 V 60 CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115 V 60 CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115 V 60 CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115 V 60 CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115 V 60 CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115 V 60 CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115 V 60 CYC
SEC: 6.3 V 2.75 A.
6.3 V 5.5 A.
SIZE: 3x4x3: 5LBS
STK#ORD7629805
PRICE: \$2.50

PRI: 115 V 60 CYC
SEC: 6.3 V 4 AMP
SIZE: 4x3x3: 5 LBS.
STK#ORD7629823
PRICE: \$1.50

PRI: 115 V 60 CYC
SEC: 5V CT @ 10.8A
SIZE: 5x3x3x3
WT. 8 LBS.
217247-1
PRICE: \$3.95

PRI: 120V 50-60CYC.
SEC: 5V CT @ 10.8A
SIZE: 5x3x3x3
WT. 8 LBS.
217247-1
PRICE: \$3.95

PRI: 115 V 60 CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115 V 60 CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115 V 60 CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115 V 60 CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115 V 60 CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

PRI: 115 V 60 CYC
SEC: 12V 2.1AMP
SIZE: 3x3x2
WT. 3 LBS.
STK#TR-1409/8970
PRICE: \$1.50

UTILITY BLOWERS

THE BLOWERS LISTED BELOW ARE STANDARD SHADED POLE TYPE AND ARE QUITE RUNNING WITH NO RADIO INTERFERENCE.

50 & 100 CFM BLOWERS

For Heat Boosters, Dryers, Exhausters, Drafts

You can't buy a better blower for warm air heating systems, heat boosters, exhausters, dryers, etc. Lowest priced, best made blowers of their kind.

Single and twin types, 50 and 100 CFM respectively. Sturdy 3" dia. blower wheels are direct-driven by 115V, 60 Cy. quiet running Dayton motors. Steel housings are rubber mounted. 2 1/2" discharge. Outlet velocity is 2030 ft./min. 9 wire leads. Black finish. Shpg. wts. 5 and 8 lbs.

340 CFM TWIN BLOWER

For Hot & Cold Air Circulation, Exhaust, Etc.

Blower. Ideal for air circulation, forced draft, and exhausting jobs requiring more air than available and quiet. 4 1/2" dia. balanced wheels powered by 1550 RPM, 115V, 60 Cy. motor with 12" leads. Rubber mounted pressed steel housings with 3 1/2"x3" outlets. Each outlet has 4 1/2" square flange to facilitate mounting. Outlet velocity is 1960 ft./min. 8 1/2" dia. air intake. 1 1/2" W x 7/8" H x 8 1/2" D. Black baked-on enamel. You'll like this blower's performance and the way it is built. Wt. 12 lbs.

15 CFM BLOWER No. 2C782F \$8.75

100 CFM BLOWER No. 2C781F \$10.95

2C781 100 CFM 115 VOLT 60 CYCLE INTAKE 3" OUTLET 2-1/8" FL 4-1/8" SIZE 5-13/16" x 6-3/4" x 6-5/16" SHPG. WT. 5 LBS. PRICE: \$10.95

2C782 15 CFM 115 VOLT 60 CYCLE INTAKE 2-7/8" OUTLET 1 1/2" FLG 2 1/2" SIZE 3-13/16" x 4 1/4" x 3-7/8" SHPG. WT. 2 1/2 LBS. PRICE: \$8.75

108 CFM 'PANCAKE' BLOWER

Compact—Motor is Inside Blower Wheel

\$12.95 2C067F "pancake" moves 108 CFM where installation space is limited. Only 4 1/2" wide—because motor has been built inside blower wheel. It is 4 1/2" W x 8 1/2" H x 8 1/2" D. Discharge 3 1/2" W x 3" H. Outlet velocity is 1930 ft./min. 4 1/2" dia. squirrel cage blower wheel and air intake. Steel, rubber mounted housing with baked on black enamel finish. 1550 RPM, 115V, 60 Cy. motor with 12" leads. Shpg. wt. 6 lbs.

140 CFM UTILITY BLOWER

For Exhausting, Forced Draft, Cooling, Etc.

Delivers blasts of air \$11.95

Com- 2C610F pact, 140 CFM single-inlet blower. Top performance for forced draft, ventilating, exhausting, cooling and drying applications. 5 1/2"x4" mounting flange with 2 1/2" square discharge. Outlet velocity is 3230 ft./min. 3 1/2" dia. blower wheel direct-driven by 2800 RPM, 115 HP, 115V, 60 Cy. motor with conduit box and 20" leads. 1 1/2" W x 7/8" H (less flange) x 6 3/4" D. Order sample and test best 140 CFM utility blower. Wt. 9 lbs.

350 CFM DAYTON BLOWER

6 1/2" Wheel, 1/10 HP, 115 V, 60 Cy. Motor

2C841F \$22.75

Designed for applications that require more air than average shaded pole blower provides. Ideal for many exhausting, heating, cooling, drying, circulating, etc. applications. 350 CFM at 907 SF, 350 ft./min. outlet velocity in free air. 6 1/2" x 5 1/2" W blower wheel is direct driven by 1/10 HP, 115V, 60 Cy. rubber mounted shaded pole motor. 100 F/L watts, 2 1/2" P/L amp, 12" No. 18 wire lead. Precision stamping with 2 1/2" x 5 1/2" mtg. flange. 4 1/2" x 3 1/2" discharge. 1 1/2" dia. intake. 1 1/2" W x 7/8" H (less flange) x 6 3/4" D. Baked black finish. Shpg. wt. 11 lbs.

MINE DETECTOR

SCR-625 Famous ARMY MINE-DETECTOR

USED CHECKED

LESS BATTERIES

\$27.95

\$32.95 WITH BATTERIES

BATTERIES ONLY \$5.95

USED TO DETECT HIDDEN METAL OBJECTS IN THE GROUND OR OTHERWISE HIDDEN UP TO 24 INCHES DEEP DEPENDING ON THE SIZE. AND GROUND CONDITIONS. DETECTION IS NOTED BY A TONE SIGNAL THAT IS FED INTO THE HEAD SET OR SPEAKER UNIT THAT ARE SUPPLIED WITH THE SET SHIPPED IN CARRYING CASE WITH INSTRUCTIONS, 75 LBS

CRY BUTTONS REFLECTORS, CAN BE USED TO MAKE SIGNS OR MARKERS. SHINE WHEN LIGHT STRIKES 2" DIA. REQUIRES #10 NUT FOR MTG. NC#15-1. CARD OF 100 \$2.00

FLASHER

SUNBEAM #1567

15 VOLT 60 CY

2 MINUTE ON 1/2

MINUTE OFF.

2 OUTPUT RECEPTACLES, LINE CORD, SWITCH, MOTOR ETC.

4 1/2"x4 1/2"x3; WT: 3 LBS. \$1.75

SWITCH

HEAVY DUTY 8 CON

TACT WITH 6

DIFFERENT COMBINATIONS OF MAKE & BREAK.

S#40373, SIZE: 3x4x6; 4 LBS. \$1.50

SELECTOR SWITCH

FOUR CONTACT, 11

CONTACTS EACH

DECK. SIZE 2x3

IN. PLUS SHAFT 3/28x25-55-

STK#379825-55-29 \$1.00

ROTARY SELECTOR

SWITCH, ONE DECK

CERAMIC, 11 POSI-

TION, 2" DIA.

STK#379825-62-178

PRICE: \$.59 EA. 2 FOR \$1

KNIFE SWITCH

D.P.D.T.

1 1/2"x2-5/8"

LEVITON 9919

PORCELAIN

BASE. \$.39 EA. 3 FOR \$1.00

DAVEN SWITCH

#427-EB-5

2 POLE, 9 CONT.

4 DECK.

SIZE 5x2 1/2"x2 1/2"

WT: 2 LBS. \$2.95

WAVER SWITCH

6 DECK, 3 POLE

6 POSITION

PER WAVER, (USED)

#NFB \$1.95

CENTRIFUGAL BLOWER 120

CFM FROM 3400 R.P.M. 115V

60 CYC. CAPACITOR TYPE

MOTOR WHICH REQUIRES 4MFD

SIZE. 9 1/2"x5 1/2"x6 1/2" \$10.95



ELECTRIC LOCK CONTROL SWITCH HEAVY DUTY TWO POLE SWITCH CONTROLLED BY YALE LOCK. 4 1/2"x4 1/2"x3 1/2"; 3 LB. #B986 \$3.95

MATCHING LOCKSET FOR ABOVE #B-857 \$1.95 WT: 1 LB. \$2.25 P/O RA-60 POWER SUPPLY

PPI RADAR SYNCHRONIZER OFFSET CHASSIS IS ASSY WITH TUBES 2/6AT6 1/6100, 1/6096, 1/6101, CERAMIC SOCKETS, 5 TEST PIN JAC PRECISION RES., COND. TRANS., SIZE 7 1/2"x5 1/2"; 4 LBS. \$1.50 STK. No. 1013 \$1.50

MX-303A MAGAZINE FOR WIRE RECORDERS ANQ-1A, VRW-1 ETC. W/WIRE ON SPOOLS, MAGNETIZING HEAD, TIMERS, SWITCHES ETC. SIZE: 8 1/2"x4 1/2"x3; 5 LBS. RE-NEW \$1.95

ELECTRICAL CIRCUIT TESTER: PLASTIC UNIT CONTAINING 3 ROWS OF LIGHT BULBS. 3 IN EACH ROW, WITH PLASTIC WINDOWS ON BOTH SIDES, 2, 4, 6 ONE SIDE, 1, 3, 5 OTHER, SEPARATE LEADS FOR EACH ROW, CABLE 3 1/2" LG. WITH ALLIGATOR CLIP SIZE 7 1/2"x3 1/2"; WT: 1 LB. BAYNET TYPE BULBS 24 V. MX-241/ PRICE: \$.75










CAPACITOR BANK IN METAL BOX. TOTAL CAPACITY 15 MFD 600 VDC 1/1, 2/2 & 2/5 6 1/2"x4 1/2"x5; 6 LBS. #R16-11687-500 \$1.75

BC-610 OSCILLATOR PLUG IN UNITS FOR 500 WATT TRANSMITTER WILL MAKE A GOOD FOUNDATION FOR A 25-40 WATT TRANSMITTER CONTAINS VAR. CAPACITORS, COILS KNOBS, CRYSTAL SOCK. SWITCH ETC. (ALL UNITS ARE USED AND HAVE CRACKED INSULATION ON THE PLUG IN PIN TU# FREQ. MC. TU# FREQ. MC. 47 2.0-2.5 48 2.5-3.0 49 3.2-4.0 50 4.0-5.0 51 5.0-6.3 53 8.0-12.0 62 1.0-1.5 SIZE: 2x8x4 1/2; 2 1/2 LBS. \$1.75

COILS PLUG IN AIR TYPE 5 BANANA PINS. 1 1/2"x4 1/2"; 1 LB. \$1.95

For BC-610 C# FREQ. MC. C# FREQ. MC. 389 4.5-5.7 447 8.0-11.4 448 11.0-14.4 455 1.0-1.5 For T-4/FRC C-14 7.1-9.0 " " C-2 5.1-7.1

COMMAND RECEIVER VARIABLE 3 TO 6 MC. 3 GANG WITH TRIMMERS & DIAL ASSY. 147 MMF. # 4601 4x3x3; WT: 1 LB. \$1.95



GLOBE INDUSTRIES TYPE A PHOTO-CELL ASSY. BATT. OPERATED. W/ 921 PHOTO-CELL TUBE & 1S4, SENSITIVITY ADJUSTMENT, RELAY, SWITCH, OUTLET ETC. SIZE: 3x4x5; WT: 2 LBS. PRICE: USED \$2.50

IMMERSION HEATER 24 VOLT AC/DC, 50 WATTS 2 GAL- LON, 3" PRESS CAP, 4 1/2" SCREW CONE, 5 FT. CORD. HEATING SHAFT 12". WT: 4 LB LFC#EA8801. PRICE: \$1.50

PHOTO-CELL LIGHT RESISTANCE TYPE 1000 OHM, 1/2" SQUARE. #5169A USED \$1.00

MEISSNER COIL KIT FOR SIGNAL SHIFTERS. PLUG-IN TYPES, 3 COIL OSC. PLATE, OSC. GRID & BUFFER COILS. EACH SET OF 3 \$1.00 ALL 3 SETS... 2.50 A-18-2951 2040 TO 2410 KC. 3C368-14 1000 TO 1170 KC. 3C250-1-17 40 METER BAND

ARGUS AUTOMATIC TIMER No. 586 12 STOPS, 5-60 SECONDS, AUTOMATIC HOLD OR. REJECT ON ANY PRE-SELECTED STOP. MADE FOR SLIDE PROJECTORS CAN BE ADAPTED TO OTHER USES. 2 1/2"x3 1/2"x2 1/2; 2 LB \$2.95

HEATING ELEMENT 115 VOLT 500 WATT SINGLE SECTION STRIP 23 1/2" LG. x 1 1/2" WIDE x 7/16" TH, METAL SHEATH & MTG. HOLES. 2 LBS 225015-24 \$1.50 EA.

SAME AS ABOVE 150 WATT, 7 1/2" IN LG. 3H2503.1 \$1.75 EA.

CHROMALOK HEATING ELEMENT 115 VOLT 50 WATT STANDARD SCREW BASE, 4 1/2"x1 1/2"; 1 LB. #CHR-SCB \$1.75

T-67/ARC-3 C129 POWER AMPLIFIER PLATE TUNING 4-17 MMF, 2500 V .0243 AIR GAP. SHAFT 13/16 x 31/32 1/7/8x2 1/2 \$1.50

BC-624/522 RECEIVER, 3 GANG 6-36 MMF EACH SECTION WITH SLUG TUNED TRIM. SHAFTS 5/16 STK#3D9036V SIZE 4 1/2"x2 1/2"x3 1/2; 1 LB. \$1.50

351-1013 3.5 TO 27 MMF, 13 PLATI 31Z 1-5/8x1-5/8 1-5/16, SHAFT 1 1/2"x3/16. \$1.75

CAPACITORS VARIABLE CAPACITOR 5 SECTION 20-402 MMF EA. SECTION. WITH GEAR TR. AND SPLINED SHAFT, STRAIGHT SIZE: 9 1/2"x4x3; 4 LBS. #G-ARN-6 \$3.95

BC-348 C&S VARIABLE CAPACITOR, 4 SECTION 16 TO 241 MMF, WITH GEAR & COMP. 6 1/2"x2 1/2"x3 1/2; 2 1/2 LBS. #3D9016V-1 PRICE: \$1.50

BUD 40 METER TRANSMITTING COIL MOUNTED ON 5 PIN CERAMIC BASE, 18 TURNS 1 1/2 DIA. #3C804 \$1.75

BC-924 TRANSMITTER COIL SLUG TUNED COIL 27 TO 38 MC. WITH ADJUSTING DIAL & TUNING SCALE MOUNTED ON CAST BASE. SIZE 8 1/2"x1 1/2"x1 1/2; 1 LB. PRICE: 1.00

HAMMAR-LUND MFG #F1-475 PRICE: \$7.95

TRANSMITTER VARIABLE CAP. 42 TO 420 MFD. 3200 VOLTS. 52 PLATES, 3/32 SPACING. SIZE 8 1/2"x2 1/2"x4 3 LBS.

TRANSMITTER VARIABLE CAP. 42-420 MFD. 2000 VDC, 40 PLATES 1/16 SPACING. SIZE: 6x2 1/2"x4; 2 1/2 LB. GE#7765659-P1 PRICE: \$5.95

20 TO 156 MMF 31 PLATES; SIZE 4x2x3, SHAFT 1 1/2 x 3/8 GE#T7660443-6 PRICE: \$1.95

22 TO 118 MMF 31 PLATES; SIZE: 4 1/2"x3 SHAFT 1 1/2 x 3/8 GE#7463006-1 PRICE: \$1.95

6 TO 146 MMF 37 PLATES; SIZE: 1-5/16 x 15/16x1 1/2; SHAFT 7/32x7/8 #3D9140V-7 PRICE: \$.69

50 MMFD VARIABLE 7 PLATE 1 1/2"x2 1/2" SHAFT, MTG. BRK. #351-1037 \$1.79


PA TUNING CAPACITOR FOR COMMAND TRANSMITTERS WITH GEAR TRAIN & DOUBLE END SHFT SIZE 4x2 1/2"x3. STK#2C6397A/CB PT#C-65/7321 PRICE: \$1.50

VARIABLE CAPACITOR 7 SECTIONS 1/80, 4/100 & 2/200, DRUM DIAL. 1 1/2"x1 1/2"x3; 5 LBS. #CA-325/BC-223 \$2.95

BC-624 R.F. TUNER ASSY. AM WITH VARIABLE CONDENSERS, COILS, SOCKETS OSCILLATOR SECTION COUPLINGS ETC. FREQ. 100 TO 156 MC. SIZE: 5x5x5; WT: 8 LBS. #22K1150 USED \$3.95

ANTENNAS

Mast Bases



Mast Sections

3 ft. Tubular steel, cooper coated and painted sections. These screw together to make any desired length. MS-49 being the top & smallest section increasing in size through MS-50-51-52-53 to MS-54 being the larger one. Either the MS-53 or MS-54 will fit together to form any additional height desired. Example a 33 ft. vertical may consist of one each MS-49, 50, 51, 52, and 7 each of MS-53 or it may be finished out on the bottom with 6 MS-54 sections. Self support to about 18ft. Average Wt. app. 3/4lbs. MS-49-50-51-52-53 .50gea. MS-54 .75ea

Mast Bases

MP-22 Side mount swivel mast base will tip to 90° either right or left. Has a spring snap lock in the vertical position, will take either the MS-53 or MS-54 mast sections. Size Mtg. plate 5" 6" X 10 1/2" high. Wt. 9 lbs. Price.....\$2.95
MP-22A Same as above except mounting hole is for the MS-51 with the MS-49, MS-50 and MS-51. This will make a 9 ft. tapered antenna. Price \$2.95
MP-33 A heavy weight spring mast base for the MS-53 or MS-54 with 5" phenolic insulator. 10 1/2" high. Requires a 2" Mtg. hole. Wt. 8 1/2 lbs. Price\$3.95
MP-37 Heavy coil spring with an 8" climeter ceramic insulator. Requires a 2" Mtg. hole. 12" high Wt 10 1/2 lbs. Price.....\$5.95
MP-48 A rugged mast base with the insulator above the spring will take the MS-53 or MS-54 mast sections. Size 3"D. X 16 1/2"H. Wt. 11 3/4 lbs. Price.....\$2.95

PARABOLIC ANTENNA

DISH PAN TYPE, FOUR (4) FOOT DIAMETER ALUMINUM PAINTED GREY, 21" FEED FOR APPROX. 7100 MC. THREE INCH ROUND MTG. FOR WAVE GUIDE SIZE 1-5/16 X 5/8, FOUR (4) MOUNTING STUDS WITH HARDWARE. PHILCO # 463-2252-1.
 SHIPPING WT. IN CARTONS 75 LBS. CRATE 225
 PRICES: WITH FEED \$29.95 LESS FEED \$25.00
 DEFROST ATTACHMENT \$5.00 EXTRA.

SIX HALF FT ANTENNA ANDREW # N-14519, DISH TYPE UY-2B 1700 to 1850 MC. WITH FEED STUB, PIPE MOUNTING ALUMINUM PAINTED GREY, 6 FT. 6 INCHES. SHPG. WT. 415 UNUSED \$49.50

REFLECTORS

MICROWAVE, PLANE TYPE CONFIGURATION, ALUMINUM, NOT PERFORATED. MOUNTED BY FRAME WORK OF REFLECTOR AND BRACKETS WITH HARDWARE, GUYS AND ADJUSTMENT FOR AZIMUTH. SIZE: 8 FOOT X 6 FOOT, NET WT. 125 LBS. SHPG. WT. 375. PRICE: \$50.00

AS-150/ART Whip Antenna 30" long with 8ft. matching coax cable & SO-239 plug. \$1.50
AS-97/ART Whip same as above except 72"rod. 1.95
AS-27/ARN-5 Horizontal folded dipole as used with RC-103, BC-T33, ARN-5 Equip. on airplanes. 108-110 MC. UNUSED \$5.95
AN-148 Dipole Antenna 150 to 180 MC. 2.95
AN-104A Stub Antenna f/SCR-522 100-156MC. 1.25

AS-27

AN-148

APS-2 REFLECTOR

POLISHED SPUN ALUMINUM. BAND CAN BE REMOVED. DIAMETER 29" X 27" FOCAL LENGTH 5" HOLE DIAMETER 2 1/2" SHPG. WEIGHT 6 LBS.

PRICE: \$5.95

IN-86

STRAIN INSULATOR Size 1x3 4 for \$1.

Antenna Telescoping
AN-29 for BC-659 12 FT. 10". \$2.95
AN-45 for BC-620 8 foot \$2.95

INSULATOR TERMINAL STRIP
 8 feed thru insulators size 1/2 x 1, mounted on 1 x 9 terminal strip. Each strip \$.35 Four strips \$1.00

AS-65/APQ-2A ANTENNA
 ASSEMBLY CONSISTING OF 2 3" BASES WITH UG-23 COAX. CONN. AND ALUMINUM RODS 3/12", 1/9", 1/7 1/8, 1/4". WT: 4 LBS.
 PRICE: \$.50

AN-75D WHIP ANTENNA
 TELESCOPING TYPE. SEVEN (7) FT. EXTENDED 14" COLLAPSED, WITH MOUNTING BRACKET & BINDING POST.
 PRICE: EACH \$1.50

AT-35 DIPOLE
 200-250 MC. COAXIAL CONN. WT: 2LBS.
ANTENNA
 WITH UG-22 2A288A-35 \$1.50

SPREADER INSULATORS
 WHITE CERA 3/4"x4", 22" HOLE. CENTERS. \$.25 EACH 5 FOR \$1.00
 3/4"x12", 10" HOLE CENTERS \$.45 EACH, 3 FOR \$1.25

AN-109 WHIP ANTENNA; 5 FT. TAPERED 1/4 TO 1/8
 PRICES: \$1.50 EACH SIX (6) FOR \$3.00

AN-117 WHIP ANTENNA; 6 FT. TAPERED 5/8 TO 1/8
 PRICES: \$1.50 EACH SIX (6) FOR \$3.00

AN-75 TELESCOPING WHIP 7 FT. TAPER 5/8-1/16
 PRICES: \$1.00 EACH SIX (6) FOR \$4.00

AN-745 TELESCOPING WHIP 8 FT. TAPER 5/8-1/8
 PRICE: \$1.00 EACH SIX (6) FOR \$4.00

AN-130 GOOSENECK WHIP 30", SCREW BASE FITS INSULATOR LISTED BELOW.
 PRICE: \$1.00 EACH SIX (6) FOR \$4.00

AN-20T CHROME TELESCOPING 20"
 PRICE: \$.50 EACH SIX (6) FOR \$2.00

2A-124 ALUMINUM ROD 3/8" X 6 FT. NO TAPER
 PRICE: .75 EACH SIX (6) FOR \$3.00

A-27 PHANTOM ANTENNA
 USED WITH BC-653 & BC-191 TRANSMITTERS FOR TUNING & LOADING WITHOUT REGULAR ANTENNA BEING CONNECTED. CONTAINS A 0-150 MMF. WIDE SPACED 3/16, VARIABLE CAPACITOR, 2/12 OHM 40 WATT NON-INDUCTIVE RESISTORS, MOUNTED IN A CASE 3 1/2 X 7 1/2 THAT HAS A POINTER KNOB AND 0-100 SCALE, ANTENNA & GND LEADS WITH COVER. WT: 2 LBS. PRICE: RE-NEW \$1.50

A-62 PHANTOM ANTENNA
 USED WITH BC-604 TRANSMITTER FOR LOADING TRANSMITTER WITHOUT USE OF REGULAR ANTENNA. CAN BE USED FOR ANY TRANSMITTER IN THE 21 TO 28 MC. BAND. HAS A VARIABLE CAPACITOR 55 MMF., 2 RESISTORS, COIL SLUG TUNED, BINDING POSTS AND INDICATOR LAMP THAT LIGHTS WHEN TRANSMITTER IS LOADED. SIZE 3x6. WT: 4 LBS


GROUND PLANE ANTENNA

Ground plane antenna to cover 20 to 50 MC. Made from surplus insulated base & screw in type mast sections. Mounts on 1 to 2 inch pipe. Specify operating frequency range.

GROUND PLANE ANTENNA \$10.95

ANTENNA PHOSPHOR BRONZE #16
 1 CONDUCTOR WITH 2 SNAPS & SLIDE CONNECTOR, INSULATED.

AN-22 " 20 " .65



AB-52/TRC-8 HALF WAVE DIPOLE
 ANTENNA & REFLECTOR 230-250 MC. 50 OHM COAX. CABLE FEED DIPOLE 1/2" DIA X 20" LG. 14" SUPPORT UG-22 COAX FITTING, REFLECTOR 36x30, FOLDS TO 30"x23"x8", MOUNTS TO MAST HEAD BY MEANS OF ADJUSTABLE CLAMPS AND CAN BE USED FOR HORIZONTAL OR VERTICAL POLARIZATION. WT: 20 LBS.
 PRICE: \$3.95

UG-21 COAX. CONN. TO FIT ANTENNA \$7.5

DU-1 LOOP ANTENNA FOR ARB REC. USED AS A DIRECTION FINDER IN THE 200 TO 1600 KC RANGE, OPERATING VOLTAGE IS NORMALLY SUPPLIED BY THE RECEIVER WHICH IS APPROX. 200 VDC AND 12 OR 24 VOLT DC. WITH 2/12 SK7 TUBES. SIZE: 17x12x12: 10LBS
 PRICE: NEW \$18.95
 CONNECTOR PLUG " \$1.00

AN-190 LOOP ANTENNA; FREQ- UENCY RANGE 3.5 TO 6 MC. CONSISTS OF 5 TURNS OF WIRE ON A COLLAPSIBLE WOOD FRAME WITH HANDLE, 3FT OF CABLE WITH PLUG AND COUPLING ADJUSTMENT. CAN BE USED ON OTHER FREQUENCY SIZE: OPEN 21 1/2 X 27 1/2, CLOSED 17x3; WT: 4 LBS. \$1.50

AS-26/APR-2 ANTENNA USED WITH R-34/APR-2 RECEIVER FREQUENCY 400 TO 1000 MC. WITH UG-22 COAXIAL RECEPTACLE. SIZE: 8x6; WT: 3 LBS.
 PRICE: NEW \$3.95
 UG-21 COAX. CONNECTOR TO FIT UG-22.....\$7.5

AS-313/ARN-6 LOOP ANTENNA
 WITH MOTOR AND AUTOSYN TRANSMITTER. USED WITH ARN-6 RADIO COMPASS THAT TUNES FROM 200 TO 1750 KC, OPERATES FROM 26 VOLT 400 CYCLE SIZE: 10x11x5; WT: 15 LBS.
 PRICE: (AS ILLUSTRATED) USED \$7.95

RADAR ANTENNA RCA#636500-1
 24" PERFORATED REFLECTOR, 12" STUB. 1/4 H.P. MOTOR 208 V. 400 CYC. 3 PHASE 360 DEG. ROTATION. 22.5 VARIABLE ANGLE. AY-221S RESOLVER, 36/11.8 V. 400 CYC. 2 PHASE, RELAYS ETC. SIZE: 24 X 24 X20: WT: 40
 PRICE: USED \$19.95

A P R ANTENNA

AS-125/APR ANTENNA; FOR USE WITH RECEIVERS OPERATING IN THE 1000-6000 MC. FREQ. RANGE, 6" MOUNTING RING W/HARDWARE, UG-22 COAX. CONN. RECEPTACLE. SIZE: 6x8; WT: 4 LBS. \$1.95
 UG-21 TO FIT UG-22.....50

AS-158/APA-24 DIPOLE ANTENNA
 CONSISTS OF TWO DIPOLES THAT EITHER CAN BE USED IN A HORIZONTAL OR VERTICAL POSITION, FREQUENCY RANGE 450 TO 750 MC. MOUNTED ON 3/4" MAST, TWO LENGTHS OF TWIN COAX. WITH PLUGS 4 1/2 FT.
 PRICE: \$2.50

NEON LIGHTING ARRESTOR HI-POWER 4 for \$1

SMALL ANTENNA INSULATORS
 Insulating material made of polystyrene Size 1 1/2 x 1/2 Mtg. hole 3/4" Receptacle size 3/8x24 TH. STOCK # 223021-227 Fits ANT. AN-130, 131, Size 7/8x1 1/2 MTG. hole 5/8" Receptacle size 1/2 x 20 TH. Fits any of the UHF Rods Stock # 223062-237 Specify type each \$.75



GENERATOR (ANGLE TRANSMISSION) ROTOR 2 PHASE 24 VOLT, STATOR 2 PHASE 20.6 VOLT 400 CYCLE. PART#BGG-15-DS-10; SIZE 1 1/2x2 1/2 (CLIFTON) \$2.95

RESOLVER TRANSMISSION GENERATOR, JOHN OSTER TYPE 15-4042-06, DWG.#C45 \$2.95

TRANSMISSION GENERATOR MFG. ARMA, TYPE 03TG-400X1, DWG#93054 \$2.95

RESOLVER MFG. BY ARMA, TYPE 03X1-400 DWG.#93001. \$2.95

RESOLVER MFG. BY CLIFTON PART#BSC-15DS ROTOR 2 PHASE 0.5-16 VOLT, STATOR 0.5-16 VOLT 400 CYCLE. \$2.95

GENERATOR INDUCTION 24 VOLT 400 CYCLE EASTERN AIR DEVICES#J2GM07-40 \$2.95

RESOLVER MFG. BY OSTER TYPE 15-4042-04 \$2.95

SERVO CONTROL MOTOR MFG. BY OSTER, 115 V. 400 CYCLE NO LOAD SPEED 5000 RPM. TORQUE 1.45 OZ. IN. \$2.95

AUTOSYN DIFFERENTIAL
AY-165-A3 400 CYC, 3 PHASE 11.8-3 PHASE 1 - 1 RATIO. BENDIX 1.95
AY- 232S-3B BENDIX SAME SPEC. AS ABOVE 1.95
AY- 231S-3B " " " " " " 1.95

AUTOSYN RESOLVERS
AY221S-3-B 400 CYCLE, ROTOR 2 PHASE 26 VOLT, STATOR 2 PHASE 11.8 V. BENDIX 1.95
AY-123D BENDIX SAME SPECS AS ABOVE. 1.95

1-196 SIGNAL GENERATOR 160 TO 220 MC USED TO CHECK LF & HF BANDS OF IFF SETS. DRY BATTERY OPERATION USES ONE 957 ACORN TUBE VARIABLE FREQ. & TONE CONTROL, PILOT LIGHT, ON/OFF SW. ETC. HOUSED IN WOOD CASE WITH CANVAS COVER. SIZE: 8 1/2x8 1/2x14; WT: 10 LBS. REQUIRES 1.5 & 135 VDC. NEW \$2.95

ACP-T301545 MODULATOR & OSCILLOSCOPE, PART OF LAB TEST. EQUIPMENT HAS VERT./HORIZ./INTENSITY/FREQ./FOCUS/GAIN/MODULATION SELECTOR AND SWEEP CONTROL ROLS FOR 19" x10" RACK MTG. WITH 3" 38PI C.R. TUB

5Y3, 6C4, 5R4 & 7/12AU7, OPERATES 115 VOLT 60CY SIZE: 19x10x14; WT: 40 LBS. USED \$35.00

ID-169/APN-12 RADAR OSCILLOSCOPE USED WITH VARIOUS TYPES OF RADAR IDENTIFICATION SETS FOR INDICATING INCOMING SIGNALS. (CAN BE CONVERTED TO MONITORING OR TEST USE) HAS VERTICAL, HORIZONTAL, FOCUS, SWEEP & INTENSITY CONTROL ANTENNA SWITCHING MOTOR OPERATES FROM 24 VDC AND REQUIR UG-88 CONNECTORS. WITH TUBES 5/12AU7, 3/5726, 1/6AS6, 1/6AQ5, 1/6X4 & 1/3JPI. OPERATES FROM 115 VOLT 400 CYCLE (NOT 60 CYCLE) SIZE: 9x9x16; WT: 30 LBS. USED \$9.95

PPI RANGE INDICATOR FOR T-9 TRACKER RADAR SET AN/GPG-1. OPERATES FROM 115 VOL 60 CYCLE WITH TUBES 13/6J6, 2/12AH7, 1/6AG5, 1/6AR6, 1/6AG7, 2/6C4, 1/12AU7, 1/3DPI, 1/5ADP7 & 2/3B29 ALL FOCUSING CONTROLS ON FRONT PANEL, CHASSIS ONLY, NO COVER. SIZE: 13x11x24; WT: 80 LBS. PRICE: REMOVED FROM EQUIPMENT \$24.95

AUTO PILOT


MISSILE AUTOPILOT AMPLIFIER 35 TUBES 10/5814, 4/6AQ5, 4/6AQ4, 4/12AL5, 5/5879, 6/6AL5 & 1/5751 CIRCUITS, ROLL & PITCH, NORTH, SOUTH, EAST, WEST, GAIN & BALANCE CONTROLS, RESISTORS, CONDENSERS, TRANSFORMERS, RECTIFIERS LOADS OF PARTS MOUNTED ON A 3 SECTION ALUMINUM FRAME THAT CAN BE DISMANTLED. SIZE: 28 1/2 x 4 1/2 x 12 1/2; WT: 35 LBS. WITH TUBES \$14.95 NO TUBES \$5.00



GYRO INTEGRATING HIG UNIT MFG. BY HUGHES AIRCRAFT PART NO. 420 -57-0013. CONTROL RATE OF TURN. SIZE 2 1/2x5 1/2; WT: 3 LBS. USED \$4.95



DEFLECTION PREDICTION SERVO ARMA #93600. CONSISTS OF FOUR RESOLVERS #93170, PRECISION POT. CONTROL MOUNTED ON GEAR TRAIN ASSY WITH INDICATOR DIAL SIZE: 6 1/2x3 1/2x4; WT: 4 LBS. PRICE: USED \$4.95



AZIMUTH LINE OF SIGHT SERVO ARMA#2-00003-239. CONSISTS OF RESOLVER 93170, INDUCTION GENERATOR 2-00003-903, SERVO MOTOR BM-1541A, PRECISION POT. MOUNTED ON CHASSIS WITH GEAR TRAIN ASSY. SIZE 6 1/2x4x4 1/2; WT: 5 LBS. \$4.95

P OR R ELEVATION COMPUTER ASSY; CONSISTS OF TWO SYNCHRO RESOLVER, KETAY#D-13810-1 0-100V 350 CPS, #D-13350-1 0-10 V. 400 CPS, KOLLSMAN INDUCTION MOTOR #1515J-0430, WE MAGNETIC AMP. GA-52140, FOUR TUBES IN SEALED CIRCUITRY, A&B CONTROLS, TEST JACKS ETC. STK.# 15264 SIZE: 11x7x6; WT: 12 LBS. PRICE: USED \$6.95

GE SELSYN GENERATOR No. 2J1FAT 115/57.5 v. 400 cyc. \$2.95

GE TANDEM SELSYN CONTROL TRAN- FORMER No. 2JB15K1, 57.5-57.5 VOLTS 400 CYC. RATIO 31-1 \$2.95 REPEATER A.C. SYNCHRONOUS TYPE TX 115 VOLT 60 CYCLE, SIZE 5x3 PRICE: \$7.95 2 FOR \$15.00

RADAR FREQUENCY AMP.

R-9 RADAR FREQUENCY AMP. USED TO INCREASE OUTPUT OF TEST EQUIPMENT IN 2750-2950 MC RANGE. POWER APPROX. 6 WATTS FROM 2C40 TUBE. CONTROLS FOR POWER AND FREQUENCY. COMPLETE WITH TUBES 2C40; 6AN5; 5687; 12AT7; 2X2; 2C4A2; 0B2; 2/5Y3; 6EQ6. SIZE: 10 1/2x17 1/2x20. WT. 43 LBS. PRICE: \$19.95

SYNCHRO RECEIVERS

RECEIVERS TYPE 23TR6 PART NO. 76766355, 115 V 60 CYCLE, 2"x4" SAME AS USED IN THE ABOVE UNIT. WEIGHT PER PAIR 5 LBS. PRICE: \$10.95 EACH 20.00 PAIR

A-1C SIGHT HEAD FOR GUN BOMB OR ROCKET. CONTAINS LENSES, MIRRORS, BEARINGS, GEARS, LAMPS, INDICATOR SWITCHES ETC. SIZE: 13x16x5; WT: 30 LBS. \$9.95

AUTOMATIC PILOT COMPONENT; GYRO DIRECTIONAL STABILIZER UNIT FOR "M" SERIES BOMB SIGHT AND E-6 AUTOPILOT. OPERATES FROM 24-28 VOLTS D.C. SIZE 17x12x12; WT: 50 LBS. PRICE: USED \$22.95

TS-13/AP TEST SET; CONSISTS OF SIGNAL GENERATOR, XA BAND WAVEMETER, WATTMETER, PLUMBING ETC. OPERATES FROM 115 VOLT 60 TO 800 CYCLE. USED FOR BENCH FIELD TESTING OF RADAR EQUIP. ASD, AIA, APS-3 ETC. SIZE: 20x10x12; WT: 65 LBS. PRICE: USED \$40.

TS-14 TEST SET; SIGNAL GENERATOR USED FOR FIELD TESTING OF "SA" BAND RADAR SUCH ASG, ASC, APS-2 ETC. OPERATES FROM 115 VOLT 60-800 CYCLE. SIZE 17 1/2x10x12; WT: 30 LB. USED \$30.00

TS-92/AP AMPLIFIER ALIGNMENT UNIT; CONSISTS OF A RECEIVER WHICH CAN BE USED TO CHECK THE OUTPUT OF XMITTER JAMMING FOR MAX. GAIN IN THE 20 TO 250 MC. RANGE. OPERATES FROM 115 V. 60 TO 2600 CYCLE. SIZE 14x8x7 1/2; WT: 40 LBS. PRICE: USED \$29.50

SYNCHRO SELSYNS

SYNCHRO GENERATOR SPERRY PT#R5663642 MFG. BY BENDIX FOR IBM. SIMILAR TO BENDIX OPERATES FROM 26 VOLTS 400 CYCLE SINGLE PHASE WHEN USED IN CONJUNCTION WITH BENDIX #AY-201 SYNCHRO CONTROL TRANSFORMERS IT WILL OPERATE UP TO 20 UNITS. WILL ALSO OPERATE FROM 6 VOLT 60 CY. WITH A SLIGHT LOSS. SIZE: 2 1/2x2 1/2; SHAFT 1/16x3; WT: 12 OZ. PRICE: NEW \$2.95 2 FOR \$5.00

AY-201 SYNCHRO CONTROL TRANSFORMER MFG. BY BENDIX, ROTOR 1 PHASE 26 VOLT 400 CYCLE, STATOR 3 PHASE 11.8 VOLTS. SIZE: 1 1/2x1 1/2 SHAFT 1/2 x1/16; WT: 3 OZ. CONDITION REMOVED FROM EQUIPMENT. PRICE: \$1.95 EACH 3 FOR \$5.00

KEARFOOT R-200 SYNCHRO CONTROL TRANSFORMER. ROTOR 26 VOLT 1 PHASE 400 CYCLE, STATOR 11.8 VOLT 3 PHASE. SIZE: 1x1 3/4. SHAFT 1/16 x 1/2; WT: 3 OZ. CONDITION REMOVED FROM EQUIPMENT. PRICE: \$2.95 EACH KEARFOOT SYNCHRO RESOLVER R-235, ROTOR 2 PHASE 26 VOLTS, STATOR 2 PHASE 11.8 VOLTS 400 CYCLE. SIZE: 1x1 3/4; SHAFT 1/16x3; 3oz. REMOVED FROM EQUIPMENT. PRICE: \$2.95

2J1F1 SELSYN GENERATOR NORMALLY OPERATES FROM 115/57.5 VOLTS 400 CYCLE BUT WILL OPERATE FROM 36 VOLT 60 CYCLE AS SHOWN IN WIRING DIAGRAM TO THE RIGHT. SIZE 2 1/2x4 1/2; WT: 8 OZ. PRICE: WITH CONNECTOR CAPS. \$2.95

SELSYN SYNCHRO

NAVY TYPE SYNCHRO GENERATOR 5G MK1, Mod. 5; 115/90 V. 60 CYCLE. CAN BE USED FOR DIRECTIONAL CONTROL TO A REMOTE POSITION IN PAIRS AS TRANSMITTER & RECEIVER. EACH UNIT WILL FOLLOW OTHER UNIT IN DIRECTION AND SPEED OF ROTATION. HEAVY DUTY GEAR TRAIN WITH SELSYN/SYNCHRO AS ILLUSTRATED, SIZE 10x8x5, WT: 12 LBS. \$7.95 SELSYN/SYNCHRO ONLY 6x4 WT: 5 " 5.95 GEAR TRAIN ONLY 10x3x5 WT: 7 " \$1.50


CK-2 GEAR TRAIN MOTOR LP-21 LOOP LESS COVER MC-217/507 AUTOSYN SELSYN LP-21 LOOP

LP-21LM LOOP ANTENNA AS USED ON AIRCRAFT WITH RADIO COMPASS RECEIVERS FOR USE IN THE 200 TO 1750 KC. COMPLETE LOOP ILLUSTRATED TO THE LEFT. ILLUSTRATION TO THE RIGHT IS WITH HOUSING REMOVED AND IN THE CENTER ARE ILLUSTRATED THE GEAR TRAIN MOTOR, REVERSIBLE CK-2 AND AUTOSYN SELSYN MC-217/MC-507 WHICH ARE INSIDE THE BOTTOM HOUSING ALSO CONTAINED THEREIN IS A SLIP RING ASSY. MOTORS OPERATE FROM 26 VOLT 400 CYCLE BUT CAN BE OPERATED FROM 60 CYCLE AS SHOWN IN WIRING DIAGRAM BELOW. SIZE: OVERALL 20x16x10; WT: 12 LBS. COND. USED. LP-21-LM LOOP COMPLETE WITH HOUSING \$9.95 LP-21-LM " " LESS " 6.95 CK-2 GEAR TRAIN MOTOR ONLY 4.95 MC-217/MC-507 AUTOSYN SELSYN 3.95 PL-112 PLUG TO FIT LOOP 9 CONTACT 2.50 PL-108 PLUG " " 4 " 1.50

1-82A 5" INDICATOR 1-81A 3" INDICATOR

1-82A INDICATOR 5" ILLUSTRATED TO LEFT ABOVE 0-360 DEGREE SCALE CONTAINS A MATCHING AUTOSYN MOTOR TO BE USED WITH THE LP-21LM LOOP. OPERATES FROM 26 V 400 CYC. (60 CYC SEE BELOW) 1-81A INDICATOR 3" ILLUSTRATED TO RIGHT ABOVE 0-36 DEGREE SCALE CONTAINS A MATCHING AUTOSYN THAT WAS USED WITH THE LP-21LM LOOP. OPERATES FROM 26V 400 CYC. (60 CYC. SEE BELOW) 1-82A INDICATOR 5" USED \$7.95 1-81A INDICATOR 3" USED \$3.95 RENEW \$4.95 PL-118 CONNECTOR PLUG FOR INDICATORS 2.50EA

DYNAMOTOR TESTER



TS-414 DYNAMOTOR TESTER
THIS EQUIPMENT PROVIDES A MEANS OF TESTING DYNAMOTORS OF SEVERAL TYPES UNDER LOAD CONDITIONS. PROVISION IS MADE FOR THE MEASUREMENT OF INPUT VOLTAGE, INPUT CURRENT, OUTPUT VOLTAGE, OUTPUT CURRENT AND OUTPUT RIPPLE VOLTAGE OF BOTH SINGLE AND MULTIPLE OUTPUT DYNAMOTORS. METERS; INPUT D.C.V.; INPUT A.C. VOLTS RMS; DC OUTPUT CURRENT; DC OUTPUT VOLTS. POWER REQUIRED: 14/28 VDC, 50 AMPS. SIZE: 27x21x17 $\frac{1}{2}$; WT. 100 LBS. \$79.50

FLUORTEST



DACO FLUORTEST USED TO TEST 4 OR 6 WATT FLUORESCENT LAMPS 60, 120, 200 AND 400 CYC. TESTS POWER SUPPLY, FIXTURES LAMPS, STARTERS, REACTOR. CONTAINS 2 $\frac{1}{2}$ " MILLIAMMETER AND SET OF CORDS. OPERATES FROM 110 VOLTS 60 CYC. WT. 15 LBS. SIZE: 7x13x15 \$8.95

MICROWAVE GENERATOR




TS-147B/UP MICROWAVE SIGNAL GENERATOR
PORTABLE UNIT DESIGNED TO TEST AND ADJUST RADAR, BEACON AND MICROWAVE COMMUNICATION SYSTEMS OPERATING IN THE FREQUENCY RANGE OF 8500 TO 9600 MC. PROVIDES EITHER FM OR CW TEST SIGNALS OF KNOWN POWER LEVEL & FREQUENCY. THIS UNIT CONTAINS A DIRECT READING FREQ. METER AND POWER LEVEL METER WHICH POWER REFERENCED TO ONE MILLIWATT (DBM). USED TO MEASURE THE FREQ. AND POWER LEVEL OF THE INPUT AND OUTPUT SIGNALS. SPECTRUM WIDTH, FREQ. CHANGE, RECOVERY TIME AND STANDING WAVE RATIO. CAN ALSO BE MODULATED EXTERNALLY. OPERATES FROM 115 VOLT 50-1600 CYCLES. LESS CABLES, PLUGS, ADAPTER, PICK UP HORN. SIZE: 11x18x12 $\frac{1}{2}$; WT: 35 LBS. USED TS-147B/UP SIGNAL GENERATOR AS PHOTO \$59.50 TS-147A/UP " " SIMILAR TO " 49.50

WAVEMETER


TS-117 WAVEMETER; 2400 TO 3400 MC P/M 3 MC TRANSMISSION RANGE; P/M 6 MC. ABSORPTION RANGE; 0-50 MICR OAMP METER D.C. IN21B CRYSTAL RECTIFIER, AS-23/AP ANTENNA, UG-57U, UG-131/U ADAPTERS AND CG-183/U CABLE. TUNING CAVITY WITH CALIBRATION CHART. WOOD CARRING CASE. SIZE: 8x6x6 $\frac{1}{2}$; WT: 10 LBS. PRICE: USED \$18.95 RE-NEW 24.95



PRESSURE TRANSDUCER



PRESSURE TRANSDUCER, TESTER HUGHES 486005-110; USED FOR CHECKING AIRCRAFT PRESSURE, OPERATES FROM 24 VDC, CONTAINS PUMP, STATIC PRESSURE INDICATOR DIFFERENTIAL PRESSURE INDICATOR PRECISION PRESSURE INDICATOR VALVES, CONTROLS ETC. SIZE 22x22x15; WT: 80L PRICE: \$49.95



1-199 TEST SET
DYNAMOTOR & HAND GENERATOR TESTER USED TO CHECK EQUIPMENT UNDER LOAD CONDITIONS. INPUT VOLTAGE READINGS 0-60 VOLTS DC & 60 AMPS. D.C. OUTPUT VOLTAGES 0-1200 VOLTS D.C. & 600 MA. D.C. ALSO PERCENTAGE OF RIPPLE IN THE INPUT & OUTPUT, ALL SHOWN ON 3" RD. METERS ALSO CONTROLS FOR VARYING VOLTAGE & CURRENT UNDER LOAD. SIZE: 18x12x11; WT: 40 LBS. PRICE: USED \$29.50 NEW \$39.50

BC-638 FREQUENCY METER 100 TO 156 MC CRYSTAL CONTROL ON FOUR PRE-SET FREQUENCIES; VARIABLE TUNING WITH MAGIC EYE CONTROL. USED WITH SCR-522 AND OTHER SETS. OPERATES FROM 115 VOLT 60 CYCLE ALSO PROVISIONS FOR BATTERY OPERATION AND HAS SELF-CONTAINED MODULATOR. RACK PANEL MTG. 19" x7x9; WT: 35 LBS. PRICE: USED \$12.95



1-177 TUBE CHECKER

USED \$29.95

PORTABLE DYNAMIC MUTUAL CONDANCE TYPE WITH 3" METER FOR INDICATING GOOD, BAD OR QUESTIONABLE ALSO GASES, SHORTS & NOISE. WILL CHECK 4 TO 7 PIN LARGE, SMALL, OCTAL, LOCTAL, ACORN ETC. WITH CHART FOR TUBES BEFORE 1953 LATER TYPES SEE BELOW. SIZE 5 $\frac{1}{2}$ x15 $\frac{1}{2}$ x8 $\frac{1}{2}$; 16 LBS
1-177 TUBE CHECKER ADAPTER; NEWLY MANUFACTURED UNIT TO REPLACE THE MX-949/U MILITARY TYPE. HAS SOCKETS TO TEST 7&9 PIN MINIATURE, OCTAL, LOCTAL, NOVAR AND COMPACTRON TUBES. PIN PLUGS ARE USED FOR THE TUBE SET-UP. \$26.50
BIGELOW 1-177/MX-949 SPEC. ADAPTER 1-177 SERIES TUBE SET-UP CARDS FOR USE WITH THE ABOVE DESCRIBED ADAPTER TO CHECK THE MORE MODERN TYPE TUBES. MANY TYPE ARE NOW SET UP AND YOU GET A ONE YEAR TUBE DATA SUBSCRIPTION FOR ADDITIONAL TYPES. ORDER BIGELOW 1-177 CHART.... \$4.99




TESTER ASSEMBLY T-101001

STABILIZATION TEST SET FOR AUTOMATIC PILOT. CONTAINS A 2 $\frac{1}{2}$ " AC METER WITH CENTER SCALE 50-0-50 & 15-0-15, 5 POSITION METERING SWITCH FOR RANGE & 11 POSITION SWITCH FOR MEASURING VOLTAGE FROM THE EXTERNAL PIN-JACKS ON CONN. PLUG. ALSO HAS 7 TOGGLE SWITCHES, 4 LIGHTS, 2/6AL5 & 1/2C51 TUBES. IN ALUMINUM CARRING CASE. SIZE: 13x11x11. WT: 22LBS. PRICE: USED \$6.95



SIGNAL RECORDER

SIGNAL DATA RECORDER TEST SET USED FOR TESTING TAPE TYPE RECORDERS IN AIRCRAFT. OPERATES FROM 115 VOLT 400 CYCLE, WITH 2/5787W & 2 VOLTAGE REGULATOR TUBES, 3 $\frac{1}{2}$ " RD. 0-50 MICRAMPERES METER, PICK-UP HEAD, CABLE ETC. IN CARRING CASE. SIZE 13x6x9; WT: 12 LBS. #7CAC-801319-628 \$24.95




ALTIMETER TEST SET

TS-10B APN

USED FOR CHECKING SENSITIVITY, TUNING, ANTENNA SYSTEMS, CALIBRATION AND LIMIT CALIBRATIONS OF ALTIMETERS. CONTAINS 370 FT & 70 FT 58OHM RG-54A/U COAXIAL CABLE DELAY LINES, L-101 COAXIAL ATTENUATOR, ID-98 INDICATOR, 2/8 FT 1/20", 1/12" OF RG-8 52 OHM COAXIAL CABLE WITH PL-259 CONNECTOR EA. END AND 4/SO-239 CONNECTORS. COMPLETE IN CARRING CASE 19x15x7 WT 36 (SEE PAGE 5 FOR COAXIAL CABLE & CONN. ONLY) PRICE: USED \$15.00 UNUSED \$18.00

1-61 TEST SET FOR TRANSMISSION MEASURING

PORTABLE BATTERY OPERATED UNIT USED TO MEASURE LOSSES OR GAINS IN CIRCUITS OR APPARATUS. AUDIO OSCILLATOR FREQUENCIES OF 500, 1000 AND 2500 CYCLES WITH LEVELS OF -40DBM, -20 DBM OR 0 DBM INTO A 600 OHM LOAD, THE RECEIVING AMPLIFIER IS CALIBRATED TO MEASURE LEVELS FROM A 600 OHM SOURCE BETWEEN -50 DBM & 15 DBM IN STEPS OF 0.5 DBM OVER THE FREQUENCY RANGE OF 100 TO 10,000 CYC THE 0 DBM IS ONE MILLIWATT IN 600 OHMS. UNIT ALSO CONTAINS A EE-8B FIELD TELEPHONE, BATTERY OPERATED ASSY. WITH A TS-9 HANDSET. AND BE PURCHASED WITHOUT THIS ASSEMBLY. COMES IN WOOD CARRING CASE 18x10x11; WT: 47LB PRICE, COMPLETE WITH TELEPHONE ASSY & TS-9 USED \$29.95 RE-NEW \$39.50 LESS TEL. ASSY " 19.95 " 29.50



BC-906 FREQUENCY METER; ABSORPTION TYPE USING THE DIP OF A 500 VDC MICROAMMETER 2" FOR FREQ. INDICATION. REQUIRES BATTERIES FOR OPERATION. WITH ANTENNA 4" DIAL ETC. SIZE: 6x12x10 WT: 20 LBS. USED. \$9.95


URC-4 TEST SET



TS-684/URM-30 ANALYZER FOR URC-4 RADIO SET, ALIGNMENT AND TESTING CONTAINS 0-1 MA METER, METERING SWITCH, CRYSTAL OSCILLATOR, ANTENNA CABLES ETC. IN METAL CARRING CASE. SIZE: 6x6x4; WT: 4 LBS. NEW \$8.95

RANGE CALIBRATOR

AN/UPM-11 RANGE CALIBRATOR ELECTRONIC DEVICE WHICH PROVIDES A MEANS OF CALIBRATING ACCURATELY THE RADAR RANGE OF ANY X-BAND RADAR SYSTEM. COVERS FREQUENCY RANGE 8500-9600 MC. PROVIDES MARKERS FROM 200 TO 50,000 YARDS. CONTAINS BOTH MANUAL AND AFC TUNING. POWER REQUIRED 115V 50-1000 CYCLES. SIZE: 15x19x22. WT. 85 LBS. \$100.00




RADAR TEST SET




AN/UPM-8 RADAR TEST SET DESIGNED TO PERFORM RAPID PRE-FLIGHT CHECKS OF INSTALLED TRANSPONDERS. UNIT CHECKS TRANSMITTER AND RECEIVER FREQUENCY, POWER OUTPUT, AND PULSE SPACING SIMULTANEOUSLY. COMPLETE WITH TUBES: 6AU6; 3/6D4; 2/12AT7; 2/6AH6; 6/6AN5; 2/6F4; 5876; 2/5814A; 5687; 5675; 2/6AK5; 2021W; 6AL5; 2/6X4W; 0A2WA; 0B2WA; 2/5670; 2N274. POWER REQUIRED 115V 50-1000 CYCLES. SIZE: 14x13x13 $\frac{1}{2}$. WT. 40 LBS. \$39.95

TS-36/AP X BAND RADAR POWER METER; GENERAL PURPOSE TEST INSTRUMENT USED FOR CHECKING RADAR SETS IN THE X BAND. W/O-200 DC MICROAMP METER, 3 $\frac{1}{2}$ " RD. BATTERY OPERATED. ALSO HAS SQUARE WAVE GUIDE ATTACHMENT SAME AS USED ON TS-35 X BAND SIG BAND SIGNAL GENERATOR. SIZE: 9x7x6 WT: 9 LBS. PRICE: LIKE NEW \$9.95



LAF-2 R.F. SIGNAL GENERATOR USED FOR ALIGNING, TESTING AND SERVICING OF RADAR & ELECTRONIC EQUIPMENT IN THE 90 TO 700 MC. RANGE, PULSE EMISSION, VOLT OUTPUT 0-100,000 MV. IMP. INPUT 10M OHMS, OUTPUT 50 OHMS, PULSE DELAY 3-300 USEC. DURATION 2-300 USEC. REP. RATE 60-2500 PPS. ACC. 1%. SIZE: 13x14x18; WT: 75 LBS. PRICE USED \$75.00

LS-1 SIGNAL GENERATOR, 90- 95 MC CRYSTAL CONTROL, 0-50 MICROAMP. METER 3 $\frac{1}{2}$ ", BATTERY OPERATED 3/BURGESS 5308; 45 VOLT TAPPED 22 $\frac{1}{2}$ & 2/5360; 4 $\frac{1}{2}$ V. & 2/4FA; 1 $\frac{1}{2}$ VOLT. WITH TUBES 2/3A8, 1/1Q5 & 1/1N5. UNIT ALSO HAS A AUDIO OUTPUT. SIZE 12x12x11; WT: 20 PRICE: \$18.95



OAP/CHZ-60ABN WAVEMETER-OSCILLATOR 140 TO 240 MC. R.F. VTVM CIRCUIT WITH 6E5 MAGIC EYE INDICATOR TUBE. 50-239 CONNECTORS FOR INPUT CIRCUITS, WAVEMETER, V.T.V.M. OUTPUT OSCILL. OSCILL. CALIB. 50 OHM NON-INDUCTIVE LOAD. 115 VOLT 50-70 CYC SIZE: 9x15x10; WT: 35 LBS. PRICE: USED WITH CALIBRATION CHART \$14.95



COMPUTER AMPLIFIER SYSTEM CONTAINS FIVE SPERRY SYNCHRO TRANS. PT-662426-3 CONNECTED BY GEARS TO DIALS, FOUR AMPLIFIER CHASSIS WITH 2/6J6 TUBES EACH, 3 $\frac{1}{2}$ " NULL METER 10X0-10, CABLE AND ADAPTER IN ALUM. CARRING CASE SIZE 17x10x10; WT: 35 LBS. STK-T-101023 PRICE: \$22.95




C-113/TRA-2 CONTROL UNIT USED FOR REMOTE CONTROL OF T-14/TRC-1 TRANS MITTER, OPERATES FROM 115/230 V 60 CYCLE SUPPLIES 56 VDC @ 130 MA. FOR OPERATION OF MIC. & PHONE CIRCUITS UP TO 2 MILES FOR INTERCOM USE FROM A TWO WIRE CIRCUIT. WITH PORTABLE CASE, CABLES, RELAYS ETC. SIZE 14x9x12 $\frac{1}{2}$; WT: 30 LBS. PRICE: UNUSED \$4.95




STROWGER RELAY

STROWGER STEP BY STEP RELAY ASSEMBLY IS USED IN CENTRAL OFFICE DIAL TELEPHONE EXCHANGE. THIS IS THE HEART OF THE DIAL TELEPHONE SYSTEM AS IT HAS THE TEN STEP BANK SELECTION AND 10 STEP LINE SELECTION TRUNK LINE SENSING MECHANISM WITH NECESSARY HOLD AND RELEASE RELAYS. (THE BANK OF ROTARY STEPPING SWITCHES IS NOT PART OF THIS ASSY) SIZE 14x5x7; WT: 13 LBS. WE#ED55242-31G1 PRICE: USED \$5.95




BUTTERFLY CONDENSERS



AN/APR type tuners, can be used for ultra high frequency trans receivers, frequency meters, and oscillators.

C-701
135-485 Mc
4 1/2" dia. 2 1/2" deep
Price: \$4.95

C-904
106-330 Mc
4 1/2" dia. 3" deep
Acorn socket for 955 tube.
Price: \$4.95




C-706
300-1000 Mc
2 1/2" dia. 2 1/2" deep
Price: \$3.95



H-3621
300-1000 Mc.
2 1/2" dia. 2" deep
Price: \$3.95

U.H.F. TUNERS


ULTRA HIGH FREQUENCY ASSY. TUNING UNIT USING 20C39 TUBE AS DRIVER AND A 20C39 AS A POWER AMPLIFIER. FREQ. OUTPUT 225-350 MC., 6F4 TUBE OSCILLATOR 112-175 MC. AND 6F4 DOUBLER CIRCUIT, TUNED CIRCUITS ARE GANGED FOR SINGLE KNOB CONTROL. ALSO HAS HAYDON 4.5 V. 75 MA. 12R.P.M. TIMER MOTOR. REMOVED FROM ARC-12 EQUIPMENT. SIZE: 10x6x4; WT: 7 LBS. #KS10362 PRICE: LESS TUBES \$3.95




ULTRA HIGH FREQUENCY TUNER; CONSISTS OF REC. R.F. AMPLIFIER MIXER, AND H.F. OSCILLATOR 225-350 MC. OUTPUT TO I.F. 15.1 MC., USES 6/6AK5 AND 1/12 AS6 TUBES, ALSO CRYSTAL BETWEEN 13 AND 41.5 MC., VARIABLE CONDENSERS ONE FOUR GANG 4-24 MMFD PER SECTION, OTHER 4 GANG 3 SEC. 4-25 AND ONE SEC. 5-41 MMFD, SINGLE DIAL CONTROL. REMOVED FROM ARC-12 EQUIPMENT. SIZE: 8x5x3; WT: 4 LB STK# KS-10329 PRICE: LESS TUBES \$2.95

AUTO CONTROL

ELECTRIC AUTOTUNE ASSEMBLY THAT OPERATES FROM 115 VOLT 60 CYCLE, 1/100 HP CAPACITOR TYPE MOTOR WITH AUTOMATIC GEAR & RACHETT ASSEMBLY THAT ENABLES YOU TO PRE-SET MOTOR ANY 10 POSITIONS IN 360 DEG. UNIT IS GEARED TO A TWO DECK 12 POSITION CERAMIC WAFER SWITCH THAT TERMINATES INTO A PLUG-IN SOCKET. TAKE OFF OF POWER CAN BE MADE AT BACK OF MOTOR OR CERAMIC SWITCH MAY BE REMOVED. ADJUSTMENTS FOR STOPS ARE MADE AT THE MOTOR AND THE CONTROL PANEL CAN BE LOCATED AT A REMOTE POSITION WHERE THE MOTOR STOP CAN BE SELECTED, PANEL ALSO HAS LIGHT DIMMER CONTROL AND LOCAL & REMOTE POSITION SWITCH. PART OF RDZ AUTOTUNE, COLLINS#596A RDZ#23491 SIZE: 9x4x6, WT: 7 LBS. PRICE: NEW \$5.95



MD-34/ARA-8 MODULATOR KEYING UNIT AUTOMATIC HOMING KEYING ASSY. THAT OPERATES FROM 24 VDC MOTOR THAT IS CONNECTED TO A WORM GEAR WHICH ACTUATES THE CODED WHEEL THAT INTERRUPTS THE SIGNAL AND TRANSFERS FROM ONE ANTENNA TO ANOTHER. ALSO HAS RELAY AND THREE SO-239 TYPE COAX. CONN. CAN BE USED AS A REMOTE ANTENNA CHANGE-OVER. SIZE: 3x10x4 1/2; WT: 5 LBS. PRICE: USED..... \$1.95



TP-7 REPEATER, VOICE FREQUENCY FOR USE ON FOUR WIRE LINES AS A THROUGH OR TERMINAL REPEATER. CONSISTS OF TWO, TWO-STAGE AMPLIFIERS THAT THE INPUTS AND OUTPUTS CAN BE SWITCHED FROM 300, 600 OR 1200 OHM IMPEDANCE.

COMPENSATING CONTROLS FOR VARIATION OF TRANSMISSION LOSSES DUE TO THE LINE AND TO ALLOW ADJUSTMENTS IN ORDER TO OBTAIN A FLAT FREQ. RESPONSE. EACH AMPLIFIER HAS A OPERATING GAIN OF 35 DB AT 1000 CYCLE OR A POWER LEVEL OF 20 DB. OPERATES FROM 12 VDC OR 110 V. 60 CYCLE. FOR PORTABLE USE OR RACK MOUNTING. SIZE: 1x9x20; WT: 40 LBS. UNUSED \$12.95



TG-30 REPEATER, TELEGRAPH TERMINAL FOR TRANSMITTING OR RECEIVING ON A HALF DUPLEX ONE CHANNEL OPERATION. CAN BE USED TO INTERCONNECT NEUTRAL AND POLAR ENTIAL OR TWO PATH POLAR

TELEGRAPH OR TELETYPEWRITER SYSTEMS ON SIMPLIFIED OR COMPOSITED RETURN CIRCUITS. SPEED 60/66. OPERATES FROM 115/230 V. 50/60 CYC & 115 VDC SHIPPED IN WOOD CHEST 25x16x14; 175 LBS PRICE: USED \$12.95 RE-NEW \$16.95



TELEGRAPH REPEATER WE#61824A, TWO COMPLETE UNITS WITH RECTIFIERS THAT OPERATE FROM 115 V. 50-60 CYCLE. THE REPEATERS ARE DESIGNED TO OPERATE AT TELETYPE SPEEDS, OPEN WIRE COMPOSITED OR SIMPLEX CIRCUITS, 2 PATH POLAR OR OTHER FORMS OF TRANSMISSION. METERING, PATCHING JACKS, TESTING, MONITORING AND ADJUSTING CONTROLS ARE ALL AVAILABLE ON THE FRONT PANELS.

THE UNIT IS HOUSED IN A METAL CABINET WITH A HINGED DOOR FRONT & BACK. SIZE: 22 1/2 x 17 x 42; WT: 200 LBS. RE-NEW PRICE: LESS PLUG-IN RELAYS RE-NEW \$19.95 WITH " " " RE-NEW \$34.95

SWITCHBOARD



BD-57 SWITCHBOARD FOR SCHOOL CODE PRACTICE. 20 CORDS & PLUGS WITH 60 JACKS FOR SWITCHING STUDENT AND SUPERVISORY CIRCUITS. (VO-3 AUDIO CODE OSCILLATOR ON PAGE 7 CAN BE USED TO FEED THE TONE TO THIS BOARD) SIZE: 24x10x8; WT: 35 LBS. USED \$9.95

USED \$3.95

PORTABLE REPEATER

EE-89 TELEPHONE REPEATER; PORTABLE BATTERY OPERATED, 2 WAY LINE UNIT, CAN BE USED AS TERM. OR INTERMEDIATE AMPLIFIER, USES ONE 30SGT TUBE, INCLUDES HEADSET ELEMENT FOR MONITORING AND GAIN CONTROL. BATTERY VOLTAGE REQUIRED 1.5 & 90 VDC. IN WOOD CASE W/ CARRING STRAP. SIZE: 6x9x8; WT: 12 LBS.




PN-13-A POWER CONTROL PANEL

WITH 230 VOLT 60 CYCLE 9 AMP VARIAC GR TYPE 100 R ALSO WESTON 2 1/2" METER 517 25 TO 125 CYCLE 0-300 VAC ON/OFF SW. INDICATOR LIGHT FUSED TERMINAL STRIP ETC. MOUNTED ON 8 1/2 x 19" PANEL, 8" BEHIND PANEL. WT: 50 LBS. \$35.00



115 V. 60 cyc	1 AMP	#200	\$5.95
115 V. " "	15 "		\$35.00
115 V. 350 "	2 "		3.95
" "	2 "		
(3 GANG TANDEM)			
115 V. 350 cyc	10 AMP.		10.00
SAME ABOVE 3 GANG			
20.00			



NAVY INTERPHONE AMPLIFIER USED WITH TCS EQUIPMENT. PUSH-PULL 2/12A6 TUBES, CARBON MIC. INPUT 75-200 OHM ALSO 600 OHM. OUTPUT 125 OHM. VOLTAGE REQUIRED 12 VDC & 250 VDC 60 MA. HAS MOUNTING FOR DYNAMOTOR 35x32, 12 VOLT.

(SEE CONVERSION INFORMATION LISTED BELOW.)
SIZE: 7x10x7; WT: 15 LBS.
PRICE: AMPLIFIER WITH TUBES \$2.95
" " " " & DYN. 6.95
KIT FOR CONVERSION TO SPEAKER OUTPUT, APPROX 5 WATTS, INCLUDES OUTPUT TRANSFORMER, MIC & PHONE JACKS, SWITCH, CABLE AND PLUG FOR PLUGGING INTO LIGHTER AND INSTRUCTIONS. \$2.00




SELECTOR CONTROL ASSEMBLY AS USED IN R-278 RECEIVER AND T-217 TRANSMITTER. UNIT CONTAINS 33 NUMBERED THUMB-IT WHEEL WAFER SWITCHES WHICH CAN BE MOUNTED SINGLY OR IN BANKS, 23 11 CONTACT, 10 19 CONTACT, ALSO 4 A.C. RELAYS ON A 10 CHANNEL GEAR TRAIN WITH 115 VOLT 60 CYCLE MOTOR, CHANNEL SELECTOR SWITCH, RESISTORS CONDENSERS ETC SIZE: 16x9x9; WT: 1 LBS. USED W/MOTOR \$12.95 LESS MOTOR \$8.95



THERMO-GRIP ELECTRIC SOLDERING IRON MFG BY IDEAL INDUSTRIES, MODEL 5C. OPERATES FROM 115 VOLT 60 CYCLE 10 AMPS. OUTPUT OF TR TRANSFORMER IS 3-4 VOLTS AC, 2-300 AMPS. PLIER ATTACHMENT IS


INTENDED TO BE USED FOR SOLDERING LUGS UP TO 150 AMPS OR COPPER PIPE UP TO 3/8". PLIER IS 12" LONG AND CABLES 52". WITH SUITABLE ATTACHMENTS TRANSFORMER CAN BE ALSO USED FOR HEAVY SPOT SOLDERING AND ETCHING. WT: 30 LBS. PRICE WITH CARRING CASE \$19.95



THERMO-GRIP MIDGET SIZE SOLDERING PLIERS IDEAL NO. 12-023. THESE PLIERS ARE ONLY 9" LONG AND HAVE A 54" CABLE WITH CONNECTORS AND IS INTENDED TO BE USED WITH A 300 WATT TRANSFORMER FOR LIGHTER WEIGHT WORK. WT: 2 LBS.


PRICE: CABLE & PLIERS ONLY \$2.95

BC-1141 MINE DETECTOR AMPLIFIER AS USED IN SCR-625 MINE DETECTOR. HAS SENSITIVE AMPLIFIER & TONE SYSTEM THAT WAS USED TO DETECT METALS. OPERATES FROM 2 FLASHLIGHT & 93 VOLT DRY CELLS. COMPLETE WITH TUBES 2/1N5GT & 1/1G6GT, LESS BATTERIES. SIZE: 14x6x5 WT: 10 LBS. PRICE: USED \$3.95




BC-611 TEST SET

IE-17 TEST EQUIPMENT USED FOR TESTING & ALIGNMENT OF REC-TRANS, TESTING CRYSTALS AND MEASUREMENT OF VOLTAGE OF BATTERIES BA-37 & BA-38. CONSISTS OF THE FOLLOWING 1-135 TEST UNIT IN CASE WITH HINGED COVER & HANDLE CONTAINS MICROPHONE, EARPHONE, MULTIRANGE 3" METER FOR CHECKING 0-3 & 0-150 VDC 0-1.5/15/60/600 MA DC & 0-60 VAC WITH MASTER SWITCH, RF & AUDIO OSCILLATOR CRYSTAL TEST & BATTERY COMPARTMENT ALSO CABLE HARNESS. CS-81 TEST CASE WHICH IS THE SAME SIZE AS THE BC-611 AND IS USED TO HOLD THE CHASSIS UNDER TEST, HAS PRESS TO TALK SWITCH AND ALIGNMENT OPENINGS. (NO MIC OR EARPHONE OPENINGS.) FT-252 TEST STAND FOR HOLDING CS-81 CASE & A-82 PHANTOM ANTENNA WHICH CONSIST OF A 3" 0-40 MA. RF METER, VARIABLE COND. & REC.-TRANS. SWITCH MOUNTED ON A BAKELITE PANEL. COMPLETE UNIT AS DESCRIBED ABOVE WITH INSTRUCTION MANUAL AND WOOD CHEST SIZE: 19 x16x9 ALL IN NEW CONDITION. SHPG. WT: 44 LBS



PRICE: \$18.95

VISUAL FLASH LAMP



USED BY AIRCRAFT OR GROUND UNITS FOR IDENTIFICATION PURPOSES. DESIGNED TO DELIVER EXTREMELY BRIGHT FLASH OF LIGHT 1 FLASH PER 1/2 SEC. WHICH CAN BE SEEN BY AIR.

IN BRIGHT SUNLIGHT FOR 3 MILES OR 1 MILE ON THE GROUND. AVAILABLE FOR 6, 12 OR 24 V. OPERATION. CONSISTS OF A HIGH VOLTAGE CONVERTER USING A VIBRATOR TYPE POWER SUPPLY, SLVANIA TUBE #1073. COMPLETE WITH 20 FT. CABLE SPARE PARTS & MANUAL. IDEAL FOR BOATS, PLANES, AUTO BOAT LANDINGS, COTTAGES, PHOTOGRAPHIC WORK ETC. (CAN BE OPERATED FROM 115 VOLT BY USING OUR D.C. POWER SUPPLIES LISTED ON PAGE 7) SIZE: 17x10x4 1/2; WT: 50 LBS. UNUSED \$29.50



ART-13 TRANSMITTER

100 WATT AIRCRAFT
AUTOTUNE TRANSMITTER

MAKES A VERY SATISFACTORY AMATEUR UNIT FOR 80, 40, 20 AND 10 METERS. THE AUTOTUNE FEATURE PERMITS YOU TO PRESET THE FREQUENCY DESIRED ON ANY 10 PRESELECTED CHANNELS. (FOR CONVERSION INSTRUCTIONS SEE MANUALS #2 & #3 \$3.00 EA.) TUBE LINEUP: 1/837, 1/813, 2/1625, 1/125J7, 2/6V6, 2/811, 2/12SL7, 1/125A7. VOLTAGE REQUIRED 28VDC 10AMP, 400VDC, 225MA & 1250VDC 250MA. SIZE: 23x16x11 1/2 WT. 70LBS

PRICE: USED \$59.50

CONNECTOR PLUGS FOR TRANS. U/7 & U/8 \$2.50 EA. DYNAMOTOR FOR ART-13 WITH FILTERS & RELAYS 28VDC INPUT. PRICE: USED \$12.95

NEW

CONNECTOR PLUGS FOR DYNAMOTOR U-9 OR U-10 EACH \$2.50

CU-24/ART-13 ANTENNA SHUNT CAPACITOR CONSISTS OF 3 CAPACITORS 25MMF 10KV PRICE USED \$1.00

O-17/ART-13 LOW FREQUENCY

OSCILLATOR PLUGS INTO THE FRONT OF THE TRANSMITTER AND COVERS THE FREQ. RANGE OF 200 TO 600 KC IN 3 BANDS WITH VFO AND CRYSTAL CONTROL ON THREE PRESELECTED FREQ. COMPLETE WITH ONE 1625 TUBE. ALL OPERATING VOLTAGES ARE OBTAINED FROM THE TRANS. POWER SUPPLY. SIZE 5 1/2 x 5 x 9; WT. 4LBS. USED \$5.95



SA-22/ART-13 ANTENNA SWITCHING UNIT CONTAINS A BENDIX VACUUM RELAY LM-26G, 24VDC, 2 POSITION CERAMIC SWITCH & 4 LARGE INSULATORS SAME AS USED ON TRANSMITTER, ALSO SO-239 COAX. CONNECTOR. SIZE: 11x7x7 WT. 10LBS

PRICE: NEW \$4.95



VARIOMETER COIL FOR ART-13 L-112, ROTOR & STATOR COILS WITH GEARED COUPLING. 4 1/2 x 5 x 3; 2LB. USED \$1.95

RELAY OUTPUT CIRCUIT SELECTING 24 VDC #K105 6x2x3; 2 LB. USED \$2.95



ART-13 AUDIO SPEECH AMPLIFIER CONTAINS TWO 6V6GT & ONE 125J7 TUBES, CAN BE USED FOR CARBON OR DYNAMIC MIC. SIZE: 7x4x3 1/2; WT: 4LBS, USED STK#20254 PRICE \$5.95



ART-13 CFI CALIBRATION FREQUENCY INDICATOR & MCW OSCILLATOR ASSY. USED TO PROVIDE A CONSTANT CRYSTAL CONTROLLED STANDARD OF 200 KC. IN ORDER THAT FREQ. CAN BE CHECKED ALSO 1000 CYCLE TONE. CRYSTAL & 2 TUBES SIZE 6x5x3 WITH 200KC. CRYSTAL & 2 TUBES SIZE 6x5x3 WT. 3LBS STK. #8Q1 PRICE USED \$6.95



POWER AMPLIFIER & SWITCHING ASSY. FOR ART-13. CONTAINS COILS L-114, 113, SWITCHING DEVICE 113B, C.D. CONDENSERS ETC. USED SIZE 8 1/2 x 5 1/2 x 3 1/2; WT: 4LBS. \$4.95



FREQUENCY MULTIPLIER CONTAINS, 2/TUBE SOCKET, CERAMIC CONDENSERS, SWITCHING DEVICE, RESISTORS ETC. (SOME INSULATORS OR TUBE CAPS MAY BE MISSING. USED, REMOVED FROM ART-13. SIZE 6 1/2 x 2 1/2 x 5; WT: 5LB. \$6.95



SN-17/AP8-10 SYNCHRONIZER, \$9.95 TRANSMITTER & RECEIVER ALSO SWEEP AND CONTROL CIRCUITS FOR THE INDICATOR. GENERATES CONTROL FOR THE PULSE RECURRENCE RATES OF 410 TO 820 CPS AND RANGE MARKS OF 0-4-25 MILES. SIZE 8x6x13; WT: 30 LBS.

TEST SET

TS-3A/AP RADAR FREQUENCY METER 2400 TO 3400 Mc USING A TUNEABLE CAVITY ALSO HAS 3" METER FOR TESTING POWER OUTPUT, 0-2 MA. MOVEMENT 0-20 SCALE. USED WITH SCR-717/720 RADAR SET. WITH CABLES, TEST LAMP, COMPUTER RULE ETC. SIZE: 8 1/2 x 8 1/2 x 8; WT: 25 LBS. PRICE: UNUSED \$9.95



AIRPORT MARKER BEACON 75MC TRANSMITTER RECEIVER

CDE-52326 NAVY MODEL MARKER BEACON TRANSMITTER PORTABLE UNIT THAT OPERATES FROM 115 VOLTS 60CYC WHICH TRANSMITS A KEYED OR A CONTINUOUSLY MODULATED SIGNAL VERTICALLY IN A BALLON-SHAPED PATTERN ON 75MC. USED AT AIRPORT LANDING FIELDS RUNWAYS IN CONJUNCTION WITH MARKER BEACON RECEIVERS THAT ARE INSTALLED IN THE PLANE THUS ENABLING THE PILOT TO KNOW WHEN HE IS OVER THE RUNWAY. (IN CONJUNCTION WITH HIS OTHER INSTRUMENTS.) WATTAGE OUTPUT (1) ONE WATT, MASTER OSCILLATOR & MODULATED CW, 400CPS, 1300CPS, 3000CPS TUBE LINEUP: 4/6V6, 2/6SN7, 1/6SR7, 1/6S, 2/VR150. 30 & 1/5Y3. COMPLETE WITH TUBES & DIPOLE ANTENNA & OPERATING MANUAL. SIZE: 17 1/2 x 10 1/2 x 11 WT 35LBS PRICE UNUSED \$29.95




BC-1333 MARKER BEACON RECEIVER 75MC. USED TO RECEIVE SIGNALS FROM ABOVE TRANSMITTER. WHEN SIGNAL IS RECEIVED IT OPERATES A RELAY IN THE RECEIVER WHICH IN TURN CAN BE USED TO OPERATE SIGNALS, LIGHTS, MOTORS, TURN ON EQUIPMENT ETC. VOLTAGE REQUIRED 24VDC. COMPLETE WITH TUBES 1/12SN7, 1/6SH7, 1/6SL7 SIZE: 3x5 1/2 x 5 1/2 WT. 3LBS. PRICE: USED \$2.95

C-1 CONTROL BALLISTICS BOX; FOR BOMBING NAVIGATIONAL COMPUTER PT#654573; HAS 4 DIALS WITH CONTROLS CONNECTED BY GEARS TO AUTOSYN RESOLVERS SPERRY #6624-28 SIZE 1 1/2 x 1 1/2 5 EA. #662426 1 1/2 x 2 EA. #5663478 3x2 1/2 2 EACH. ROTARY BAND SWITCH 4 DECK 10 POS. SIZE 9x12x8; WT: 20 LBS. \$7.95



AMMUNITION FIRE CONTROL POWER DISTRIBUTION PANEL 17IE608GI & 519E147GI; TWO DIALS THREE GEAR CONTROL, 2 THREE DIGIT COUNTERS WITH MANUAL RESET AND HOLD 24 V OPERATION, 7 SWITCHES, TERMINAL STRIPS ETC. SIZE: 11x11x5; WT: 15 LBS. PRICE: USED \$4.95

OSCILLATOR



R.F. OSCILLATOR. PART OF GKA-1 EQUIPMENT. CONTAINS SEVERAL TYPES OF BAND PASS FILTERS, VARIABLE CONDENSER, TUBE SOCKETS TEST JACKS, RESISTORS 1%, CAPACITORS, 2/UG-88 BCN COAX. CONNECTORS, PILOT LIGHT, SWITCH, POTS ETC. OSCILLATOR FREQ. APPROX. 24 KC. SIZE: 12x12x4 1/2; WT: 13 LBS. USED \$1.95



SCOPE

MONITOR

CONVERTER

CONVERTER-MONITOR PANEL ASSEMBLY CV-399/GPA23 PART OF COMPUTER SYSTEM. CONTAINS A GOOD 3" SCOPE FOUNDATION ASSY. USING 3CP1A C.R. TUBE MOUNTED ON A PANEL 10" x 12". SCOPE PANEL HAS 0-100 VERNIER DIAL 1 1/2" PLUS CENT, FOCUS CONT. SWITCHES ETC. THE MASTER PANEL HAS 10 SEPARATE SUB-PANELS WITH LOADS OF CONDENSERS, RESISTORS TERMINAL STRIPS ALSO AUTOSYN, CONNECTORS, CONTROLS, TRANSFORMERS AND LOTS MORE. SIZE: 25 1/2 x 25 1/2 x 14; WT: 5 1/2 LBS. USED \$9.95



COMPUTER TEST PANEL PART OF GPA-23 COMPUTER SYSTEM HAS ONE SYNCHRO RECEIVER 23TR6 115 VOLT 60 CYCLE, SIZE 2 1/2 x 4 1/2, CONNECTED TO 360 DEG. 5" INDICATOR DIAL, TWO AUTOSYNS AY-201S, 1 SIX POSITION 5 DECK ROTARY SWITCH, 6 PILOT LIGHTS, 10 TOGGLE SWITCHES VARIOUS TYPES, 5 BARRIER TERMINAL STRIPS, SOCKETS, POTS, CONDENSERS, RESISTORS. A REAL BONNANZA. SIZE: 17x8x11; WT: 17 LBS. PRICE: USED \$9.95



GP-7 TRANSMITTER

GP-7 NAVY AIRCRAFT TRANSMITTING, FREQUENCY COVERAGE 800 KC. TO 9050 KC. BY THE USE OF PLUG IN TUNING UNITS, AM, CW & MCW OPERATION, 30-50 WATTS VOICE & 85 TO 125 WATTS CW DEPENDING ON THE FREQUENCY AND TYPE INSTALLATION. COMPLETE WITH TUBES 2/1616, 1/803, 1/801 1/843 & 1/523, ANTENNA LOAD COIL, PILOTS & OPERATORS CONTROL BOX, COVER & MANUAL. SET OPERATES FROM 115 VOLTS 800 CYCLE AND 12 OR 24 VOLTS D.C. AS IT HAS ITS OWN SELF CONTAINED A.C. POWER SUPPLY. THE 2 1/2" METERS ARE USED FOR MEASURING PLATE, FILAMENT & OUTPUT. THE SET IS CONSTRUCTED OF ALUMINUM AND FIVE TUNING UNITS HAVE CARRING CASES WITH SNAP-SLIDE COVERS AND CARRING HANDLES. TRANSMITTER SIZE: 23 1/2 x 11 x 13; WT: 50 LBS. TOTAL WEIGHT OF ALL THE EQUIPMENT, PACKED 200

PRICE FOR COMPLETE SET AS DESCRIBED. \$29.50

GP-7 COMPONENTS INDIVIDUALLY PRICED

CAY 52173 TRANSMITTER - POWER SUPPLY \$16.95

CAY PLUG-IN TUNING UNITS

R.F. UNIT KC BAND

" 47151B " " 800-1500 " " 3.95

" 47155C " " 1500-3000 " " 4.95

" 47152D " " 3000-4525 " " 4.95

FOLLOWING TUNING UNITS HAVE ROTARY INDUCTORS

" 47153E " " 4525-6500 " " 7.95

" 47154F " " 6200-9050 " " 7.95

" EMPTY CASES FOR THE ABOVE TUNING

UNITS WITH SNAP COVER AND HANDLE 1.75

" 47125 ANTENNA LOAD COIL 1.95

" 23219 PILOTS CONTROL BOX 1.95

" 23220 OPERATORS " 2.95

INSTRUCTION BOOK 7.50

W.U. INTRAFAX



TRANSMITTER SCANS THE DATA THAT IS FED INTO THE MACHINE WITH A LIGHT SOURCE AND PHOTO ELECTRIC CELL WHICH IS AMPLIFIED AND SENT BY WIRE TO THE RECORDER WHICH THEN REPRODUCES THE DATA ON SENSITIZED PAPER 1 1/2" WIDE. THE TRANSMITTER USES TUBES 1/1X2, 1/6C4, 1/6AQ5, 1/931A (PHOTOELECTRIC), LIGHT SOURCE, SYNCHRONIZING MOTORS, GEARS ETC. THE RECORDER DOES NOT HAVE ANY TUBES BUT HAS THE SCANNING MECHANISM, MOTORS, RELAYS ETC. EQUIPMENT OPERATES FROM 115 VOLT 60 CYCLE BUT DOES NOT HAVE THE POWER SUPPLY REQUIRED THE THE TUBES, PHOTO-ELECTRIC, LIGHT SOURCE AND SCANNING CIRCUITS. TRANSMITTER SIZE 18x18x7; WT: 40 LBS. #7762A RECORDER SIZE 18x12x7; WT: 33 " #7771A PRICES: BOTH UNITS FOR \$39.95 NEW

GIBSON GIRL TRANS.

EC-778 TRANSMITTER, EMERGENCY

TYPE FOR USE ON THE DISTRESS FREQUENCY OF 500 KC. UNIT IS POWERED BY A HAND CRANK GENERATOR THAT SENDS AUTOMATICLY S.O.S SIGNAL, CAN ALSO BE KEYED MANUALLY, WITH 1000 CYCLE TONE MODULATION. WITH 2/12A6 TUBES AND ANTENNA WIRE REEL. (NO KITES, BALLOONS OR PARACHUTES AVAILABLE. SIZE 10x10x8; WT: 20 LBS. PRICE: TRANSMITTER ONLY USED \$29.95



T-74/CRT-3 TRANSMITTER, SAME AS ABOVE ONLY HAS DUAL CHANNEL 500 KC AND 8364 KC. MANUAL KEYING ON 500 KC. ONLY. USED \$75.00

SONOBOUY

TRANSMITTER WITH PARACHUTE USED TO DROP FROM AIRCRAFT IN ORDER TO MARK LOCATIONS. SENDS MCW SIGNAL 70-90MC BATT. OPERATED WITH TUBES 3/1L4, 1/3Q4 & 1/3A4. WHEN UNIT IS DROPPED 6' RAYON PARACHUTE OPENS, WEIGHT ON BOTTOM OF SET IS LOWERED BY A SPINNER TYPE REEL & NYLON LINE THAT TURNS A PROPELLER STABILIZER AND CONTROLS THE RATE OF FALL. UNIT ALSO HAS A 40" FLEXIBLE WHIP ANTENNA AT THE TOP & A COIL TYPE DIPOLE ON THE BOTTOM. IN WATERPROOF CONTAINER 50" Lx7" Hx10" D. WT. 30LBS. STK# AN/CRT-4 PRICE: \$9.95




POWER SUPPLIES

RECEIVER POWER SUPPLY & SPEAKER FOR THE FOLLOWING SETS
R-23/ARC-5 BC-453 BC-342
R-24/ARC-5 BC-454 BC-344
R-25/ARC-5 BC-455 BC-348
R-26/ARC-5 BC-946 BC-429
R-27/ARC-5 RAX

COMPLETE WITH 6" DYNAMIC SPEAKER HOUSED IN A METAL CABINET WITH CONNECTING CABLE, PLUG, PHONE JACK, VOLUME CONTROL, 8FO SWITCH ETC. IF REQUIRED, CAN ALSO BE USED FOR OTHER SETS. OUTPUT 200/250 VDC @ 90/60 MA. & 24 VAC @ 2A. INPUT 115 VOLT 60 CYCLE. SPECIFY FOR WHAT SET. SIZE: 10x10x6; WT: 15 LBS. NO. P.S.(SET NUMB.) PRICE; KIT OF PARTS \$15.00 WIRED \$18.95

BC-652 RECEIVER POWER SUPPLY WITH SPEAKER SAME AS ABOVE; KIT \$20.00; WIRED \$23.95



BC-603/BC-683 RECEIVER P.S. DESIGNED TO BE PLUG IN-TO THE SAME PLACE AS THE DYNAMOTOR WITH NO CONVERSION TO THE SET THAT WILL EFFECT THE OPERATION FROM THE DYNAMOTOR. ONLY WORK REQUIRED ID ADD ON/OFF SWITCH IN PLACE OF SPAR FUSE HOLDER. TRANSFORMER TYPE USING 5Y3GT TUB

OUTPUT 220 VDC, 80 MA. & 24 VDC 2 A. WT: 5LBS. NO. P.S.603/683 KIT \$10.00 WIRED \$14.95



BC-923 RECEIVER POWER SUPPLY

OPERATES FROM 115 VOLT 60 CYCLE; SUPPLIES OUTPUT OF 275 VOLTS DC, 150 MA. & 12.6 VOLTS AC. 4 AMPS. COMPLETE WITH TRANSFORMER, CHOKE, CAPACITORS, SWITCH, PILOT LIGHT, LINE FUSE, 5U4G TUBE, CHASSIS, WIRING DIAGRAM, LINE CORD ETC. SIZE: 5x6x9; WT: 15 LBS. PRICES: KIT OF PARTS...\$16.00 #PS-923 WIRED... 20.95

R-77/ARC-3 RECEIVER POWER SUPPLY

OPERATES FROM 115 VOLT 60 CYCLE; SUPPLIES OUTPUT OF 210 VOLTS DC @ 125 MA. & 24 VOLTS AC @ 2 AMPS. COMPLETE WITH TRANSFORMER, CHOKE, CAPACITORS, SWITCH, PILOT LIGHT, LINE FUSE, 5Y3GT TUBE, CHASSIS, LINE CORD ETC. #PS-R77/ARC-3 SIZE: 5x6x9; WT: 14 LBS. (LAYOUT SAME AS923) PRICES; KIT OF PARTS..\$15.00 WIRED \$19.95

POWER SUPPLY NO.7630019. OPERATES FROM 115 VOLT 60 CYCLE DUAL HIGH VOLTAGE OUTPUT 400 DC 200 MA & 400 DC 200 MA. ALSO 6.3 VAC 2.75 A. & 6.3 VAC 5.5 A WITH 2/5R4GY TUBES. SIZE: 10x7x15; WT: PRICE: \$19.95

CABLE WITH 18 CONTACT PLUG TO FIT P.S \$2.00



POWER SUPPLY NO.7630020VR VOLTAGE REGULATED, OPERATES FROM 115 VOLT 60 CYCLE, OUTPUT 200-250 DC. @ 150-250 MA. ALSO 6.3 VAC 2.75A & 6.3 VAC 5.5 TUBES 2/6AS7G, 1/VR-105, 1/6AK7 & 1/5R4G. WT: 30 LBS. SIZE: 11x10x6 \$18.95

CABLE WITH 18 CONTACT PLUG TO FIT POWER SUPPLY PLUG, 4 FOOT \$2.00

POWER SUPPLY 763003 (MODIFIED) OUTPUT 375 VDC @ 225 MA & 6.3 VAC @ 2.75 A, 6.3 VAC @ 5.5 A. INPUT 115 VOLT 60 CYCLE. WITH 2/5R4GY TUBES. SIZE: 9 x 13 x7; WT: 35 LBS. PRICE: \$14.95

CONNECTOR 18 CONTACT \$2.00

PP-662/GPN POWER SUPPLY, VOLTAGE REGULATED, 300 VDC 10 TO 90 MA. PLUS POTENTIAL 210 VDC MINUS. WITH TUBES 4/5651, 2/6AH6, 1/12AT7, 2/6AS7, 1/5Y3 & 1/5R4. OUTPUT PIN JACKS WITH ADJUST. METERING SWITCH, FUSED OUTPUT & INDICATOR LIGHTS. SIZE: 10x8x20; WT: 35 LBS. NO. COVER OR PLUG IN RELAY. PRICE: USED \$14.95



DC. SUPPLIES

OPERATE FROM 115 VOLTS 60 CYCLE AND ARE COMPLETE WITH TRANSFORMER, RECTIFIER, CAPACITOR, SWITCH, LINE CORD, PILOT LIGHT, LINE FUSE ETC. INDICATED RATINGS ARE FOR LOAD CONDITIONS.

DUAL OUTPUT 12/14 OR 24/28 VDC @ 6 AMPS. SIZE 7x6x13; WT: 17 STK#PS-12/24VDC6A KIT OF PARTS...\$20.00 WIRED COMPLETE... 24.95



OUTPUT 12/14 VOLTS DC @ 6 AMPS. SIZE: 5x9x5; WT: 20 LBS. STK#PS-12VDC6A KIT OF PARTS...\$14.00 WIRED COMPLETE... 18.95



OUTPUT 24/28 VOLTS DC @ 4 AMPS. SIZE: 5x9x5; WT: 12 LBS. STK#PS-24VDC4A COMPLETE WIRED...\$17.95 KIT OF PARTS... 13.00

OUTPUT 12/14 VOLTS DC @ 4 AMPS. SIZE: 5x9x5; WT: STK#PS-12VDC4A COMPLETE WIRED...\$14.95 KIT OF PARTS... 10.00

OUTPUT 24/28 VOLTS DC @ 1 1/2 A. SIZE: 7x6x5; WT: 6 LBS. #PS-24VDC1.5A WIRED...\$10.95 KIT OF PARTS \$8.00




MOBILE SUPPLY

AVA-126 VIBRATOR POWER SUPPLY; OUTPUT 300 VDC 100 MA. OPERATES FROM 6, 12 OR 24 VOLTS D.C WHEN THE PROPER VIBRATOR IS USED, OCTAL BASE. SUPPLIED WITH 6 VOLT VIBRATOR (USED WITH AVT-112 AIRCRAFT TRANS) ILLUST. COVER REMOVED. UNUSED SIZE: 7x7x7; WT: 12LBS. \$4.95



RA-42A POWER SUPPLY; RACK MOUNTING 19", 115/230 VOLT 60 CYCLE OPERATION, OUTPUT 200 TO 250 VOLT D.C. 100 MA 2 1/2" VOLT AND MILLIAMPER METER HOUSED IN CABINET 19"x7"x8"; WT: 30 LBS. RA-42A WITH METERS USED \$9.95 RA-42B LESS " RE-NEW 9.75 " 6.75




POWER CONVERTER

TRANSISTORIZED POWER CONVERTER 12 VOLTS D.C. TO 117 VOLTS A.C. POWERFUL 125 WATTS CONTINUOUS DUTY WITH POWER TO SPARE FOR EXTRA YEARS OF SERVICE. PLUGS INTO CIGAR LIGHTER OF AUTO OUTLET AND WILL OPERATE LIGHTS, SHAVERS, RADIOS PHONOS OR MOST ANY EQUIPMENT DRAWING 10 TO 125 WATTS. SIZE 5x5x4; WT: 4 1/2 LBS. PRICE: \$29.95(NEWLY MANUFACTURED)

VIBRATOR PACK

PP-68 VIBRATOR PACK CONVERTS 6 OR 12 VOLTS DC TO 115V 15 WATT OR 50 WATT TO RUN SMALL APPLIANCES. IDEAL FOR USE ON CAMPING TRIPS. INPUT: 6 OR 12 VDC OUTPUT: 115 V 60CYC 15 OR 50 WATTS. SIZE: 9x8x7 1/2 WT. 22 LBS. USED \$9.95

RA-94 POWER SUPPLY USED WITH BC-779 SUPER-PRO OR BC-794 REC. 115/230 VOLT 60 CYCLE INPUT, 19" RACK PANLE MTG. 10 1/2" H x 11" D. P.S OUTPUT 270 VDC & 140 VDC 150 MA. ALSO 6.3 FOR FILAMENT. W/ 523 & 80 TUBE. SHPG. 100 LBS. USED \$19.95 USED CHECKED \$22.95



PP-115/TRC-8 POWER SUPPLY OUTPUT 550 VDC 350 MA & 6.3 VAC CT. 6 AMPS. WITH 2/5U4G, 115/230 V 60 CYCLE SIZE: 12x8x14; WT: 50 LBS. ILLUSTRATION SHOWS 115 V APPROX. 100 CFM BLOWER. WITH BLOWER...\$19.95 LESS " ... 16.95

NEW COAXIAL CABLE

NEW MANUFACTURE AND BRANDED WITH STANDARD TYPE NUMBERS TO MIL-R-17A SPECIFICATIONS.

PRICES LISTED FOR LENGTHS INDICATED, IN-BETWEEN LENGTHS USE THE HIGHER PRICE. LESS THAN 100 FEET ADD 10% TO HIGHEST PRICE

	100 FEET	500 FEET	1000 FEET	5000 FEET
RG-8/U	52 OHM .10	.09	.08 1/2	.08
RG-11/U	75 " .09 1/2	.08	.07 1/2	.07
RG-58/U	53 1/2 " .04 1/2	.04	.03 1/2	.03
RG-59/U	73 " .04 1/2	.04	.04	.03 1/2

PRICES ARE PER FOOT

NEW COAXIAL CONNECTORS

SO-239	PL-259	M-359	PL-258 JUNCTION
SO-239 & PL-259			
39¢ EA. 3/\$1.00		\$1.49 EA.	79¢ EA.
\$3.75 PER DOZEN		12 OR MORE \$1.45	12 OR MORE 70¢

TYPES MAYBE ASSORTED TO OBTAIN THE LOW PRICE

Coaxial Cable FOR LESS THAN 3c Per Foot!



RG-54 A/U CABLE-

DESIGNED FOR LONG LIFE & CONSTANT ATTENUATION 58 OHMS, .250 OD. WITH POLYETHYLENE JACKET.

370 FOOT ROLL \$10.00 70 FOOT ROLL \$1.95

LESS THAN SPECIFIED LENGTHS .03 PER FOOT

COAX CABLE ASSY


TYPE	OHMS	LENGTH	CONNECTOR	STOCK#	PRICE
RG-8/U	52	60 FT.	2/UG-21	CG-55	2.95
RG-8/U	52	30 FT.	2/UG-21	CG-55	1.75
RG-11/U	75	32 INCH	2/UG-21	CD-1259	.25
RG-21/U	53	10 FT.	UG-21/22	CD-780S	.35
RG-22/U	95	40 FT.	1/PL-284	CD-879	.75
RG-22/U	95	46 1/2 FT.	1/PL-284	CD-878	.80
RG-22/U	95	50 FT.	1/PL-284	CD-877	1.00
RG-26/U	48	30 FT.	2/UG-34	3E4392-	1.50
RG-62/U	93	10 FT.	2/UG-88	CG-1410	.35
RG-62/U	93	22 FT.	2/UG-88	CG-1410	.75
RG-62/U	93	35 FT.	2/UG-88	CG-1410	1.00
RG-62/U	93	130 FT.	2/UG-88	CG-1410	1.95

RG-8/U 52 8 FT. 2/PL-259 CA-102 .75

ATTENUATOR

IMPEDANCE MATCHING ASSEMBLY WITH 52 OHM CABLE 20" LONG, PL-259 CONNECTORS EACH END AND ATTENUATOR WITH 3" SLIDING ADJUSTMENT AND FEED THRU CONNECTORS EACH END.

ATTENUATION 30 DB TO 100 DB 30 TO 450 MC. STOCK# 22396-7 PRICE: USED \$1.25 UNUSED \$1.95




CABLES

CABLE NO.	PLUG NO.	LENGTH	USED WITH	PRICE
3E7243-2	GK12-23 1/2	52"	TCS/REC-PS	\$2.75
3E7273-19	SKC16-23 1/2	29"	TCS/TRS-PS	2.75
CD-515		48"	BC-669	5.95
CD-501	F/BC-654 & PE-103			4.95
CD-548	2EA. PL-118	9 FT.	TEST SET	4.95
CD-549	2" PL-112	9 FT.	TEST SET	4.95
CD-526	2" PL-153	5 FT.	274N SERIES	4.95
CD-532	2" PL-152	5 FT.	"	2.75
CD-509		8 FT.	BC-659/620	2.75

MULTI OUTPUT SUPPLY

RA-105 POWER SUPPLY; INPUT 115 VOLT 60 CYCLE, OUTPUT D.C VOLTAGES 2400 VDC (FOR SCOPE) 544, 415, 295, MINUS VOLTAGES 1480, 290, 110, FILAMENT VOLT. 6.45 @ 1A, AND 6.45 @ 10 A WITH TUBES 3/5U4G, 3/2X2 AND 1/6X5GT ALSO HAS FUSED LINES, CIRCUIT BREAKERS AND LIGHT INDICATORS. SIZE: RACK MTG. 24"x24x10; WT: SHPG. 200 LBS. Gov't Re-COND. \$14.95



BOOKS

MANUALS

TUBES

CABLE ASSY



SAVE TIME AND MONEY SURPLUS CONVERSION MANUALS ARE A MUST FOR BEGINNERS AND ARE A BIG HELP TO THE OLD HAM.

SURPLUS RADIO CONVERSION MANUAL VOL. NO. 1 \$3.00
SURPLUS RADIO CONVERSION MANUAL VOL. NO. 2 \$3.00
SURPLUS RADIO CONVERSION MANUAL VOL. NO. 3 \$3.00

SURPLUS CONVERSION HANDBOOK INCL. COMMAND SETS CQ \$3.00
CQ SURPLUS SCHEMATICS HANDBOOK. \$2.50
CQ ANTHOLOGY CONVERSION THE BEST OF CQ45-52 \$2.00

THE SURPLUS HANDBOOK \$3.00
VOL. I RECEIVERS-TRANSMITTER

FOR LIST OF CONTENTS FOR THE ABOVE BOOKS SEND \$2.25

ARRL BOOKS

Radio Amateur Handbook \$4.00
Mobile Manual 2.50
Single Sideband 2.00
Hints & Kinks 1.00
A Radio Course in Radio Fundamentals 1.00
How To Become A Radio Amateur 1.00
Operating an Amateur Radio Station .25
CQ Mobile Handbook \$2.95
Radiotelephone License Manual. (Study Guide) \$5.75

RADIO SET MANUALS

\$3.00 EACH \$5.00 EACH
BC-191 AN/ARN-6
BC-229/230 AN/ARQ-5
BC-312/342 AN/GRC-3-8
BC-603/604 AN/GRC-9
BC-620 AN/GRC-26
BC-652/653 AN/TRC-1
BC-659 BC-221 AH
BC-683/684 BC-610
I-208 TS-175
BC-1000 S-36
R-48/TRC-8 ART-13 \$10.00
BC-1335 TCS-7-12 \$12.00
BC-223
BC-375
BC-176 OTHER MANUALS AVAILABLE

SCHEMATICS \$1.00 EACH.


BC-929 BC-229 BC-230
BC-191 BC-224 BC-312
BC-375 BC-456 BC-457
BC-458 BC-459 BC-603
BC-604 BC-624 BC-625
BC-652 BC-653 BC-654
BC-659 BC-683 BC-684
BC-696 BC-733 BC-779
BC-923 BC-924 BC-1000
BC-1203 BC-1306 ID-80/AP17
RT1/APN2 ARB R-77/ARC-3
R-4/ARR2 TBY AM913/TRC
RAX-1 RAX-2 RAX-3
FMR-13V RA-105 R-48/TRC-8

CRYSTAL OVEN 110 V.
60-1000 CYC. FOR
HC-6/U, CR-26/U ETC
CRYSTALS, WELL FILT
ERED, OCTAL BASE
MOUNTING WITH 254.
72 CRYSTAL.
1 1/2 x 4 1/2; WT: 4 OZ.
#HUG 945550-1 \$1.95

APPROACH LIGHT
GRIMES/NAF1024-2
24 V. SPLIT GREEN &
AMBER LENS & CLEAR
3x3x4 1/2; 1 LB. \$7.75



5CP11A CATHODE RAY TUBE
5" DIA.
16" LG.
FIL. 6.3 V. @ .6 AMP.
A-1 575 V. A-2 2000 V.
A-3 4000 V.
GRID BIAS -30/-90, D-1/D-2
-92 V. D-3/D-4 74 V.
WT: 4 1/2 LBS.
\$1.50 EA. FOUR FOR \$5.00




SC2799P7
SIMILAR TO
4FP7; 4" SQ.
12" LONG.
USES SAME
SOCKET AS 5CP11. WT: 4 LBS
\$1.50 EA. 4 FOR \$5.00



701A TETRODE; INTEN
DED FOR PULSE MODUL
ATION AND WILL MAKE
A GOOD HIGH POWER
R.F. AMPLIFIER.
HEATER 8 V 7.5 A.
PL. V 12,500 80 MA.
PEAK 10 AMP.

SCREEN VOLTS 1200, 15 WATTS
FOR AMATEUR USE:
FILAMENT: 7.5 V. 7.0 AMP.
PLATE V. 2000/3500
CUR. 350/250
POWER INPUT 750-875 WATTS
SCREEN VOLTS 400---
" CURRENT 40---
GRID VOLTS. -150---
" CURRENT 15 MA.---
SIZE: 7 1/2 x 4 1/2; WT: 5 LBS.
\$3.95 EACH 2 FOR \$7.00



STEEL CABINET
20 1/2 x 8 x 9, OPENS
AT TOP, FRONT
PANEL CUT OUT
1 1/2 x 4, ALSO 7/16 HOLE. SIDES
LOUVRED, ROUNDED FRONT/TOP
#ECFC, SHPG. WT: 15; \$2.95

1LC6 .75 6H6 .50
1LH4 .75 6AC7 .75
1LN5 .75 6SL7 .75
1R4 .75 6AC7 .75
1G6 .75 6J5 .75
1N5 .75 6V6GT .75
3B7/1291 .75 6K6GT .75
3D6/1299 .75 6SN7 .75
3Q5 .75 6X5 .75

3FP7 .95 12A6 .75
3HP7 .95 12SA7 .75
316A .50 12SC7 .75
717A .75 12SG7 .75
12SJ7 .75

1619 .50 14H7 1.50
1624 .50 14J7 1.50
1625NU .50 14R7 1.50
1626 .50 28D7 1.50
10Y .95
211/VT4C .95 5Y3 .75

CRYSTALS

465 Kc CRYSTAL, RESONATOR
TYPE FILTER AS USED IN BC-
794, BC-1004 ETC. \$1.50

200 Kc CRYSTAL IN OCTAL
TYPE TUBE HOLDER \$3.50

CRYSTALS: FT-241-243 21-39
Mc. F/BC-604-684-620-659
NO CHOICE FREQ. 5 FOR \$1.00

1N-21A CRYSTAL DIODE
\$.25 EACH 5 FOR \$1.00

CRYSTAL OVEN 6.3V
FOR TEN HC-6/U,
CR-26/U ETC. HOLD.
MOUNTED ON PRINTED
CIR. BOARD W/10NFC
CAP. 3-12MMF.
SIZE 2 1/2 x 3 1/2; 4 OZ. \$1.00
SELECTOR SWITCH FOR ABOVE
3Z9825-63.178 .59


TELEPHONE JACK STRIPS

#4C4426-14 TWENTY JACKS 3
CONDUCTOR CONTACT ARRANGEM-
ENT J-2. KEL#261 \$2.50
#4C4322-25 TEN JACKS 3 COND-
UCTOR, CONTACT ARRANGEMENT
J-2-1A. \$1.95
TELEPHONE PLUG AND CORD TO
FIT J-2-1A \$1.00

#4C4426-11 TWENTY JACKS 3
CONDUCTOR, CONTACT ARRANGE-
MENT J-2, NUMBERED 0-19
\$2.50

#4C4436-92-2 TWENTY JACKS
3 CONDUCTOR, CONTACT ARRANGE-
MENT J2, NUMBERED 20-39.
"ELLOG #369 \$2.50
#4C4692-2 TEN JACKS 3 COND-
UCTOR CONTACT ARRANGEMENT
J2 WECO#92 TYPE139 \$1.95

TELEPHONE TYPE LEVER SWITCH



COMPLETE ASSY HAS 12 SWITCH
ES MOUNTED ON STRIP, 2 MAKE-
2 BREAK EACH SIDE, WITH 30"
WIRE ON EACH SW. STRIP 20
IN. x 3 IN. WT: 12 LBS.
STRIP OF 12 SWITCHES \$2.95
INDIVIDUAL SWITCH ONLY. .50

100 Kc.
CRYSTAL
UNIT CR-15/U
JAMES KNIGHT
TYPE H-11M
3 PRONG 1x1
\$3.95
100 Kc.
CRYSTAL
BLILEY KV3A
2 PRONG 1x1
\$3.95

Fair Radio Sales Co.

2133 ELIDA ROAD
P. O. BOX 1105
LIMA, OHIO 45802
Telephone 227-7886

Name	Please Print Clearly	DATE
Street Address	R. F. D.	P. O. Box
Postoffice	State	

REMARKS:

PLEASE DO NOT USE	CATALOG STOCK No.	Page No.	Quantity	Shipped	✓	DESCRIPTION	Price Each	Total Price Add This Column	Do Not Use

TERMS: Our terms are cash. We ship C.O.D. on orders with deposit. All trade and cash discounts have already been deducted in our catalog quotations. All prices are net, f.o.b. shipping point.

MINIMUM
ORDER
\$3.00

IMPORTANT. Any correspondence not connected directly with this order should be placed on a separate sheet. This will speed handling of both order and letter.
S & S 66

HOW SHALL WE SHIP

- ☐ PARCEL POST
☐ EXPRESS
☐ FREIGHT
☐ AIR EX.
☐ BEST WAY

Include sufficient money for postage. We refund unused amounts.
Please send cash by registered mail only. FILL IN AMOUNT ENCLOSED

Money Order
Cash
Check
Credit Memo

PLEASE DO NOT USE

ON FREIGHT OR EXPRESS ORDERS

If your station has an agent do not send money for shipping charges. If no agent, send money to pay the charges in advance. Charges are the same either way.

THANK YOU FOR YOUR ORDER

TOTAL FOR GOODS

STATE TAX (Ohio)

For Postage and Insurance

Due from Previous Order

TOTAL

COILS

60 MC IF
BROAD BAND
USES 10 TUBES
5/717A, 3/6AK5
1/6SL7 & 1/6SN7; HAS MIXER
PANEL, RELAYS, CABLES ETC.
SIZE: 14x4x5; WT: 4 1/2 LB. USED
STK# D-152229
PRICE: WITH 5/717A \$2.95
WITH 10 TUBES 6.50

Control Boxes

Filters

Indicators

Tuning Units

Amplifiers

METAL STAND
W/RUBBER FEET
BASE 8x11x13
LEGS 13x13x16
2 1/2" HIGH.

ORIGINALLY USED
AS RECORD HOLDER STAND, CAN
BE USED AS BOOK, FLOWER, TV,
RADIO OR WHATEVER YOU CAN
USE IT FOR. WT: 4LB. 75¢

SWIVEL BASE AS
USED ON THE BOTTO
OF TV SETS, 5"
SQUARE, HAS 1/2 TURN
STOP THAT CAN BE
REMOVED FOR 360 DEG. ROTAT
ION. 2LBS. 75¢

VACUUM
CAPACITOR

VACUM CAPACITOR 3 MMFD 15
KVDC, PLUS OR MINUS 10%
W/CONNECTORS. SIZE 5/8x4
JENNINGS TYPE Y-3 N. \$1.95



RM-21 CONTROL BOX WITH HAND-
SET HANGER, 3 MOMENTARY SWIT-
CHES, CABLE AND PLUG.
USED WITH BC-669. \$3.95

C-87/ART-13 CONTROL BOX,
WITH 11 CHANNEL SWITCH, OFF,
VOICE, C.W-MCW, IND. LIGHT,
MIC JACK & CODE KEY. \$2.95

C-626/ARC-27 CONTROL BOX.
AUTOMATIC CHANNEL SELECTOR
PRESET MECH. W/ 24 V. DC
MOTOR, RELAYS, GEARS ETC.
SIZE 6 1/2x6x5; WT: 13 LBS.
PRICE, USED \$4.95



BC-1303 CONTROL UNIT USED
IN IE-36 TEST SET FOR SCR-
522. HAS ALL FACILITIES FOR
OPERATION, OFF-A-B-C-D CHAN-
NEL SWITCH, MIC, PHONE & ANT.
JACKS, TRANS, REC & REMOTE SW.
& PL-170 RECEPTACLE. \$3.95

VERNIER DIAL
6" 0-100 SCALE
ADJUSTABLE STOPS
5 POS. USED IN
TAJ TRANS. 4 LB.
\$2.75



BC-1366 BC-345
C-4/ARN-7 RADIO COMPASS
CONTROL BOX USED W/R-5, 5A
ARN-7, THREE BANDS 200-1750
2" TUNING METER & GRAIN OF
WHEAT LAMPS. TAKES MC-124
CONTROL SHAFT. USED \$3.95
FT-224 MOUNTING FOR C-4 BOX
WITH TERMINAL STRIP & PLUG
USED \$1.50

BC-1366 CONTROL BOX CONSIS-
TS OF 5 POSITION ROT-
ARY SWITCH, VOLUME CONTROL
& MICROPHONE & PHONE JACKS
PRICE: \$.75

BC-345 CONTROL BOX WITH 3
POSITION SWITCH MICROPHONE
& PHONE JACKS.
PRICE: \$.50

Beam
Filter

NAVY TYPE RANGE BEAM FILTER
1020 CYCLE ACCEPTANCE OR
REJECTION.

PRICE: WITH PL-55 \$1.95
NO PL-55 1.50

TL-150 TUNING WAND
FOR BC-659, BC-620 \$.75

SIDE BAND
Loading Coil
C-114 - \$1.50



PHONE PATCH
TRANSFORMER
C-161 - \$1.50

ID-304/APA-70
COURSE INDICATOR
WITH 2 CROSS-
POINT MICROAMP-
METER MOVEMENTS
50-0-50 & -25-0-75, ON/OFF
SWITCH. WESTON #888, SIMIL-
AR TO I-101C F/GLIDE RECEIV
3 1/2x3 1/2x4; 3 LBS. NEW \$4.95
CONNECTOR TO FIT... 1.50

KLAXON HORN
USED ON AIRCRAFT
LANDING GEAR SIG-
NAL. OPERATES 24
VDC, CAN BE ADJ-
USTED FOR 12 VDC ALSO FOR
SOUND, GIVES OUT RASP. NOISE
5x5x3; 4 LBS. UNUSED \$1.50


FLASHER POSITION
LIGHT, PERIODIC
AIRCRAFT TYPE
C-2, CONTAINS
2 FLASHER G-107
BALLAST TUBE,
24 VDC RELAY DPDT, COND, RES
SIZE: 4x4x4; WT: 2 LBS. USED
PRICE: \$1.00 EA. 2/\$1.50

THREE DIGIT COUNTER AS
USED IN BC-
461 REEL BOX
HAS RESET &
SPINE SHAFT
EXTENSION. 2 1/2x1 1/2x1 1/2. \$1.00

THREE DIGIT COUNTER
OPEN TYPE, BEVEL GEAR
STK. #773 \$.50

FOUR DIGIT COUNTER
FULLY ENCLOSED &
BEVEL GEAR.
VR# S-30 \$.65

C-60/AP CONTROL
BOX. METER 2 1/2"
0-150 VOLT 400
CYCLE, TWO MICRO
SWITCHES AND ADJ
CONTROL. SIZE 6 1/2
x6 1/2x3; WT: 3LBS. USED \$1.95



C-30/ARC-5 BC-451 BC-136/2
C-30/ARC-5 CONTROL BOX WITH 7
push button switches marked A, B,
C, D, OFF, 1, 2. Also tone, CW & voice
switch & connectors.
Price....\$1.00
BC-451 CONTROL BOX with switches
tone-CW-voice, on-off, 1/2/3/4
also code key, mic & phone jacks.

BC-136-2 Control unit with mic
& phone jacks, volume control &
two binding post.
\$.35 each Four for \$1.00

1-101 CROSS
POINT INDICATOR
FOR COMBINED USE
FROM LOCALIZER
REC. & GLIDE PATH
REC. PART OF ARN-
5 & RC-103. SIZE 3 1/2x3 1/2x3
WT: 3LBS. USED \$1.95

ARC-12 ANTENNA
CHANGE OVER RELAY
BNC CONNECTORS FOR
EQUIP. UG-23-UG-21
F/ANT. REGULAR & AUX
ANT. CONN. 24 VDC RE-
LAY. W/BNC CABLES.
\$2.75
UG-21 ANTENNA CONN. \$.75

ANTENNA CHANGE-
OVER S.P.D.T FOR
COAXIAL CABLE
28 VDC ROTARY
ACTUATOR WAF-
ER, LOW-LOSS
HIGH-POWER.
GENERAL COMM.
#2LN180RC-1
NEW \$3.95

SIZE: 4 1/2x3x2 1/2; WT: 1LB.
TYPE "N" CONN. CUT-OFFS 50¢
AN CONN. 7 CONTACT \$1.00


WAVEGUIDE SWITCH
AIRTRON #70960, 24-
29.5 VOLT DC, INSL
WAVEGUIDE 7/8x3/8,
1-5/8 FLG. 2 1/2 INPUT,
1 OUTPUT.
5 1/2x5 1/2x5; 5LB. \$9.95

C-2193A/A ANTENNA SELECTOR
CONTAINS 4 RELAYS
24VDC, TRANSISTORS
DIODES, RES, COND,
2 1/2x4x2 1/2; 1LB. USED \$1.95

BB-212
PLASTIC
BATTERY
NON-SPILL-
ABLE, BALL
INDICATOR
2 VOLT 40 A.
7x4x2 1/2; WT: 7 LBS. \$1.95

BB-208/AMT RADIO-
SONDE DRY CHARGE
BATTERIES, 4 IN
A VACUUM PACKED
CAN, ONE 6V 2 1/2 HR
THRU 30 OHMS, 3
36V EA. 3 1/2 HR.
THRU 1200 OHM. EA. BATT. SIZE
1-5/16x29/32x4-5/32; WT. EA.
BATT. 4 1/2 OZ.
BATTERY PACK (4) \$1.95

N-T-6 PLASTIC
STORAGE BATTERY
DRY CHARGE, 6
VOLT 4 AMP, 3 1/2x
2 1/2x2; 1 1/2LB \$3.95



WILLARD PLASTIC
STORAGE BATTERY
2 VOLT 28 AMP. HOUR NON-
SPILLABLE, BALL INDICATOR
DRY CHARGE, ADD ELECTROLYTE
SIZE 4x5x3; WT: 4LB. \$2.95

AUTOTUNE HEAD FOR ATC/ART-
13 TRANSMITTERS. MULTITURN
UNIT WITH DIAL 0-100, KNOB,
REVOLUTION COUNTER, LOCKING
DEVICE FOR PRESETTING.
CONTROL "B". Col#23518
PRICE: \$1.95

INDICATOR
AZIMUTH
SIGHTING
ANGLE
TYPE C-1A
OPERATES 26 VOLT 400 CYC.
TWO 3" INDICATORS #SYA3710
5 1/2x3 1/2x3; WT: 4 LBS. \$2.95

INDICATOR AMP.
AM-5/APS-4
6 POTENTIOMETERS
2/6V6; 6SL7; 6J6
AND MANY OTHER
USEFUL PARTS
4x5x7 1/2 WT. 5LBS.
PRICE: \$7.95

CONTROL BOX
C-289A/APS-31
CONTAINS 5 DPST
SWITCHES, 3 THREE
POSITION WAFER,
ONE EACH 4 POS.
WAFER, 5 POS.
WAFER, VERNIER
PILOT LIGHT, 2 1/2"
SIMPSON METER PLUS POTENTIO-
METERS AND OTHER PARTS.
9x5x13 WT. 13 LBS. \$8.95

COUNTER
CHAFF DISPENSER
CONTROL WITH 5
DIGIT DECLINING
COUNTER 2 AT A
TIME 24 VDC
OPERATION ALSO
12 POSITION WAFER SWITCH.
LESS DIAL LIGHT ASSY & SW.
6x4 1/2x3; 2 LBS. \$1.50

FREQUENCY
METER CAVITY
TUNEABLE 2400
-3400 MC, AB
ABSORPTION TYPE, W/DIGIT
COUNTER, LESS CRYSTAL
DIODE, W/CABLES, P/O TS-3
SIZE: 5 1/2x2; WT: 1 LB.
#3F2747-3.2 \$2.95


COUNTER 24 VDC
USED TO COUNT
AMMUNITION RE-
SERVE EACH PULSE
SUBTRACTS 2 UNITS
FROM COUNTER. MAX. COUNT
1000 2 1/2x1 1/2x2. \$1.00

BA-259 DRY BATTERY
PACK WATER ACTI-
VATED, USED W/RADIO-
SONDE AMT-4, WAXED
CARDBOARD BX
VOLTS 1 1/2, 5, & 115
2 1/2x4x4 1/2; 1 1/2LB. \$1.00

NICKEL CADMIUM BAT-
TERY. 1.2V RECHARG-
ABLE BATTERY. OUT-
PUT APPROX. 4 AMP HR
SIZE: 1 1/2x2x6 WT. 60Z
PRICE: \$2.50

RIGHT & LEFT
ANGLE DRIVE
SHAFT 3/16"
SIDE 1/2 MALE & 1/2
FEMALE. 2 1/2x2 1/2x1 1/2
\$1.50
VERNIER DIAL 2 1/2"
100 TO 0 SCALE.
TAKES 1/4" SHAFT.
PRICE: \$1.50

ID-14/APN-1
RADIO ALTITUDE
METER, 3" SCALE
0-6 MA MOVEMENT.
CAN BE USED AS
A BASIC METER
MOVEMENT AND
CHANGE SCALE AS DESIRED.
PRICE: USED \$1.50

BC-347 AIRCRAFT INTERPHONE
AMPLIFIER

Used in small planes for speak-
ing. Has two oncer transformers
Carbon microphone input & stand-
ard headset output. Requires
12 Or 24 volt & 250VDC. Uses
6P8G tube. Size 3 1/2x2 1/2x5 WT 3lbs.
With tube \$1.95 Less tube \$1.25
BC-216 MICROPHONE AMPLIFIER

Aircraft type amplifier use
tubes 1/39/44 & 1/6F7. Two car-
bon microphone inputs. Voltage
required 12 volts & 150VDC 40
Ma. Size 8 1/2 x 6 1/2 x 2. WT. 3 lbs
With tubes \$1.95 Less tubes \$1.

AMPLIFIER
USED IN TANK
FOR INTER-
PHONE. W/TWO
6V6 TUBES,
LESS DYNAMOT
OR. REQUIRES 250 VDC 50 MA.
& FILAMENT VOLTAGE.
SIZE: 9x9x3; WT: 10 LBS.
BC-367 NO CASE F/12V \$1.95
BC-667 W/ " " F/24V 2.95

BATTERY
CHARGER
FOR BB-51
& BB-52
BATTERIES.
TRICKLE CH
OPERATES FROM 6 OR 12 VOLT
STORAGE BATTERY. HAS 2-3"
METERS 0-100 DC VOLTS AND
0-30 & 0-300 DC MILLIAMPS
SCALES.
SIZE: 12x8 1/2x7; WT: 20 LBS.
PRICE: \$14.95

LENSE 2" FROM A
K-14 GUNSIGHT.
APPROX. 3 POWER.
4 FOR \$1.00



MAGNESYN INDICATOR 3", 26
VOLTS 400 CYCLE OPERATION;
200-0-200 SCALE ILLUMINATED
USED WITH APA-44 EQUIPMENT
FOR INDICATION OF WIND IN
KNOTS, N-S-E-W.
SIZE: 3x3x3, WT 3/4LB USED
BENDIX#20004-64J-A1 \$1.00

PHANTOM ANTENNA

A-61 PHANTOM ANTENNA, USED
WITH COMMAND TRANSMITTER AS
A DUMMY LOAD, POWER RATING
50 WATTS, RES. 5 OHMS, 100MHF
5KV VAC. COND. 0-4 RF METER
7x5 1/2x2 1/2; WT: 4LBS. USED \$4.95

TS-279 DUMMY ANTENNA LOAD

Three inch pyrex
feed thru insula-
tor, 1000 ohm 100
watt resistor
with two test lead
& clips. Cabinet
size 13 x 6 x 4".
Can be used for
a chassis.
Stock # TS-279
Price \$1.95

MINIMUM ORDER \$3.00

RE-1A/ARR-1
ROTARY TYPE RELAY
14 VOLT W/6 CONTA
WAFFER SW. 2/SO239
& 2 BINDING POSTS
SIZE 4x4x2; 1 1/2 LB
\$1.50

RT-58/ARC-12 CHANNEL
SELECTOR ASSEMBLY.
CONSISTS OF AUTOTUNE
ASSY. 10 POSITION
MOTORDRIVEN 26.5 VDC.
CHANNEL SELECTOR AND
STOP INDICATOR, EXTERNAL
SHAFTS TURN 60 RPM. ALSO
RELAYS, CONN. ETC.
SIZE: 4 1/2x6x3 1/2; WT: 5 LBS.
USED \$2.95

TIMER MOTOR
SWITCHING
ASSEMBLY
4 R.P.M.
S.P.D.T.
MICROSWITCH
VARIABLE
TIMING CAMS FOR ACTUATING
SWITCHES. #H9200.
SIZE: 3x2 1/2x5 WT. 2 LBS.
1 SW. 6V. \$1.95
2 SW. 28V. 2.50
3 SW. 6V. 2.95
4 SW. 6V. 3.50

115V TIMER
MOTOR
SWITCHING
ASSEMBLY
2 R.P.M.
S.P.D.T.
MICROSWITCH AND HEAVY DUTY
CONTACTS. MAX. CLOSED TIME
15 SEC. OPEN 15 SEC. WT. 4
LBS. SIZE: 7x6x3 1/2
PRICE: \$4.95

115V TIMER MOTOR
WITH ADJUSTABLE
CAMS TO CONTROL
ACTION OF MICRO
SWITCHES. TWO
S.P.D.T. MICRO-
SWITCHES. MOTOR IS REVERS-
ABLE 60CYC 2RPM. WT. 2 LBS
SIZE: 3 1/2x3 1/2x2
PRICE: \$3.95

25 HY 35 MA DC
1070 MV
2x3x2, 2LBS
GE#7415231
\$.79

"A" CHOKE
1 HY 1 AMP
.7 OHM
2 1/2x2 1/2x3 1 1/2 LB
STK#M-13331
\$1.25

20HY @ 20MA
5HY @ 450MA
50 OHMS
3 1/2x4 1/2x5 1/2 WT14LB
GILFILLAN BROS.
#23483
SWINGING CHOKE
\$4.95

10 HY 500 MA
45 OHM
4 1/2x5 1/2x5 1/2; 28 LB
#1-53601
PRICE: \$6.95

8 HY 450 MA
THORD#T4473
P/O BC-303 TRANS
5 1/2x4 1/2x5 1/2; 18 LBS
STK#3H4622.1
\$6.95

10 HY 150MA
210 OHMS
4 1/2x4 1/2x6 1/2 WT. 13
#1217210-1
PRICE: \$4.95

WESTERN ELECTRIC
POLAR RELAY
D163119A (255A)
SIZE: 6x2 1/2x2 1/2
WT. 4 LBS.
PRICE: \$1.95

BK-22A
RELAY CONTROL FOR RADIO COMPASS
CONTROL BOX
RATCHET MOTOR ASSY. THAT
OPERATES 10 P.D.T. CONTACT
ASSY MOUNTED TO BARRIER TERMINAL STRIP, (MAKE 10, BREAK 10) ALSO S.P.S.T. RELAY AND 5 12 TERMINAL BARRIES STRIP OPERATES FROM 18 TO 30 V.D.
SIZE: 12x2 1/2x6; WT. 8 LBS.
PRICE: USED \$1.95

STRATOPAX FOUR
SECTION RELAY
650-1242
24VDC
SECT. #1 4PDT
" 2 4PDT
" 3 4PDT
" 4 6PDT
SIZE: 3 1/2x4 1/2x7
WT. 5 1/2 LBS. \$1.95

LANDING GEAR
SWITCH ASSEMBLY,
SINGLE POLE DOUBLE THROW, PLUNGER
TYPE, PLUNGER IS DEPRESSED
OPENS ONE CONTACT, CLOSSES
OTHER, SPRING RETURN.
SIZE 3x2 1/2x1 1/2, PLUNGER 2 1/2.
WT: 8 OZ. PRICE: \$.50

ART-13 KEYING
RELAY AND VACUUM SWITCH
3 CONT. SPST
NORMALLY OPEN
1 CONT. SPST
NORMALLY CLOSED.
VACUUM SWITCH
2 SPOT & 1
SPOT.
OPERATING VOLT
28VDC. TWO COILS EA. 27OHMS
SERIES. SIZE: 3x4x5 WT. 2LB
STK #2Z7595-7
PRICE: \$8.95 NEW

VARIAGON PHASE
SHIFT CAPACITOR
V-42. USED FOR
ACCURATE MEAS-
UREMENT OF TIME
INTERVALS IN
RADAR SYSTEMS. CAPACITY OF
INPUT PLATE TO HOUSING 4.4
MMF. CAPACITY OF OUTPUT PLATE
TO HOUSING 15.6 MMF.
CAPACITY VARIATION OF ONE
INPUT TO OUTPUT PLATE 1.2-
4.9 MMF. SIZE: 2 1/2x1 WT. 1
PRICE: \$4.95

TAPE
SOUND RECORDING TAPE
TW-3J. 7" REEL WITH
APPROX. 900 FT OF 2
MIL TAPE. USED WITH
RD-42 WT. 4.5 LBS.
PRICE: \$4.95

HARDWARE KIT
CONTAINS 50 CLAMPS
OF 5 TYPES. 20
SCREWS OF 5 TYPE
15 LOCKWASHERS.
7 TERMINAL LUGS
4 HEX NUTS. 18
SPACERS.
WT 5 LBS.
RC-298 \$1.00

DETONATOR
IMPACT
SWITCH WITH
TWO MICRO
SWITCHES THAT
MAKE CONTACT
WHEN THE UNIT
IS JARRED.
USED IN PLANES TO DETONATE
BOMBS WHEN WRECKED. 5x4x4
WT. 1 1/2 LB. #BC-706 \$0.50

SIGNAL LIGHT NAF# 1171-2
26 VOLT DC SEALED
BEAM WITH FOUR FIL-
TERS, RED, GREEN,
AND AMBER. TRIGGER
SIGNALLING OR CONSTANT
AS A SPOT LIGHT. WITH 10FT
RUBBER CORD, MOUNTING BRACK-
ET AND FIBER CARRYING CASE.
SIZE 6x8; WT. 8 LB
UNUSED: \$4.95

MOTOR SPLIT FIELD
REVERSEABLE, SER-
IES WOUND. SHAFT
SPEEDS, 5 R.P.M.
200 R.P.M. 26VDC
2 MICRO SWITCHES
AND ON-OFF SWITCH.
PRICE: \$5.95

CAPACITY TUNER
WITH AUTO-
TUNE
160-211 MC
1/2C26
2/SO-239
CONNECTORS
7 1/2x5x5
WT. 7 LBS.
PRICE: \$2.50

CONNECTOR PLUGS
15 CONTACT
SIZE: 2 1/2x1 1/2x1 1/2
PER PAIR \$1.50 P-601
34 CONTACTS
30" CX2158/U
SIZE: 2x2x2
MRE-34H
PER PAIR \$2.00
14 CONTACTS
30" CX 2157/U
SIZE: 1 1/2x1 1/2x1 1/2
PER PAIR \$1.50 MRE-14H
18 CONTACTS
2 1/2x2x1
P-2802
PER PAIR \$2.00

SW-225 CHANGEVER
SWITCH. 3PDT
HEAVY DUTY. SIZE:
8x7x4 WT. 7 LBS.
PRICE: \$1.95

TA-211/GR INTERCOM
MUNICATION MONITOR
STATION. THREE LEV-
ER SWITCHES CONTROL
RECEPTION OF EITHER
OF TWO RECEIVERS OR
BOTH WHEN CONNECTED
THROUGH JACKS. JACKS FOR
WIKE, TWO PHONES OR RECORDER
INPUT FOR TWO RECEIVERS. RE-
CEPTICAL FOR CONNECTION INTO
EXTERNAL CIRCUIT.
SIZE: 7 1/2x5x2 1/2 WT. 3 LBS.
PRICE: \$4.95 NEW

FT-384 ADAPTER
FOR TESTING
BC-603
9C-683
USED \$2.95
RE-NEW 4.95

PLUGS INTO REAR OF SET AND
HAS METERING SWITCH AND JACK
FOR ATTACHING METER FOR MEA-
SURING VARIOUS VOLTAGES AND
MAKING ALIGNMENT.
COMPLETE W/6FT BATT. LEAD.

TELETYPE COUNTER
ACTUATED BY 48VDC
RELAY. FOUR PUL-
SES OF RELAY CHANGES COUNTER ONE
DIGIT. UNIT CON-
TAINS 115V 60CYCLE MOTOR.
MOTOR IS 60 RPM, TORQUE 6.6
INCH OUNCES. 5 1/2x5 1/2x6 WT.
10 LBS. PRICE \$9.95

ANTENNA SWITCH
UNIT SA-649/USD
CONTINUOUS SWITCH-
ING OF TWO AN-
TENNAS TO A REC-
EIVER AT 600 CPS
USED TO REDUCE
FADING OF SIGNAL
UNIT REQUIRES 26.5VDC. TUBES
INCLUDED 2/6BC4; 2/JG-6111
SIZE: 3 1/2x3 1/2x5 1/2 WT. 2LBS.
PRICE: \$3.95

BATTERY
HOLDER FOR
TWO TYPE D
CELLS, SAME
AS USED IN
MOST FLASH
LIGHTS.
USED FOR
LIGHTING INSTRUMENT PANELS
D45200 WITH SWITCH & CORD &
PLUG. \$.59

M-33 WITH SWITCH ON RHEOS-
TAT AND GRAIN OF WHEAT
LAMP ON CORD. \$1.00

SCOPE
PRI: 120/240
SEC: 2.5 @ 3 A
10.2" 5 A
6.6 @ 10 A
420-470 @ 4.50
347 @ .03
15 @ .02
6.4 @ 10A
6 1/2x6 1/2x5 1/2; 39 LB
No. 279623.3
\$4.95

SCOPE
PRI: 115 V. 60 CYC
SEC: 4580 V. 2 MA
2.5 V. 3 AMP.
SIZE: 5 1/2x6x4 1/2; 15LB
RAY#UX8038 \$4.95

SCOPE
PRI: 107-127V
50-60 CYC.
SEC: 160-200V @
700 MA.
THROUGH 16
TAPS.
SIZE: 4 1/2x3 1/2x5 1/2
WT. 13 LBS.
#229613.148
\$2.50

SCOPE
PRI: 115V 60CYC
SEC: 2000V CT @
500MA
SIZE: 5x5 1/2x7 1/2
WT. 30 LBS.
5950-581-5204
\$16.95

ISOLATION TRANS.
PRI: 115V 60CYC.
SEC: 115V .35A
3x3 1/2x5 1/2 WT. 6 1/2LBS.
#8260351
\$1.50

TRANSFORMERS & CHOKES

SEE PAGES 12 & 13

1.25 HY @ 1.23 ADC
PWV 1070
TF1A04LB
6 1/2x5x4 1/2; WT: 21 LBS
\$5.95

3.5 HY 500 MA
30 OHMS
715 V. WV
4x5 1/2x3 1/2; 10 LBS.
TK1A04KA/A8694
\$3.50

5 HY @ 400 MA
50 OHMS.
P.W.V. 1070
4x4 1/2x6 1/2; 14 LBS.
#352-1746
\$3.95

8 HY 150 MA
100 OHMS
MAX. W. V. 715
3x4 1/2x2 1/2; 5 LBS.
TF1A04HA
\$1.95

8 HY 250 MA
RES. 100 OHMS
SIZE: 4x4 1/2x6
WT. 13 LBS.
5950-646-0775
\$4.95

CURRENT TRANSFORM
RATIO 150-5 AMPS.
25 TO 60 CYCLES
WEST. TYPE K0
STYLE 651911-B
5 1/2x6x5 1/2; WT: 10LB
\$2.95
PRI: 115V 60 CYC.
SEC: 840V CT 255MA
5V @ 4A
12.6V CT 13A
WT. 16 LBS.
#223959
PRICE: \$7.95

PRI: 115 V 60 CY
SEC: 880CT 260 MA
SIZE: 4 1/2x5 1/2x4 1/2 10LB
STK#7629825
PRICE: \$4.95

PRI: 110/115/120
60 CYC
SEC: 1000V CT @
400MA
500V CT @
60MA
SIZE: 5 1/2x4 1/2x7 1/2
WT. 23 LBS.
5950-645-8894
PRICE: \$8.95

15V

15V

15V

15V

15V

15V

PARTS BONNAZA



PLUG IN TUNING UNITS USED WITH BC-191/BC-375 TRANSMITTER. THESE UNITS CONTAIN MANY PARTS THAT CAN BE USED BY SCHOOLS, LABORATORIES, HAMS, OR EXPERIMENTERS. LISTED BELOW ARE THE VARIOUS TUNING UNITS WITH FREQUENCY COVERAGE, AND PARTS LIST. ALL UNITS INCLUDE CABINET, KNOBS, HANDLES, BRACKETS, AND OTHER PARTS. THE NEW TUNING UNITS ALSO INCLUDE THE OUTER CASE.

SIZE: 17x9x7 $\frac{1}{2}$ WT: 13 LBS.

TU-5B 1500-3000KC

M-O tank inductance
M-O band change switch
Antenna coupling switch
P-A band change switch
Capacitors, as follows:
3/0.0001 mfd 3000 volt
0.00003 mfd 2000 volts
2/0.0004 mfd 5000 volts
3/0.00009 mfd 3000 volts
Var. 8-26mmf, 20-135mmf
20-156mmf
Antenna coupling coil
P-A grid choke coil
M-O grid choke coil
P-A tank inductance
Res. 15 ohms, 4.5 watts
2 $\frac{1}{2}$ " vernier dial
Right angle drive
NEW \$6.95

TU-6B 3000-4500KC

M-O tank inductance
P-A tank inductance
P-A grid choke coil
M-O grid choke coil
Antenna coupling coil
M-O band change switch
P-A band change switch
Antenna coupling switch
Capacitors, as follows:
2/0.00005 mfd 3000 volt
2/0.0004 mfd 5000 volts
Variable cap. 19-116
mmf, 8-26mmf, 15-77mmf
M-O tuning compensator
Res. 15 ohm, 4.5 watts
2 $\frac{1}{2}$ " Vernier dial
Right angle drive
NEW \$5.95 Used \$3.95

TU-7-B 4500-6200KC

M-O tank inductance
P-A tank inductance
Antenna coupling switch
Antenna coupling coil
P-A grid choke coil
M-O grid choke coil
Cap. as follows:
2/0.0004 mfd 5000 volts
Var. Cap. 8-26 mmf,
23-111mmf, 19-116mmf
2 $\frac{1}{2}$ " Vernier dial
Right angle drive
NEW \$5.95 USED \$3.95

BC-306 ANTENNA TUNING UNIT

200-500 KC
VARIOMETER COIL
VARIOMETER DIAL
ANTENNA COUPLING
SWITCH
INSULATORS
NEW \$4.95, USED



EQUIPMENT RACK

ELECTRICAL EQUIPMENT RACK. USEABLE PANEL HEIGHT 58", WIDTH IS STANDARD 19". UNIT HAS ONE ROLL-OUT SHELF, FOUR ADJUSTABLE SHELVES, AND ELECTRICAL JUNCTION BOX. LIGHTS IN TOP SECTION OF UNIT ILLUMINATE FRONT OF PANELS. EIGHT WHEELS PROVIDE MOBILITY FOR RACK. DROP DOWN SECTION ON ROLL-OUT SHELF. WEIGHT: 160 LBS. SIZE: 72x21x20. PRICE: \$30.00

VAPOR DETECTOR



WATER VAPOR DETECTOR 128; CONSISTS OF VALVING ASSY. WITH 2 $\frac{1}{2}$ " 3000 LB. PER. SQ. IN. GAUGE CONNECTED TO A BRASS BLOCK WITH 3 VALVES COPPER TUBING CONNECTS TO SATURATOR BOTTLE AND ANOTHER BLOCK WITH VALVE WHICH


ONE OUTLET CONNECTS TO A ELECTRIC AMPLIFIER THRU DETECTOR ELECTRODE AND THE OTHER OUTLET TO A GAS PRESSURE REGULATOR. THE ELECTRIC AMPLIFIER IS HOUSED IN METAL CASE WITH 3" METER 50 MICRO-AMP. WITH TUBES 1/1G6GT & 1/1G4GT IN A OSCILLATOR CIRCUIT, BALANCED BRIDGE TYPE, ANY ELECTRIC UNBALANCE IS INDICATED ON THE METER, ADJUSTING CONTROLS ON PANEL, REQUIRES 67 $\frac{1}{2}$ & 1.5 VOLTS D.C FOR OPERATION. GAS PRESSURE REGULATORS ARE STD. WITH 2" METERS. EQUIPMENT IS USED TO DETERMINE THE AMT OF WATER VAPOR IN THE GAS TO BE TESTED WITH A REF. GAS AS THE STANDARD. CARRING CASE 14x16x10 $\frac{1}{2}$; WT: 60 PRICE: USED \$14.95

RELAY TEST SET

USED \$16.95
RE-COND. 21.95

1-193 RELAY TEST SET: USED FOR TESTING 255, 255A, D-163119A, D-164 816A POLAR RELAYS ETC. FOR BIAS AND SENSITIVITY. THE ELECTRICAL CHARACTERISTICS ARE DETERMINED BY THE DEFLECTIONS OF THE METER. ALSO CONTAINS CIRCUIT FOR SENDING PULSES FOR TESTING EXTERNAL TELEGRAPH CIRCUITS AND A 10-20 CYCLE OSCILLATOR FOR TESTING AND LINE-UP PURPOSES. OPERATES FROM 115/130 VDC 10 WATTS. (RA-87 RECTIFIER SHOWN ON PAGE 8 OF THIS CATALOG WILL OPERATE THIS EQUIPMENT) SHIPPED IN WOOD CHEST 24X12X13; WT: 75 LBS.

A.F.C. UNIT



AUTOMATIC FREQ. CONTROL UNIT No. 600671; USED WITH FIRE CONTROL SYSTEM, WITH 16 TUBES 2/5829, 11/5703, 2/5702 & 1/5784, DPDT SIGMA RELAY THAT WILL OPERATE FROM 14 VDC @ 2.8 MA, SLUG TUNED COILS, RESISTORS, COND. ETC. (SORRY DO NOT KNOW FREQ. NO SCHEMATIC) SIZE: 4x8x6; WT: 5 LBS. PRICE USED \$3.95

OSCILLOSCOPE

TS-34/AP OSCILLOSCOPE; 2" DIA. SCREEN, START-STOP SAW TOOTH SWEEP INCL DEFLECTION SENSITIVITY 0.22 MM PER V. DC VERTICAL 0.26 MM HORIZ. FREQ. RANGE START STOP DURA. 4-8, 20, 50, 120-280 U SEC. SAWTOOTH -280 U SEC. SAWTOOTH FREQ. 50,000 IN STEPS TO 10 CPS. OPERATING POWER 115 V 50-1200 CYC. SIZE: 9 $\frac{1}{2}$ x29x12 $\frac{1}{2}$; WT: 40 LBS. USED \$39.50




VERNIER TIMER



VERNIER SET ATC TIMER WITH 15 MINUTE TIMING PERIOD. SYNCHRONOUS MOTOR OPERATES FROM 230 V 60 CYC AND HAS SPDT CONTACTS FOR CONTROL OF INDUSTRIAL EQUIPMENT. SIZE: 6 $\frac{1}{2}$ x5 $\frac{1}{2}$ x3 $\frac{1}{2}$ WT. 5 LBS. PRICE: \$9.95 NEW

WAVE METER



SCOPE OSCILLATOR


AN/UPM-1 WAVEMETER-OSCILLATOR-SCOPE RADAR TEST UNIT FOR 155-235MC AND 460-570MC CONTAINS PULSE AND SWEEP GENERATORS VIDEO AMP. 3" OSCILLOSCOPE, TWO WAVEMETER TWO OSCILLATORS, POWER REQUIREMENTS: 80, 115, OR 230 VOLTS AC. 60-1000 CYCLES. SIZE: 30x21x24; WT. 150 LBS. USED \$79.95 ANTENNA FOR AN/UPM-1 SIZE: 21x12 WT. 11 LBS. USED \$9.95



SIGNAL GENERATOR

USED \$22.95


BC-1277 SIGNAL GENERATOR; 2400 TO 3400 MC. TUNED CAVITY DIGIT COUNTER DIVISIONS 30/60 MC. 0-50 D.C 3 $\frac{1}{2}$ " MICROAMP. METER FOR MEASURING THE VOLTAGES OF THE VARIOUS CIRCUITS. ATTENUATOR, SYNC. AMP., STD. SIGNAL SHAPE AND CAL. SIGNAL AMPLIFIER CIRCUIT OPERATES FROM 115 V. 50-1200 CYCLE. WITH TUBES 3/VR-150, 4/6AC7, 2/VR-105, 2/6Y6, 2/6SF5, 1/6L7, 1/6L6, 1/707A, 1/6X5 & 1/514. USED FOR TESTING RADAR. SIZE IN WOOD CHEST 22x17x17; WT: 100 LB




ATTENUATORS

MX-1309/URM-23 POWER MEASURING; KIT OF WAVEGUIDE ATTENUATORS, ADAPTER, BALOMETER, CABLE & CHART, 1000 TO 4000 MC.

1 ATTENUATOR CN-110/U 10 DB
1 " CN-111/U 20 DB (2pc)
1 " CN-168/U 3 DB
1 " CN-169/U 6 DB
1 RF BALOMETER DT-76/U, "N" CON
1 ADAPTER CONN. UG-402/U
1 COAXIAL CABLE CG-928/U, W/UG-21 EA. END. METAL CARRING CASE, FITTED, SIZE 19x5x14; WT: 32 LBS. COMPLETE SET \$14.95




PULSE GENERATOR



AN/UPM-19 RADAR TEST SET CONSISTS OF SG-76 PULSE GENERATOR THAT COVERS THE FREQ. OF 2650-2950 MC. VARIABLE FREQ. AND R.F. OSCILLATOR CONTROLS BCN CONN. REQ. FOR R.F IN, R.F OUT, VIDEO PULSE AND SYNC. OUT JACKS. 2 $\frac{1}{2}$ " R.F. CAL. POWER METER 25 TUBES, OPERATES FROM 24 VDC VIBRATOR POWER PACK. ABOVE IS CONTAINED IN CASE # 1 OF 2. CASE 2 OF 2 CONTAINS, 2 ANTENNAS, CONTROL BOX, LITE INDICATOR BOX, PLUGS AND CABLES. ALUMINUM CARRING CASE SIZES 16x8x14 AND 14x10x10; SHPG. WT: 80 LBS. PRICE: USED \$39.50

CALIBRATOR



TS-102B/AP CALIBRATOR: RANGE CALIBRATOR PORTABLE PULSE GENERATOR WITH REPEITION FREQ. OF 400, 800, 1600, 2000 & 4000, MARKER AND SYNCHRONIZING PULSE, VARIABLE DELAY LINE PHASE ADJUSTMENT. OPERATES FROM 115 V. 50-1000 CYCLE WITH TUBES 2/6X4W, 3/6AG7 6/5814, 2/UG273/U CONN. 4/CABLES W/UG-888/U SIZE: 16x10x11; WT: 28 LBS. UNUSED \$18.95

RADIO COMPASS



RA 101A/ARN-6 RADIO COMPASS WITH A FREQUENCY RANGE OF 100-1750 KC 1 FOUR BANDS. COMPLETE WITH TUBES 6/12SK7, 4/12SX7, 1/12SY7, 1/12SV 2/26A7, 2/2050. OPER. FROM 26.5VDC. WT. 35L SIZE: 11 $\frac{1}{2}$ x7 $\frac{1}{2}$ x15 $\frac{1}{2}$

AS-313/ARN-6 LOOP ANTENNA WITH MOTOR AND AUTOSYN TRANSMITTER. USED WITH AR-6 RADIO COMPASS. OPERATES FROM 26 VOLTS 400 CYC. SIZE: 10x11x5 WT. 15 LBS. PRICE: (AS ILLUSTRATED) USED \$7.95 MANUAL FOR RA 101A/ARN-6.....\$5.00



AUTOSYN INSTRUMENT FIELD TESTER; AAF #43G18624 IS A SIMPLE TESTER THAT IS DESIGNED TO TEST THE ELECTRICAL CIRCUITS OF ALL MINIATURE 26 V. 400 CYC. AUTOSYNS. WHEN CONNECTED TO THE SUPPLY IT CAN BE USED AS A TRANSMITTER OR INDICATOR ALSO HAS ELECTRICAL ZERO TESTING CIRCUIT. SIZE: 6x10x5; WT: 8 LBS. PRICE: METAL CASE HINGED COVER & CABLES. USED.. \$8.95 WOOD CASE NO COVER/CABLES 3.95

SIZE: 10 $\frac{1}{2}$ x19x13 FOR RACK MTG. SHPG. WT: 100
PRICE: USED \$60.00

VOLTS DC 200 MA. DC VOLT METER, DC MILLAMP-
METER 2 1/2" FOR STANDARD 19" RACK MOUNTING.
COMPLETE WITH TUBES 2/5R4. SIZE: 10x17x6 1/2
WT. 40 LBS. \$49.50

RA-43-B RECTIFIER
TUBE TYPE OUTPUT
115v 525w DC; INPUT
95-125v, 50-60cyc
AC. PROVIDES POWER
FOR 1 TO 3 SWITCH-
BOARDS. REQUIRES
2/6F6 INCL AND TWO
C6J. NOT INCL. WT.

WT. 165 LBS. SIZE: 22x17½x10
PRICE: \$24.95 USED

TS-147D/UP STRIPPED WITH
2 1/2" MILLIWATT METER, FUSE
HOLDERS, SWITCHES, POTEN-
TIOMETERS, AND POWER SUPPLY
300V 36MA, 6.3V 1.25A, 5.0V
2A, 6.3V 1.7A. COMPLETE WITH
TUBES: 5R4, 6Y6, 6SH7, 2K25,
2/0B2, 2/6SL7. SIZE: 18x12x11; WT: 35 LBS.
USED WITH CASE AND METER.... \$14.95
USED WITH CASE NO METER..... \$11.95

SCOPE POWER SUPPLY 110 VOLT
380-420 CYCLE INPUT, OUTPUT
APPROX. 1800 VOLTS 1.5 MA.
WITH TRANSFORMER, 2/CONDENSER
.1 4000 VDC, 1/1Z2 TUBE, TER-
MINAL STRIP RESISTORS ETC.
SIZE: 6x7x5; WT: 5 LBS.
GE Assy#7608055 \$2.95

PP-111/APS-10 POWER SUPPLY AS USED
IN THE APS-10 RADAR SET. OPERATES
FROM 115 VOLTS 400 CYC & 24 VDC
FOR FILAMENT, SUPPLIES 4000 VDC
105 VDC & 300 VDC. WITH TUBES 6X5
VR-105, 5R4, 6Y6, 6SH7, 2X2. SHOCK-
MOUNTED CHASSIS, SIZE: 9X11X13; WT: 21 LBS
PRICE: USED \$4.95 NEW \$6.95

IC/VRW-7

WIRE RECORDER 3" REEL 0.006 DIA. WIRE. ONE
INPUT CHANNEL, 600 OHM IMPEDANCE, 290 RPM
RECORDING SPEED. FREQUENCY RESPONSE 300-
3500 CPS. OPERATES FROM 28 VDC. COMPLETE
WITH TUBES 2/2807, 6X303A/ANQ-1 WITH WIRE
FOR 60 MINUTES. FRONT CONTROLS FOR VOLUME
IMPUTS FOR MIKE AND RECEIVER, CPUTPUTS FOR
TWO HEADPHONES, AND AN ON/OFF SWITCH.
(THIS IS A RECORDER ONLY)
SIZE: 12 1/2" x 6 1/2" WT. 16 LBS.
PRICE: \$9.95 USED

AUTOMOBILE REAR VIEW MIRROR: AUTOMATICALLY CHANGES ANGLE OF MIRROR WHEN HEADLIGHTS OF CAR IN THE REAR STRIKES MIRROR. OPERATES 12 VOLTS D-C WITH PHOTO-CELL, 1/12K5 TUBE, SPST RELAY, RELAY THAT FLIPS MIRROR AND SENSITIVITY CONTROLS. CAN ALSO BE OPERATED BY A FLASHLIGHT OR OTHER LIGHT SOURCE. SIZE: 10x2x1 1/2. WT: 3LBS. PRICE:.. \$3.95

FOUR HIGH VOLTAGE VACUUM JENNINGS W-6, W-10,
W-15 & W-125, RATCHET TYPE SWITCHING ASSY WITH
2 DECM ROTARY CERMAIC WAFERS. (NO COVER WITH
UNIT.) SIZE: 11x12x14; WT: 25 LBS. \$39.95

SIZE 18x13x14; WT: 90 LBS. USED \$75.00

1-242 RADAR TEST SET DESIGNED TO
FURNISH A COMPARATIVE INDICATION
OF TRANSMITTER OUTPUT AND MEASURE
PULSE RECURRENCE RATE. CONSISTS
OF DUMMY LOAD WITH 3" METER 0-50
MA WITH 0-100 SCALE. UNUSED
SIZE 8x10x11; 14 LBS \$8.95

\$8.95

HIGH VOLTAGE D.C. TESTER
FOR HARNESS AND INSULATION
OPERATES FROM 115 V 60CYC
OR 28 VDC, OUTPUT 0 TO
15,000 V. TWO SCALES, VAR
METERS. KILOVOLT 0-15/15
0. GENERAL METERS#TH100
42 LBS. USED \$34.95

DESICCATOR PUMP TEST FIXTURE:
CONSISTS OF AIR FLO-SCOPE INDICATOR WITH 4" MAGNETIC METER 0-8 INCHES OF WATER AND PRESSURE CONTROL VALVE ALSO TWO 3" SQUARE METERS 0-50 VDC 500 OHMS PER VOL AND 0-5 AMP METER, RHEOSTAT, SW, PILOT LIGHT ETC. UNIT IS HOUSED IN METAL CARRING CASE 21x13x6; WT: 25 LBS.

C-847/U CONTROL BOX FOR AN/VRC-19. CONTROL BOX CONTAINS 2 PILOT LIGHTS, MOMENTARY SPEAKER CONTROL, SQUELCH CONTROL, FREQUENCY CONTROL, AND EXPLOSION PROOF SPEAKER. WHOLE UNIT IS WEATHER-PROOF. SCHEMATIC IS INCLUDED. WT. 6 LBS.

U-77/U CONECTOR PLUG FOR HANDSET USED \$1.00

ARN-50 GLIDE PATH RECE-
IVERS USED IN AIRCRAFT
TO RECEIVE A MODULATED
SIGNAL 90 & 150 CYC. ON
332.6, 333.8 MC. OPERAT
ES FROM 24 VDC. COMPLET
WITH TUBES 76AJ5, 2/12
5x6x4x11; WT. 12 LBS.
PRICE: USED, R-89/ARN-5
R-268/ARN-
R-430/ARN-

PRICE: USED,	R-89/ARN-5	\$5.95
	R-268/ARN-5	\$6.95
	R-430/ARN-5	\$5.95

AS A AUDIO LINE BOOSTER
AND MIXER. INPUT IMPEDANCE 500 OHM, OUTPUT
600 OHM. OPERATES FROM 24 V.D.C. AND IS COM-
PLETE WITH ONE 26A7 TUBE AND SCHEMATIC.
SIZE: 5x5x2: WT: 2 $\frac{1}{2}$ LBS. USED \$1.50

MOTOROLA RECEIVER 70-80MC
(30-40 MC. CONVERSION WILL
BE SUPPLIED UPON REQUEST,
F.M. 6 VOLT VIBRATOR POW-
ER SUPPLY, 16 TUBES 10/7C7
1/7C5, 2/7AG7 & 2/7A6, 7F7
SINGLE CHANNEL CRYSTAL
CONTROL, SQUELCH ETC. USED
SIZE 15x9x9; WT: 30 LBS.
S CRYSTALS & COVER \$22.95
" WITH " 27.95

MOTOROLA TRANSMITTER FMT-25V 30-40 MC, F.M
CRYSTAL CONTROL SINGLE CHANNEL, 25 WATT, 6V
TUBES, 3/7C7, 2/7A8, 1/6V6, 1/RK391807. 15x9 1/2x9
30 LBS. USED W/COVER \$14.95; LESS COVER 9.95

PHILCO

30 WATT, 6 VOLT DYNAMOTOR P.S.
CRYSTAL CONTROL SINGLE CHANNEL
TUBES, 2/3A4, 1/9003, 1/6BJ6, 2/
2E24, 1/6C4, & 1/2E30. USED COND
SIZE: 15 1/2 x 10 1/2 x 8. WT: 35 LBS.
PRICE: W/TUBES, L/CRYS. \$14.95

PHILCO RECEIVER PRT72G 70-80 MC.F.M 6 VOLT
VIBRATOR POWER SUPPLY, CRYSTAL CONTROL,
SQUELCH CIRCUIT, WITH TUBES 3/6AU6, 3/6AK5,
2/6AQ6, 1/6CA, 1/7F7 & 1/7A8. USED LESS CRYST.
SIZE: 15"x10"x8: WT: 30 LBS. \$14.95

152 TO 172 MC. F.M. 6 OR 12
VOLT
\$59.50

COMMERCIAL TYPE MOBILE COMMUNICATION RADIO SET
MFG. BY LINK. TRANSMITTER #1906 50 WATT USING
2/2E26 TUBES DRIVING 829 IN THE FINAL ALSO
1/7AG1, 1/7F7 & 1/7W7 TUBES. WITH 12 VOLT DYN-
AMOTOR POWER SUPPLY. RECEIVER #1905 SELECT-
IVE DOUBLE CONVERSION WITH SQUELCH CIRCUIT &
2/7AG, 7/7AG7, 1/7F7, 1/7B5 & 2/6AK5 WITH 12 VOL
VIBRATOR POWER SUPPLY. BOTH UNITS ARE CRYSTAL
CONTROL PHASE MODULATED 15 KC.

UNITS HAVE RECENTLY BEEN REMOVED FROM CARS
AND HAVE TUBES, CONTROL BOXES, CABLES WITH
PLUGS (THAT MAY HAVE TO BE SPLICED) ETC.
PRICE, AS DESCRIBED \$59.50

162.25 - 173.5 MC. FM
DESIGNED TO RECEIVE
SONOBOUY SIGNALS ON
16 PRE-SET CHANNELS.
WITH TUBES, 1/6A5, 2/
6AL5, 1/6AS7, 1/6AU6
1/12AU7, 1/12AV7 & 7/
6AK5. NO POWER SUPPLY
REQUIRES 280 VDC @
APPROX. 125 MA. AND F
OUTPUT OF THE SET USE
FOLLOWER CIRCUIT WHIC
SET. (SCHEMATIC AND
FOR 145-175 MC SUPPLI
OF AUDIO, SQUELCH AND
SUPPLY CIRCUITS.)
SIZE 5x8x17. WT.: 3 LB

SIZE 5x8x17: WT: 3 LBS. PRICE: USED \$22.95


HIGH FREQUENCY FOR REMOTE
CONTROL USE IN THE 53-88MC
BAND ON PRESELECTED CHANNEL
SINGLE FIXED FREQ. COMPLETE
WITH TUBES: 1/6SG7; 1/6J5;
3/6SL7; 1/6SN7 & 24 VOLT
DYNAMOTOR
SIZE: 6x8x10 WT: 13 LBS.
PRICE: RF-NEW \$4.95

GIBSON GIRL TRANSMITTER ASSEMBLY
500 KC. SINGLE CHANNEL,
 CONSISTS OF TRANSMITTER
 SECTION OF THE SCR-578/
 BC-778 EQUIPMENT. USES
 1/12SC7 & 1/12A6 TUBES.
 W/ GOLD PLATED VARIABLE
 CAPACITORS TO 245 MMFD. COILS, COND, RESISTOR
 SOCKETS ETC. REQUIRES 24 VOLT FOR
 HEATER BE WIRE FOR 12) AND 300 VDC
 HIGH VOLTAGE. SCHEMATIC SUPPLIED.
 MOTOR AND GEAR TRAIN LISTED PAGE 8
 WT: 3 LBS. NO TUBES. PRICE \$2.95

S.O.S CODER WHEEL WITH GEAR TRAIN, SWITCHING ASSY. RELAY, PILOT LIGHT ASSYS, ETC. FOR ABOVE TRANSMITTER. PRICE: \$1.00

WAVEMETER FR-24 (XW-3)/U MFG. BY
POLYTECHNIC RESEARCH & DEVELOPMENT CO
 12,400 TO 15,000 MC. 2 TO 4% CORRECT
 ION. WAVEGUIDE 1-5/16" FLANGE.
 SIZE: 4 1/2 x 8 x 5 1/2; WT: 10 LBS. USED \$150.00

DIVERSITY RECEIVER



DIVERSITY RECEIVING EQUIPMENT
 PROVIDES A MEANS FOR COMBINING
 THE OUTPUT THE OUTPUT OF THREE
 RECEIVERS TO PRODUCE A SINGLE
 KEYED AUDIO OUTPUT SIGNAL,
 FREE FROM NOISE AND OTHER UN-
 DESIRED INTERFERENCE. IT IS
 SUITABLE FOR USE ONLY IN CW
 & MCW SIGNALS AND NOT VOICE.


THE BAND PASS FILTER IS FOR 600 TO 1200 CYC.
 AND THE OUTPUT OF EACH RECEIVER IS INDICATED
 ON THE METERS WHICH ARE 500 MICROAMP. THE
 AUDIO FREQ. CONTROL CAN BE ADJUSTED FOR THE
 PROPER BAND PASS. INPUT AND OUTPUT IMPEDANCE
 IS 600 OHMS. EQUIPMENT OPERATES FROM 115/230
 VOLT 50/60 CYC. AND CAN BE RACK MOUNTED.

W/TUBES 1/VR-150, 1/6F8, 3/6A6, 2/6SJ7, 1/77,
 1/1V, 1/80. SIZE: 21x19x14; WT: 125 LBS.
 PRICE: NEW WITH MANUAL \$24.95

SILICON RECTIFIERS


POWER TESTED AT 1 MA MAX. LEAKAGE

1 AMP (TOP HAT)	35 AMP (STUD)
50-200 PIV \$.10	50 V \$.75
200-400 " .15	100 V 1.00
400-600 " .25	200 V 1.50
600-800 " .35	300 V 2.00
800- " .45	400 V 2.25
1000 " .55	500 V 2.50
	600 V 3.00
	900 V 4.00
5 AMP (STUD)	240 AMP
200-400 PIV .50	50 V 6.00
400-600 " .60	150 V 7.50
700 " .70	300 V 10.00
800 " .85	
1000 " 1.75	
INI:347 6 AMP. 500	2N722 1.00
PVI (GOLD) 1.50	



TRANSISTOR BOARDS 5/ \$1.00
 BOARDS SIMILAR TO THOSE PICT-
 URED. EACH PACKAGE CONTAINS
 5 BOARDS WHICH HAVE DIODES
 TRANSISTORS, CONDENSERS, AND
 RESISTORS. EACH BOARD 2 5/8
 BY 3 7/8. WT. 9 OZ.
 PRICE: 5/ \$1.00

PE-204 VIBRATOR POWER
 SUPPLY, OPERATES FROM
 12 VDC. OUTPUT VOLTAGE
 TWO 4.3 VDC @ 50 MA.
 " 45 " @ 1/2 AMP.
 " 85 " @ 5 MA.
 SIZE: 7x5x5 1/2; WT: 12 LBS.
 \$4.95



DUAL EXHAUST FANS; FOR
 19" RACK MOUNTING, 110
 V. CAPACITOR TYPE MOTOR
 6 1/2" BLADES, 3250 RPM
 MOTORS MOVE PLENTY AIR
 : 12 LBS. USED \$14.95




PRI: 206 V 60 CYCLE.
 ONE PHASE 10.6 KVA.
 SEC: 30 V
 115 VOLT PRIMARY
 SECONDARY 16 VOLT
 SIZE: 14x11x11
 WT: 150 LB. #ACME
 2649 \$32.95
 • SELENIUM RECTIFIER
 • HALF OF FULL WAVE
 • (FOR USE W/TRANS. TO
 • LEFT) SIZE 12x16x6
 • WT: 28LB. \$8.95 EA.
 • TWO FOR \$15.00

FLASH LAMP

A GASEOUS DISCHARGE FLASH
 LAMP AS USED IN VVX-1 IND
 ENTIFICATION EQUIPMENT.
 200 WATT SECOND, 3 PRONG
 BASE. SYLVANIA #1073/4330
 CAN BE USED IN PHOTO-FLASH
 \$3.95 EACH 2 FOR \$7.00




0-15 DC AMMETER




HOYT D.C. AMPERE METER
 0-15 MIRRORED FAN SCALE
 4" IN PORTABLE CASE W/
 TEST LEADS & HINGED
 COVER. SIZE 5 1/2 x 6 1/2 x 2 1/2
 WT: 3 LBS. \$3.95

AC LINE CORD 4 FT.
 WITH SWITCH, WHITE
 25¢ 5 FOR \$1.00



THREE CONDUCTOR
 #18, BLACK PLASTIC
 15 FT. 35¢ 3/ \$1.00
 PLASTIC COVERED
 2/12 8¢ PER FOOT

SG-23/U NOISE GENERATOR PROBE
 OPERATES FROM PEN LIGHT CELL.
 6 1/2 x 3/4" \$1.95




TS-446 R.F. INDICATOR, NEON BULB
 IN LUCITE PROBE 1/25 WATT NE-2
 BULB, 4-5/8 LG. X 3/4" W/CLIP
 PRICE: \$1.00




SILICON RECTIFIER
 STACK 2 106 AMP. 35
 VOLT MOUNTED. SIZE
 5 1/2 x 3 1/2 x 6 1/2; WT: 4 LBS.
 GE# 4JA601ACIAB1
 \$6.95


12 VOLT TO 6 VOLT
 CONVERTER; INPUT
 AMP. APPROX. 20
 OUTPUT ON REC.
 6 VDC 10 AMP.
 TRANSMITT 35 AMP.
 SIZE: 9 1/2 x 7 1/2 x 7; 25LB



EMPTY CASE FOR BUILDING AND MOUN
 TING MOTORADE FOUNDATION METE
 RERS SHOWN ON PAGE 2. PRECUT
 HOLE FOR METER. SIZE: 5 1/2 x 3 x 7;
 WT: 2 LBS. \$1.95




TS-46/AP
 FREQUENCY METER
 DESIGNED TO ME-
 ASURE PULSE OR
 CW SIGNALS IN
 THE 3 CM & 9 CM RADAR BAND.
 USES TUNABLE LINE COUPLED BY
 A INDUCTIVE LOOP ACROSS A CRYST-
 AL CIRCUIT. MICROAMPERE METER
 3", 0-200 DC.
 SIZE: 11 1/2 x 3 1/2 x 3; WT: 6 LBS. \$14.95




COAXIAL RELAY
 THREE SO-239 COAX
 CONNECTORS. WIRED
 FOR 24VDC HAS
 TAPPED COIL FOR
 CHANGING TO 12VDC
 SIZE: 3x3x2 WT 1LB
 #RE-13/ARA-8 PRICE: \$4.95




ANTENNA CHANGOVER
 RELAY. ANTENNA
 INPUT CONNECTOR
 UG-21. OUTPUT TO
 RECEIVER-TRANS.
 2/UG-88. 24 VDC
 NEW \$3.75




INDICATOR SYNCHRO
 RECEIVER, 5 1/2" DIAL
 CALIBRATED 0-360
 DEGREES & 0-1600
 KNOTS, SYNCHRO
 RECEIVER 23TR6
 OPERATES 115VOLT 60 CYCLE.
 WT: 3 LBS. \$12.95
 23TR6 SYNCHRO RECEIVER
 LESS INDICATOR DIAL \$10.95




CAMERA LIGHT FILTER
 GRAY COLOR, 50% TRANS.
 SCREW IN MTG. 2-23/32
 69 MM DIA. WRATTEN DE
 NSITY .30. FOR WOLLEN
 SAK TYPE V 254 MM F4.5
 35 MM P/O PH330G CAMER
 8A1101-50.4 \$1.95



TELETYPE PAPER 8 1/2 INCHES WID
 ON 5 INCH DIAMETER ROLL.
 THREE SHEETS OF CARBON PAPER
 AND FOUR SHEETS OF YELLOW
 PAPER. WT. 5LBS PER ROLL




TELETYPEWRITER PERFORATOR TAPE
 11/16" WIDE, YELLOW, 8" OD ROLL
 1" ID, OILED. (APPROX 900 FT.)
 PACKAGE 10 ROLLS 14 LB. \$2.50




CHOKES
 10 HY 150 MA
 RES. 100 OHM
 TEST 3000 V.
 SIZE 3 1/2 x 4 1/2 x 3
 WT: 7 LBS.
 3C323-6220
 \$1.95
 10 HY 415 MA
 RES. 60 OHMS
 TEST V 1800
 SIZE 4x5x3 1/2
 WT: 12 LBS.
 5950-645-9675
 \$4.95
 12 HY 525 MA
 RES. 68 OHM
 TEST 2500 V.
 SIZE 6 1/2 x 7 1/2 x 5
 WT: 33 LBS.
 #N284270
 \$7.95

TERMINAL BOARD, PART
 OF BD-96
 SWITCHBOARD
 10 HEAVY
 DUTY BLACK BINDING POSTS, SCREW
 TYPE & 90 SLOTTED HEAD BRASS
 BINDING POSTS ON BOARD 19 1/2 x 5 1/2 x 1/2
 WT: 8 LBS. \$1.95



TERMINAL BOARD
 P/O BD-71 SWIT
 CHBOARD. 15
 BRASS SCREW TYPE BINDING POSTS
 ON INSULATING BOARD 3 1/2 x 16; 3LBS
 \$1.50




Fair Radio Sales Co.

2133 ELIDA ROAD

P. O. BOX 1105

Lima, Ohio 45802

**Pray
To-Day
Peace on
Earth
Good Will
To All Men**



**NEW LOCATION
AFTER JUNE 1
1016 E. EUREKA**



BC-221 FREQ. METER

THIS IS A SIMPLE ACCURATE AND RELIABLE CRYSTAL CALIBRATED FREQUENCY INDICATING INSTRUMENT FOR USE IN THE 125 TO 20,000 KC. RANGE, WITH A NORMAL OPERATING ACCURACY OF LESS THAN .02%. CAN ALSO BE USED AS A SIGNAL GENERATOR OR VARIABLE FREQ. OSCILLATOR.

OPERATING VOLTAGE REQUIRED FOR DRY CELL OPERATION 6 VDC .9 AMP. & 135 VDC 20 MA.

SIZE: 10x13x10; WT: 25 LBS.

UNITS MAY BE IN WOOD OR METAL CASES VARIOUS LETTERS (A).

COMPLETE WITH TUBES, CRYSTAL AND ORIGINAL CALIBRATION BOOK.

USED UNITS COMPLETE AS DESCRIBED

CHECKED FOR OPERATION.

\$79.50

NEW UNITS COMPLETE AS DESCRIBED ABOVE PLUS

HEADSET AND MANUAL.

\$125.00

OSCILLOSCOPE


USM-24 OSCILLOSCOPE

3 INCH CR TUBE 3J1
RECURRENT SWEEP, 8 CYC PER. SEC. TO 600 KC.
TRIGGERED SWEEP 1.25-125 MICROSEC. VERT. DEFLEC. SENSITIVITY .035
HORIZ DEFLEC. 4.0V
HORIZ RESPONSE .5 CYC PER SEC. TO 700KC.,
VERT. RESPONSE 4 CYC. PER. SEC. TO 10MC BEAM MOD. RESPONSE 50 CYC. PER. SEC. TO 10MC HORIZ INPUT IMPEDANCE 300, 600 OHMS. BEAM MOD. INPUT RESIST. 56,000 OHMS OPERATES FROM 115VOLTS 50-1000 CYC. RADIO FREQ. & MOD. CIRCUITS USE BCN SERIES COAXIAL CONNECTORS.
SIZE: 17x15x15; WT: 60 LBS. USED SERVICEABLE PRICES LISTED BELOW ARE LESS BLOWERS, PROBES CABLES, COAXIAL ADAPTERS AND AS OFFERED.

OS-51/USM-24 --- LESS FRONT AND BACK COVERS.....\$59.50

OS-26/USM-24--- LESS FRONT COVER AND DELAY LINE.....\$44.95

OS-26/USM-24--- WITH FRONT AND BACK COVERS, LESS DELAY LINE..\$49.95



RECORDER-VISUAL




BC-1323A RECORDER-REPRODUCER AUDIO-VISUAL, USED TO RECORD ON STEEL TAPE 48" LONG 3 CHANNELS AUDIO FROM MICROPHONES, 64 OHM RECORDING HEAD, TAPE SIZE .050 W.X.002 TH.6" PER.


SEC. RECORDING SPEED. DISPLAY ON 1" 913 CR TUBE VIEWED THRU RUBBER EYE PIECE. OPERATES FROM 6 VDC 5.5 AMP. WITH 10/9001, 1/6AK6 & 1/913 CR TUBES.

SIZE: 8x28x6; WT: 40 LBS. USED \$24.95

FIRE CHEX



AUTOMATIC SAFETY DEVICE PROTECTS CARS FROM FIRE FOOL-PROOF COMPACT UNIT INSTANTLY BREAKS ELECTRICAL CIRCUITS IN VEHICLE ROLL-OVER, COLLISION SIDESWIPES ETC. SENDS ELECTRIC SYSTEM "COLD" TO ELIMINATE FIRE HAZARDS IN ACCIDENTS CAUSED BY ELECTRICAL SYSTEMS. ORDINARY ROAD BUMPS ETC. WILL NOT ACTIVATE. RESET AND MANUAL OPERATION FROM DASH ALSO PREVENTS CHILDREN FROM STARTING ENGINE, BLOWING HORN, OPERATING POWER WINDOWS, CIGARETTE LIGHTERS ETC. EASILY TO INSTALL, COMPLETE WITH INSTRUCTIONS. SHPG. WT: 5 LBS. NEW LOW LOW PRICE: \$5.95



KWIKSTART POWER PAK STARTS ANY 6, 12 OR 24 VOLT ENGINE SYSTEM FROM 115 VOLT 60 CYCLE IN ANY KIND OF WEATHER. NEWLY MANUFACTURED OF LATEST DESIGN UNIT IS A POWER HOUSE OF ENERGY ENERGY NEEDED TO START STUBORN ENGINES IN SUB-ZERO WEATHER, EVEN THOUGH THE BATTERY MAY BE DEAD. PORTABLE UNIT ONLY WEIGHS 30 LBS. AND COMES WITH 4 FT. CABLE WITH HEAVY DUTY CLAMPS AND 6 FT. LINE CORD.

STANDARD UNITS: 12 V. 225 AMP. \$80.00
6 V. 400 AMP. \$115.00 24 V. 115 AMP. \$90.00


COMBINATION UNITS: 6/12 V 400/225 A \$180.00 12/24 V 225/115 \$156

POLARITY PROTECTION UNITS: THESE UNITS HAVE THE ADDED FEATURE THAT THEY WILL NOT OPERATE IF THE CABLES ARE REVERSED THEREBY WILL PREVENT DIODES FROM BURNING OUT ON CARS USING ALTERNATORS. PRICE FOR SINGLE VOLTAGE UNITS ADD 25%
DUAL " " " 50%

AIRCRAFT TYPE UNITS: HAVE 6 FT. CABLE AND AIRCRAFT TYPE STARTING PLUG. PRICES: ADD 20% TO THE PRICES LIST.

CHARGE-START UNIT: QUICK START, FAST CHARGE UNIT WITH POLARITY PROTECTION. 12 VOLT ONLY \$168.00

BC-223 TRANSMITTER



BC-223 TRANSMITTER 25 WATT 2000 TO 5200KC BY USE OF 3 PLUG IN TUNING UNITS, CRYSTAL CONTROL AND VARIABLE OSCILLATOR, FOUR PRESELECTED CHANNELS, USES

FT-171 CRYSTAL HOLDERS WITH TUBES 1/801 OSCILLATOR, 1/801 POWER AMPLIFIER, 2/46 MODULATORS, 1/46 AUDIO AMPLIFIER, 2" METERS, 0-3 R.F. & 0-300 VDC MA. VOLTAGE REQUIRED 12 OR 24 VDC & 500 VDC @ 150-200 MA.

SIZE: 18x13x7; WT: WITH 3 TUNING UNITS 100 LBS PRICE: W/TUBES AND 3 TUNING UNITS WITH CASES FOR 2 TUNING UNITS.. NEW \$29.50

TU-17 TUNING UNIT 2000-3000 Kc.	\$4.95
TU-18 " " 3000-4500 "	3.95
TU-25 " " 4500-5200 "	3.95
CS-56 CASE FOR HOUSING TUNING UNIT	1.50
FT-173 SHOCKMOUNTING	2.50
POWER PLUG CONNECTOR F/TRANS OR POWER	1.50
PE-135/PE-55 DYNAMOTOR 12/24 VOLT, USED 12.95	
AC POWER SUPPLY	
KIT OF PARTS \$25.00 WIRED \$29.95	

RECEIVER TRANSMITTER

COMCO MODEL 278 TRANSMITTER-RECEIVER 225-400 MC RECEIVER-TRANSMITTER FOR 6/12/24 VOLT OPERATION. POWER OUTPUT 2+3 WATTS. UNIT IS CRYSTAL CONTROLLED (CRYSTALS NOT INCLUDED). COMPLETE WITH TUBES: 2E26, 5686, 5/68H6, 12AX7, 2/6AQ5, 6AT6, 3/68J6, 6BE6, 2/6AK5, 6AK6. UNIT COMPLETE WITH TUBES, CABLES, SPEAKER, AND CONTROL BOX.

SIZE: 12x11x5. WT: 35 LBS. USED \$49.95

